



Ford® F-150® Raptor R™ 4X4 (Model 101076-4) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

Bearings & Bushings

| | |
|-------|--------------------------------------------------------------|
| 2728 | Ball bearings (5x8x2.5mm) (2) |
| 5119A | Ball bearings, black rubber sealed (10x15x4mm) (2) |
| 5119 | Ball bearings, blue rubber sealed (10x15x4mm) (2) |
| 5120 | Ball bearings, blue rubber sealed (12x18x4mm) (2) |
| 5116 | Ball bearings, blue rubber sealed (5x11x4mm) (2) |
| 5117 | Ball bearings, blue rubber sealed (6x12x4mm) (2) |
| 5118 | Ball bearings, blue rubber sealed (8x16x5mm) (2) |
| 5114 | Ball bearings, blue rubber shield (5x8x2.5mm) (2) |
| 3934 | Body clips, heavy duty (12) |
| 1985 | PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings) |

Body & Accessories

| | |
|--------------|---------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1926 | Antenna caps, vinyl (2)/ antenna spool |
| 1726 | Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) |
| 10124 | Body mount, front/ adapter, front/ inserts (2) (for clipless body mounting) |
| 10125 | Body mount, rear/ inserts (2) (for clipless body mounting) |
| 10111 | Body, Ford Raptor R (clear, requires painting)/ window masks/ decal sheets |
| 10112-BLK | Body, Ford Raptor R, complete (black) (includes grille, tailgate trim, side mirrors, decals, & clipless mounting) (requires #10124 & 10125 body mounts) |
| 10112-BLUE | Body, Ford Raptor R, complete (blue) (includes grille, tailgate trim, side mirrors, decals, & clipless mounting) (requires #10124 & 10125 body mounts) |
| 10112-RED | Body, Ford Raptor R, complete (red) (includes grille, tailgate trim, side mirrors, decals, & clipless mounting) (requires #10124 & 10125 body mounts) |
| 10120 | Grille/ grille mount/ 3x10 BCS (7) (fully assembled, includes installed headlight lenses and decals) (fits #10111 body) |
| 10142 | Latch, body mount, front/ hood insert/ 3x8mm BCS (5) (for clipless body mounting) (attaches to #10111 body) |
| 10143 | Side mirrors (left & right)/ mirror mounts (left & right)/ 3x14mm BCS (2) (attaches to #10111 body) |
| 10121 | Tailgate trim/ trim mount/ 3x10mm BCS (7)/ decals (attaches to #10111 body) |

Center Driveline

| | |
|--------------|------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 5119A | Ball bearings, black rubber sealed (10x15x4mm) (2) |
| 5119 | Ball bearings, blue rubber sealed (10x15x4mm) (2) |
| 5120 | Ball bearings, blue rubber sealed (12x18x4mm) (2) |
| 5116 | Ball bearings, blue rubber sealed (5x11x4mm) (2) |
| 5117 | Ball bearings, blue rubber sealed (6x12x4mm) (2) |
| 6893X | Bearing adapter, 6061-T6 aluminum (blue-anodized) (1)/10x15x4mm ball bearing (black rubber sealed) (1) (for slipper shaft) |
| 6893G | Bearing adapter, 6061-T6 aluminum (green-anodized) (1)/ 10x15x4mm ball bearing (black rubber sealed) (1) (for slipper shaft) |
| 6780A | Center differential, complete (fits Hoss® 4X4 VXL) |
| 6841 | Cover, center driveshaft (clear) |
| 6877A | Cover, gear (clear) |
| 6877 | Cover, gear/ motor wire hold-down clip |
| 6780 | Differential kit, center (complete) |
| 6888 | Drive hub, center, rear (1)/ 4x3 GS (1) |
| 6888X | Drive hub, front, hardened steel (1)/ screw pin (1) |
| 10155 | Driveshaft, center, 6061-T6 aluminum (blue-anodized) (274mm) |
| 6783 | Gear set, differential (spider gears (4)/ spider gear shaft (2)) |
| 5148 | Grease, white lithium |
| 6781 | Housing, center differential (aluminum)/ x-ring gaskets (2)/ ring gear gasket (1)/ bushings (4)/ 5x10x0.5 PTW (1)/ 2.5x10 CCS (with threadlock) (4) |
| 9081 | Housing, center differential/ x-ring gaskets (2)/ 5x10x0.5 PTFE-coated washer (1)/ 2.5x10 CCS (4) |
| 6893 | Input shaft (slipper shaft)/ bearing adapter (1)/ pin (1) |
| 6782 | Output gears, center differential, hardened steel (2) |
| 6890 | Plate, motor |
| 6890X | Plate, motor, 6061-T6 aluminum (blue-anodized) |
| 6890R | Plate, motor, 6061-T6 aluminum (red-anodized) |
| 5352R | Rebuild kit (heavy duty), slipper clutch (steel disc/ aluminum friction pads (3)/ spring (1)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1)) |

| | |
|--------------|-----------------------------------------------------------------------------------------------------------------------------------|
| 5352X | Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (1)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1)) |
| 5552X | Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1)) |
| 2575 | Screws, 3x6mm button-head machine (hex drive) (6) |
| 2554 | Screws, 3x6mm caphead machine (hex drive) (6) |
| 3932 | Screws, 3x6mm flat-head machine (hex drive) (6) |
| 1647 | Silicone Grease |
| 6878 | Slipper clutch, complete (for Slash 4x4) |
| 5556 | Slipper pressure plate & hub (aluminum alloy) |
| 5351 | Slipper pressure plate and hub (alloy) |

Chassis & Attachments

| | |
|-------|--------------------------------------------------------------------------------------------------------|
| 8327 | Battery hold-down/ battery clip/ hold-down post/screw pin (for 256mm wheelbase) |
| 10124 | Body mount, front/ adapter, front/ inserts (2) (for clipless body mounting) |
| 10125 | Body mount, rear/ inserts (2) (for clipless body mounting) |
| 7424 | Box, receiver (sealed)/ foam pads/ 2.5x12mm CS (2)/ 3x6mm CS (2)/ 3x12mm BCS (2) |
| 10151 | Bumper, front/ bumper mount, front/ light covers (left & right)/ 2.5x10mm BCS (4) (fits Ford Raptor R) |
| 10152 | Bumper, rear/ bumper mounts, rear (upper & lower) (fits Ford Raptor R) |
| 10122 | Chassis/ adapter, center driveshaft cover |
| 6841 | Cover, center driveshaft (clear) |
| 7423 | Nerf bars, chassis (2) |
| 7425 | Seal kit, receiver box (includes o-ring, seals, and silicone grease) |

Differential Components

| | |
|--------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 5119 | Ball bearings, blue rubber sealed (10x15x4mm) (2) |
| 5117 | Ball bearings, blue rubber sealed (6x12x4mm) (2) |
| 5118 | Ball bearings, blue rubber sealed (8x16x5mm) (2) |
| 5381 | Carrier, differential/ x-ring gaskets (2)/ ring gear gasket/ 6x10x0.5 TW |
| 6780A | Center differential, complete (fits Hoss® 4X4 VXL) |
| 6780 | Differential kit, center (complete) |
| 5136X | Differential oil kit (1 each: 10K, 30K, 50K weights) |
| 6788 | Differential, front (complete with pinion gear and differential plastics) (fits 1/10-scale Rally & 4X4 VXL models: Slash®, Stampede®, Rustler®) (13/37 ratio) |
| 6789 | Differential, rear (complete with pinion gear and differential plastics) (fits 1/10-scale Rally & 4X4 VXL models: Slash®, Stampede®, Rustler®) (13/37 ratio) |
| 6882X | Gear set, differential (output gears (2)/ spider gears (2)/ spider gear shaft, carrier support) |
| 6783 | Gear set, differential (spider gears (4)/ spider gear shaft (2)) |
| 6781 | Housing, center differential (aluminum)/ x-ring gaskets (2)/ ring gear gasket (1)/ bushings (4)/ 5x10x0.5 PTW (1)/ 2.5x10 CCS (with threadlock) (4) |
| 9081 | Housing, center differential/ x-ring gaskets (2)/ 5x10x0.5 PTFE-coated washer (1)/ 2.5x10 CCS (4) |
| 6881 | Housings, differential, front |
| 6880 | Housings, differential, rear |
| 6782 | Output gears, center differential, hardened steel (2) |
| 5379X | Ring gear, differential/ pinion gear, differential |
| 5379R | Ring gear, differential/ pinion gear, differential (machined, spiral cut) (front) |
| 6879R | Ring gear, differential/ pinion gear, differential (machined, spiral cut) (rear) |
| 6879 | Ring gear, differential/ pinion gear, differential (rear) |
| 3965 | Screws, 2.5x8mm cap-head machine (6) |
| 1647 | Silicone Grease |

Driveline Components

| | |
|--------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 5119A | Ball bearings, black rubber sealed (10x15x4mm) (2) |
| 5119 | Ball bearings, blue rubber sealed (10x15x4mm) (2) |
| 5116 | Ball bearings, blue rubber sealed (5x11x4mm) (2) |
| 9059X | Cross pin (2)/ drive pin (2) (repairs 1 axle shaft) |
| 9057X | Differential output shafts, steel-splined constant-velocity (2) |
| 9057 | Differential output yoke assembly, extreme heavy duty (2) (left or right, front or rear) (assembled with external-splined half shaft) (for use with #9080 upgrade kit) |
| 9051 | Driveshaft assembly, front, extreme heavy duty with 6mm axle (1)/ screw pin (1) (left or right) (fully assembled, ready to install) (for use with #9080 upgrade kit) |

| | |
|--------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 9052 | Driveshaft assembly, rear, extreme heavy duty with 6mm axle (1)/ screw pin (1) (left or right) (fully assembled, ready to install) (for use with #9080 upgrade kit) |
| 10155 | Driveshaft, center, 6061-T6 aluminum (blue-anodized) (274mm) |
| 9051R | Driveshafts, front, extreme heavy duty, steel-spline constant-velocity with 6mm stub axles (complete assembly) (2) (for use with #9080 upgrade kit) |
| 9052R | Driveshafts, rear, extreme heavy duty, steel-spline constant-velocity with 6mm stub axles (complete assembly) (2) (for use with #9080 upgrade kit) |
| 9056X | Half shaft, internal splined (steel-spline constant velocity) (1) |
| 9058X | Rebuild kit, steel-splined constant-velocity driveshafts (includes pins and hardware for one axle shaft) |
| 9056 | Stub axle assembly, front, outer, extreme heavy duty (1) (left or right) (assembled with internal-splined half shaft) (for use with #9080 upgrade kit) |
| 5452 | U-joints, driveshaft (carrier (4)/ 4.5mm cross pin (4)/ 3mm cross pin (4)/ e-clips (20)) (metal parts for 2 driveshafts) |

Extreme HD Upgrade Kit

| | |
|--------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 9050 | Carriers, stub axle, rear, extreme heavy duty, black (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) |
| 9050X | Carriers, stub axle, rear, extreme heavy duty, blue (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) |
| 9050-GRAY | Carriers, stub axle, rear, extreme heavy duty, gray (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) |
| 9050G | Carriers, stub axle, rear, extreme heavy duty, green (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) |
| 9050T | Carriers, stub axle, rear, extreme heavy duty, orange (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) |
| 9050R | Carriers, stub axle, rear, extreme heavy duty, red (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) |
| 9032 | Caster blocks (c-hubs), extreme heavy duty, black (left & right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) |
| 9032X | Caster blocks (c-hubs), extreme heavy duty, blue (left & right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) |
| 9032-GRAY | Caster blocks (c-hubs), extreme heavy duty, gray (left & right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) |
| 9032G | Caster blocks (c-hubs), extreme heavy duty, green (left & right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) |
| 9032T | Caster blocks (c-hubs), extreme heavy duty, orange (left & right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) |
| 9032R | Caster blocks (c-hubs), extreme heavy duty, red (left & right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) |
| 9057 | Differential output yoke assembly, extreme heavy duty (2) (left or right, front or rear) (assembled with external-splined half shaft) (for use with #9080 upgrade kit) |
| 9051 | Driveshaft assembly, front, extreme heavy duty with 6mm axle (1)/ screw pin (1) (left or right) (fully assembled, ready to install) (for use with #9080 upgrade kit) |
| 9052 | Driveshaft assembly, rear, extreme heavy duty with 6mm axle (1)/ screw pin (1) (left or right) (fully assembled, ready to install) (for use with #9080 upgrade kit) |
| 9051R | Driveshafts, front, extreme heavy duty, steel-spline constant-velocity with 6mm stub axles (complete assembly) (2) (for use with #9080 upgrade kit) |
| 9052R | Driveshafts, rear, extreme heavy duty, steel-spline constant-velocity with 6mm stub axles (complete assembly) (2) (for use with #9080 upgrade kit) |
| 9080 | Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, black |
| 9080X | Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, blue |
| 9080-GRAY | Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, gray |
| 9080G | Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, green |
| 9080T | Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, orange |
| 9080R | Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, red |
| 9043 | Screw pins, 3x16mm, extreme heavy duty (6) (for use with #9080 upgrade kit) |

| | |
|--------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 9038 | Shock tower, front, extreme heavy duty, black (for use with #9080 upgrade kit) |
| 9038X | Shock tower, front, extreme heavy duty, blue (for use with #9080 upgrade kit) |
| 9038-GRAY | Shock tower, front, extreme heavy duty, gray (for use with #9080 upgrade kit) |
| 9038G | Shock tower, front, extreme heavy duty, green (for use with #9080 upgrade kit) |
| 9038T | Shock tower, front, extreme heavy duty, orange (for use with #9080 upgrade kit) |
| 9038R | Shock tower, front, extreme heavy duty, red (for use with #9080 upgrade kit) |
| 9039 | Shock tower, rear, extreme heavy duty, black (for use with #9080 upgrade kit) |
| 9039X | Shock tower, rear, extreme heavy duty, blue (for use with #9080 upgrade kit) |
| 9039-GRAY | Shock tower, rear, extreme heavy duty, gray (for use with #9080 upgrade kit) |
| 9039G | Shock tower, rear, extreme heavy duty, green (for use with #9080 upgrade kit) |
| 9039T | Shock tower, rear, extreme heavy duty, orange (for use with #9080 upgrade kit) |
| 9039R | Shock tower, rear, extreme heavy duty, red (for use with #9080 upgrade kit) |
| 9037 | Steering blocks, extreme heavy duty, black (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) |
| 9037X | Steering blocks, extreme heavy duty, blue (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) |
| 9037-GRAY | Steering blocks, extreme heavy duty, gray (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) |
| 9037G | Steering blocks, extreme heavy duty, green (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) |
| 9037T | Steering blocks, extreme heavy duty, orange (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) |
| 9037R | Steering blocks, extreme heavy duty, red (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) |
| 9056 | Stub axle assembly, front, outer, extreme heavy duty (1) (left or right) (assembled with internal-splined half shaft) (for use with #9080 upgrade kit) |
| 9055 | Stub axle assembly, rear, outer, extreme heavy duty (1) (left or right) (assembled with internal-splined half shaft) (for use with #9080 upgrade kit) |
| 9054 | Stub axle, front, 6mm, extreme heavy duty (for use with #9051R steel CV driveshafts) |
| 9053 | Stub axle, rear, 6mm, extreme heavy duty (for use with #9052R steel CV driveshafts) |
| 9042 | Suspension pin set, extreme heavy duty, complete (front and rear) (3x52mm (4), 3x32mm (2), 3x40mm (2)) (for use with #9080 upgrade kit) |
| 9042X | Suspension pin set, extreme heavy duty, complete (front and rear) (hardened steel) (3x52mm (4), 3x32mm (2), 3x40mm (2))/ M2.5x0.45mm NL (8) (for use with #9080 upgrade kit) |
| 9069 | Wheel hubs, 12mm hex (steel), extreme heavy duty (4)/ 2x9.8mm pin (4) (for use with #9080 upgrade kit and 6mm axles) |

Front Suspension & Steering

| | |
|--------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 6823 | Bulkhead tie bars, front & rear, aluminum (blue-anodized) |
| 6823G | Bulkhead tie bars, front & rear, aluminum (green-anodized) |
| 6823R | Bulkhead tie bars, front & rear, aluminum (red-anodized) |
| 6830X | Bulkhead, front |
| 3643X | Camber links, front (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation) |
| 3643G | Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than Titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation) |
| 3643R | Camber links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation) |
| 9032 | Caster blocks (c-hubs), extreme heavy duty, black (left & right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) |
| 9032X | Caster blocks (c-hubs), extreme heavy duty, blue (left & right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) |
| 9032-GRAY | Caster blocks (c-hubs), extreme heavy duty, gray (left & right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) |
| 9032G | Caster blocks (c-hubs), extreme heavy duty, green (left & right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) |
| 9032T | Caster blocks (c-hubs), extreme heavy duty, orange (left & right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) |

| | |
|-----------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 9032R | Caster blocks (c-hubs), extreme heavy duty, red (left & right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) |
| 6845A | Drag link, machined 6061-T6 aluminum (blue-anodized) |
| 6845G | Drag link, machined 6061-T6 aluminum (green-anodized) |
| 6845T | Drag link, machined 6061-T6 aluminum (orange-anodized) |
| 6845R | Drag link, machined 6061-T6 aluminum (red-anodized) |
| 6846 | Linkage, steering (Revo) (3x20mm turnbuckle) (1)/ rod ends (2)/ hollow balls (2) |
| 3646 | Screws, 3x15mm flat-head machine (hex drive) (6) |
| 9038 | Shock tower, front, extreme heavy duty, black (for use with #9080 upgrade kit) |
| 9038X | Shock tower, front, extreme heavy duty, blue (for use with #9080 upgrade kit) |
| 9038-GRAY | Shock tower, front, extreme heavy duty, gray (for use with #9080 upgrade kit) |
| 9038G | Shock tower, front, extreme heavy duty, green (for use with #9080 upgrade kit) |
| 9038T | Shock tower, front, extreme heavy duty, orange (for use with #9080 upgrade kit) |
| 9038R | Shock tower, front, extreme heavy duty, red (for use with #9080 upgrade kit) |
| 9037 | Steering blocks, extreme heavy duty, black (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) |
| 9037X | Steering blocks, extreme heavy duty, blue (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) |
| 9037-GRAY | Steering blocks, extreme heavy duty, gray (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) |
| 9037G | Steering blocks, extreme heavy duty, green (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) |
| 9037T | Steering blocks, extreme heavy duty, orange (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) |
| 9037R | Steering blocks, extreme heavy duty, red (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) |
| 9056 | Stub axle assembly, front, outer, extreme heavy duty (1) (left or right) (assembled with internal-splined half shaft) (for use with #9080 upgrade kit) |
| 3655P | Suspension arms, blue, front/rear (left & right), heavy duty (2) |
| 3655R | Suspension arms, front/rear (left & right), heavy duty (2) |
| 3655G | Suspension arms, green, front/rear (left & right), heavy duty (2) |
| 3655T | Suspension arms, orange, front/rear (left & right), heavy duty (2) |
| 3655L | Suspension arms, red, front/rear (left & right), heavy duty (2) |
| 6834 | Suspension pin set, complete (front and rear) |
| 9042 | Suspension pin set, extreme heavy duty, complete (front and rear) (3x52mm (4), 3x32mm (2), 3x40mm (2)) (for use with #9080 upgrade kit) |
| 9042X | Suspension pin set, extreme heavy duty, complete (front and rear) (hardened steel) (3x52mm (4), 3x32mm (2), 3x40mm (2))/ M2.5x0.45mm NL (8) (for use with #9080 upgrade kit) |
| 6742X | Toe links (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1) |
| 6742G | Toe links (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1) |
| 6742R | Toe links (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1) |
| 3643 | Turnbuckles, camber link, 49mm (82mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) |
| 5539 | Turnbuckles, camber links, 58mm (assembled with rod ends and hollow balls) (2) |

Hardware

| | |
|-------|----------------------------------------------------------------|
| 1926 | Antenna caps, vinyl (2)/ antenna spool |
| 1726 | Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) |
| 3935 | Body clip (mounting clip), angled, 90-degrees (10) |
| 3934 | Body clips, heavy duty (12) |
| 1589 | Double-sided adhesive tape (25mm x 25mm) |
| 2745 | Nuts, 3mm nylon locking (12) |
| 1747P | Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4) |
| 3647 | Nuts, 4mm flanged nylon locking (steel, serrated) (8) |
| 1747 | Nuts, 4mm nylon locking (10) |
| 1747R | Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4) |
| 1747G | Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4) |
| 1747T | Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4) |
| 1747A | Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4) |
| 1985 | PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings) |
| 3981 | PTFE-coated Washers, 6x9.5x0.5mm (10) (use with ball bearings) |
| 5525 | Rod ends (12)/ hollow balls (12) |
| 2742X | Rod ends, short (6)/ hollow balls (6) |
| 3347 | Screws, 2.5x5mm button-head machine (hex drive) (6) |
| 3215 | Screws, 2.5x6mm cap-head machine (hex drive) (6) |
| 3965 | Screws, 2.5x8mm cap-head machine (6) |

| | |
|-------|---------------------------------------------------------------------|
| 2577 | Screws, 3x10mm button-head machine (hex drive) (6) |
| 2578 | Screws, 3x12mm button-head machine (hex drive) (6) |
| 2552 | Screws, 3x12mm countersunk machine (6) (hex drive) |
| 2579 | Screws, 3x15mm button-head machine (hex drive) (6) |
| 2586 | Screws, 3x15mm cap-head machine (hex drive) (6) |
| 3646 | Screws, 3x15mm flat-head machine (hex drive) (6) |
| 2583 | Screws, 3x18 button-head machine (hex drive) (6) |
| 2580 | Screws, 3x20mm button-head machine (hex drive) (6) |
| 2591 | Screws, 3x23mm button-head machine (hex drive) (6) |
| 2582 | Screws, 3x30mm button-head machine (hex drive) (6) |
| 2592 | Screws, 3x40mm button-head machine (hex drive) (6) |
| 2575 | Screws, 3x6mm button-head machine (hex drive) (6) |
| 2534 | Screws, 3x6mm countersunk machine (6) (hex drive) |
| 3932 | Screws, 3x6mm flat-head machine (hex drive) (6) |
| 2576 | Screws, 3x8mm button-head machine (hex drive) (6) |
| 1552 | Screws, 3x8mm cap-head machine (hex drive) (6)/ washers (6)/ wrench |
| 3931 | Screws, 3x8mm flat-head machine (hex drive) (6) |
| 3937 | Screws, 4x12mm button-head machine (hex drive) (6) |
| 2542 | Screws, 4x12mm countersunk machine (hex drive) (6) |
| 2546 | Screws, 4x15mm countersunk machine (hex drive) (6) |
| 2743 | Set (grub) screws, 3mm hardened (12) |
| 3642X | Shoulder screws, Ultra Shocks (3x12 hex drive) (6) |
| 2754 | Stub axle pins (4) |
| 2746 | Washers, 3x6mm metal (12) |

LED Lights

| | |
|-------|----------------------------------------------------------------------------------------------------------------------------|
| 10156 | LED light harness, front (fits #10151 bumper) (requires #2263 Y-harness) |
| 5893 | LED light harness, rear (requires #5838, 6737X, or 6836 rear bumper) |
| 10190 | LED light set, Ford Raptor R (contains front bumper with LED light bar and headlights harness) (fits #10111 series bodies) |
| 10191 | Pro Scale® LED light set, Ford Raptor R (contains headlights harness) (fits #10111 series bodies) |
| 2263 | Y-harness, BEC to LED light set |

Motors & Electronics

| | |
|-------|-----------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1726 | Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) |
| 2260 | BEC assembly (complete) (12.6 volts (3s LiPo) maximum input voltage) |
| 3340 | Cooling fan, Velineon® VXL-3s ESC |
| 9090X | Gear adapter, fixed |
| 2072A | Gear set (for 2070, 2075 servos) |
| 2252 | Gear set, metal (for 2250, 2255 servos) |
| 2272 | Gear set, metal (for 2270 waterproof servo) |
| 3458 | Heat sink (fits #3351R and #3461 motors) |
| 3354R | Motor cover, endbell (Velineon® 3500) |
| 6860A | Motor mount (assembled with 3x6 flat-head machine screw)/ 3.0mm NL (1) |
| 6860R | Motor mount, 6061-T6 aluminum (blue-anodized) |
| 3351R | Motor, Velineon® 3500, brushless (assembled with 12-gauge wire and gold-plated bullet connectors) |
| 3352R | Rebuild kit, Velineon® 3500 (includes plastic endbell, 5x11x4mm ball bearings (2), 2.5x5mm BCS (with threadlock) (4), rear bushing) |
| 3347 | Screws, 2.5x5mm button-head machine (hex drive) (6) |
| 3932 | Screws, 3x6mm flat-head machine (hex drive) (6) |
| 2254 | Servo case, aluminum (middle) (blue-anodized) (for 2250 servo) |
| 2253 | Servo case, aluminum (middle) (red-anodized) (for 2255 servo) |
| 2251 | Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) |
| 2271 | Servo case/ gaskets (for 2270 waterproof servo) |
| 2074 | Servo case/gaskets (for 2056 and 2075 waterproof servos) |
| 2075R | Servo, digital high-speed, metal gear (ball bearing), waterproof |
| 2075 | Servo, digital high-torque (ball bearing), waterproof |
| 2250 | Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof |
| 2255 | Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof |
| 2270 | Servo, digital high-torque, metal gear (ball bearing), waterproof |
| 2075X | Servo, digital high-torque, metal gear (ball bearing), waterproof |
| 3350R | Velineon® VXL-3s Brushless Power System, waterproof (includes VXL-3s waterproof ESC, Velineon® 3500 motor, and speed control mounting plate (part #3725)) |
| 3355R | VXL-3s Waterproof Electronic Speed Control (brushless) (fwd/rev/brake) |

Radio System, Batteries & Chargers

| | |
|-------|---------------------------------------|
| 2849X | 4000mah 11.1v 3-Cell 25C LiPo Battery |
| 2872X | 5000mah 11.1v 3-Cell 25C LiPo Battery |
| 2869X | 7600mah 7.4v 2-Cell 25C LiPo Battery |
| 2976 | AC to DC adapter |

Page 4 Ford® F-150® Raptor R™ 4X4: TQi™ Traxxas Link™ Enabled 2.4GHz Radio & TSM® (Model 101076-4) Parts List

| | | | |
|-------|-------------------------------------------------------------------------------------------------------------------------------------------|-----------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 2938X | Adapter, Traxxas® iD® LiPo battery (adapts Traxxas® iD® batteries to separate balance ports) | 6823R | Bulkhead tie bars, front & rear, aluminum (red-anodized) |
| 2943 | Battery charge indicators, green (4), grey (4), blue (4) | 6829 | Bulkhead, rear |
| 6548 | Battery door, TQ 2.4 transmitter (replacement for #6516, 6517 transmitter) | 3644X | Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation) |
| 2914 | Battery, Power Cell AA Alkaline (4) | 3644G | Camber links, rear (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation) |
| 2923X | Battery, Power Cell, 3000mAh (NiMH, 7-C flat, 8.4V) | 3644R | Camber links, rear (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation) |
| 2940X | Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C flat, 8.4V) | 9050 | Carriers, stub axle, rear, extreme heavy duty, black (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) |
| 2950X | Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C flat, 8.4V) | 9050X | Carriers, stub axle, rear, extreme heavy duty, blue (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) |
| 2960X | Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V) | 9050-GRAY | Carriers, stub axle, rear, extreme heavy duty, gray (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) |
| 2983 | Battery/charger completer pack (includes #2969 2-amp NiMH peak detecting AC charger (1), #2923X 3000mAh 8.4V 7-cell NiMH iD® battery (1)) | 9050G | Carriers, stub axle, rear, extreme heavy duty, green (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) |
| 2992 | Battery/charger completer pack (includes #2970 iD® charger (1), #2843X 5800mAh 7.4V 2-cell 25C LiPo iD® battery (1)) | 9050T | Carriers, stub axle, rear, extreme heavy duty, orange (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) |
| 2260 | BEC assembly (complete) (12.6 volts (3s LiPo) maximum input voltage) | 9050R | Carriers, stub axle, rear, extreme heavy duty, red (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) |
| 2975 | Charger, D/C, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH) | 9039 | Shock tower, rear, extreme heavy duty, black (for use with #9080 upgrade kit) |
| 2972 | Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery Identification | 9039X | Shock tower, rear, extreme heavy duty, blue (for use with #9080 upgrade kit) |
| 2973 | Charger, EZ-Peak Live Dual, 200W, NiMH/LiPo with iD Auto Battery Identification | 9039-GRAY | Shock tower, rear, extreme heavy duty, gray (for use with #9080 upgrade kit) |
| 2970 | Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery Identification | 9039G | Shock tower, rear, extreme heavy duty, green (for use with #9080 upgrade kit) |
| 2971 | Charger, EZ-Peak® Live, 100W, NiMH/LiPo with iD® Auto Battery Identification | 9039T | Shock tower, rear, extreme heavy duty, orange (for use with #9080 upgrade kit) |
| 2981 | Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto Battery Identification | 9039R | Shock tower, rear, extreme heavy duty, red (for use with #9080 upgrade kit) |
| 6512 | Cover plate, Traxxas® Link Bluetooth® module | 9056 | Stub axle assembly, front, outer, extreme heavy duty (1) (left or right) (assembled with internal-splined half shaft) (for use with #9080 upgrade kit) |
| 2978 | Fuse, D/C charger, 5A (2) (for #2974, 2975, 2977) | 9055 | Stub axle assembly, rear, outer, extreme heavy duty (1) (left or right) (assembled with internal-splined half shaft) (for use with #9080 upgrade kit) |
| 2072A | Gear set (for 2070, 2075 servos) | 9054 | Stub axle, front, 6mm, extreme heavy duty (for use with #9051R steel CV driveshafts) |
| 2252 | Gear set, metal (for 2250, 2255 servos) | 9053 | Stub axle, rear, 6mm, extreme heavy duty (for use with #9052R steel CV driveshafts) |
| 2272 | Gear set, metal (for 2270 waterproof servo) | 3655P | Suspension arms, blue, front/rear (left & right), heavy duty (2) |
| 2968X | LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries) | 3655R | Suspension arms, front/rear (left & right), heavy duty (2) |
| 2968 | LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries) | 3655G | Suspension arms, green, front/rear (left & right), heavy duty (2) |
| 6535 | Mount, temperature sensor (electric motors)/ wire tie/ thermal pad | 3655T | Suspension arms, orange, front/rear (left & right), heavy duty (2) |
| 6533 | Receiver, micro, TQi 2.4GHz with telemetry & TSM® (5-channel) | 3655L | Suspension arms, red, front/rear (left & right), heavy duty (2) |
| 3932 | Screws, 3x6mm flat-head machine (hex drive) (6) | 9042 | Suspension pin set, extreme heavy duty, complete (front and rear) (3x52mm (4), 3x32mm (2), 3x40mm (2)) (for use with #9080 upgrade kit) |
| 6520 | Sensor, RPM (long)/ 3x4mm BCS (1)/ 3x4 GS (1) | 9042X | Suspension pin set, extreme heavy duty, complete (front and rear) (hardened steel) (3x52mm (4), 3x32mm (2), 3x40mm (2))/ M2.5x0.45mm NL (8) (for use with #9080 upgrade kit) |
| 6521 | Sensor, temperature and voltage (long) | 3644 | Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) (fits front & rear on Slash, rear on Slash 4X4) |
| 2254 | Servo case, aluminum (middle) (blue-anodized) (for 2250 servo) | | |
| 2253 | Servo case, aluminum (middle) (red-anodized) (for 2255 servo) | | |
| 2251 | Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) | | |
| 2271 | Servo case/ gaskets (for 2270 waterproof servo) | | |
| 2074 | Servo case/gaskets (for 2056 and 2075 waterproof servos) | | |
| 2075R | Servo, digital high-speed, metal gear (ball bearing), waterproof | | |
| 2075 | Servo, digital high-torque (ball bearing), waterproof | | |
| 2250 | Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof | | |
| 2255 | Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof | | |
| 2075X | Servo, digital high-torque, metal gear (ball bearing), waterproof | | |
| 2270 | Servo, digital high-torque, metal gear (ball bearing), waterproof | | |
| 6538 | Telemetry trigger magnet holders, spur gear/ magnet, 5x2mm (1)/ 3x8mm CCS (3)/ 3x10mm CCS (3) | | |
| 6540 | Telemetry trigger magnet, 5X2mm (1) | | |
| 6509R | TQi 2.4 GHz High Output radio system, 2-channel, Traxxas® Link enabled, TSM® (2-ch transmitter, 5-ch micro receiver) | | |
| 6507R | TQi 2.4 GHz High Output radio system, 4-channel with Traxxas® Link Bluetooth® module, TSM® (4-ch transmitter, 5-ch micro receiver) | | |
| 6528 | Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 2-channel (transmitter only) | | |
| 6529 | Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 3-channel (transmitter only) | | |
| 6530 | Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 4-channel (transmitter only) | | |
| 6511 | Traxxas® Link Bluetooth® module | | |
| 3355R | VXL-3s Waterproof Electronic Speed Control (brushless) (fwd/rev/brake) | | |

Ready-To-Race Model

| | |
|----------|--------------------------------------------------------------------------------------------------------------------------------------------|
| 101076-4 | Ford® F-150® Raptor R™ 4X4: 1/10 Scale 4WD Truck with TQi™ Traxxas Link™ Enabled 2.4GHz Radio System & Traxxas Stability Management (TSM)® |
|----------|--------------------------------------------------------------------------------------------------------------------------------------------|

Rear Suspension

| | |
|-------|------------------------------------------------------------|
| 6823 | Bulkhead tie bars, front & rear, aluminum (blue-anodized) |
| 6823G | Bulkhead tie bars, front & rear, aluminum (green-anodized) |

Shock Oil

| | |
|-------|---------------------------------------------------------------------------------------------------------------------------|
| 5031 | Oil, shock (20 wt, 200 cSt, 60cc) (silicone) |
| 5032 | Oil, shock (30 wt, 350 cSt, 60cc) (silicone) |
| 5033 | Oil, shock (40 wt, 500 cSt, 60cc) (silicone) |
| 5034 | Oil, shock (50 wt, 600 cSt, 60cc) (silicone) |
| 5035 | Oil, shock (60 wt, 700 cSt, 60cc) (silicone) |
| 5036 | Oil, shock (70 wt, 900 cSt, 60cc) (silicone) |
| 5037 | Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone) |
| 5029 | Shock oil bottle (60cc) (for mixing shock oil) |
| 5038X | Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & 80 wt premium shock oils with spinning carousel rack) |
| 5038 | Spinning carousel rack |

Shocks (GTR)

| | |
|-------|-------------------------------------------------------------------------|
| 7466X | Body, GTR long (hard-anodized, PTFE-coated aluminum) (1) |
| 7466 | Body, GTR long shock, aluminum (blue-anodized) (PTFE-coated bodies) (1) |

| | |
|-------|---------------------------------------------------------------------------------------------------------------------------------------------|
| 7466G | Body, GTR long shock, aluminum (green-anodized) (PTFE-coated bodies) (1) |
| 7466A | Body, GTR long shock, aluminum (orange-anodized) (PTFE-coated bodies) (1) |
| 7466R | Body, GTR long shock, aluminum (red-anodized) (PTFE-coated bodies) (1) |
| 7467X | Body, GTR xx-long (hard-anodized, PTFE-coated aluminum) (1) |
| 7467 | Body, GTR xx-long shock, aluminum (blue-anodized) (PTFE-coated bodies) (1) |
| 7467G | Body, GTR xx-long shock, aluminum (green-anodized) (PTFE-coated bodies) (1) |
| 7467A | Body, GTR xx-long shock, aluminum (orange-anodized) (PTFE-coated bodies) (1) |
| 7467R | Body, GTR xx-long shock, aluminum (red-anodized) (PTFE-coated bodies) (1) |
| 7468X | Caps & spring retainers, GTR shock (upper cap (2)/ hollow balls (4)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2)) |
| 7468 | Caps and spring retainers, GTR long/xx-long shock (upper cap (2)/ hollow balls (4)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2)) |
| 5475 | Multi-tool (plastic) |
| 5158 | Nuts, 2.5mm nylon locking (12) |
| 7463 | Rebuild kit, GTR long/xx-long shocks (x-rings, bladders, pistons, piston nuts, shock rod ends, hollow balls) (renews 2 shocks) |
| 5469 | Rod ends (GTR shocks) |
| 7464T | Shaft, GTR long, TiN-coated (2) |
| 7461 | Shocks, GTR long blue-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2) |
| 7461G | Shocks, GTR long green-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2) |
| 7461X | Shocks, GTR long, hard-anodized, PTFE-coated bodies with TiN shafts (assembled) (2) (without springs) |
| 7462 | Shocks, GTR xx-long blue-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2) |
| 7462G | Shocks, GTR xx-long green-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2) |
| 7462X | Shocks, GTR xx-long, hard-anodized, PTFE-coated bodies with TiN shafts (assembled) (2) (without springs) |
| 8459 | Spring retainers, lower (captured) (4)/ 2.5x10 CS (4) |
| 7440 | Spring, shock, white (GTR long) (0.623 rate orange) (1 pair) |
| 7441 | Spring, shock, white (GTR long) (0.653 rate green) (1 pair) |
| 7444 | Spring, shock, white (GTR long) (0.767 rate black) (1 pair) |
| 7445 | Spring, shock, white (GTR long) (0.810 rate pink) (1 pair) |
| 7448 | Spring, shock, white (GTR long) (0.892 rate blue) (1 pair) |
| 7442 | Spring, shock, white (GTR xx-long) (0.711 rate orange) (1 pair) |
| 7443 | Spring, shock, white (GTR xx-long) (0.762 rate green) (1 pair) |
| 7446 | Spring, shock, white (GTR xx-long) (0.874 rate black) (1 pair) |
| 7447 | Spring, shock, white (GTR xx-long) (0.884 rate pink) (1 pair) |
| 7449 | Spring, shock, white (GTR xx-long) (1.004 rate blue) (1 pair) |

Shocks (Pro-level Aluminum)

| | |
|-------|-------------------------------------------------------------------------------------------------------------------------------|
| 2664 | Big Bore shock cylinder (long) (1) |
| 5862 | Big Bore shocks (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts and springs) (front & rear) (4) |
| 2660 | Big-bore shocks (long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (2) |
| 2662 | Big-bore shocks (xx-long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (rear) (2) |
| 2669 | Piston head set (2-hole (2)/ 3-hole (2))/ shock mounting bushings & washers (2) (Big Bore Shocks) |
| 1942 | Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) |
| 2742X | Rod ends, short (6)/ hollow balls (6) |
| 2667 | Shock caps, aluminum (2) (Big Bore Shocks) |
| 2362 | Shock rebuild kit (for 2 shocks) |
| 1664T | Shock shafts, hardened steel, titanium nitride coated (long) (2) |
| 2656T | Shock shafts, hardened steel, titanium nitride coated (xx-long) (2) |
| 1664 | Shock shafts, steel, chrome finish (long) (2) |
| 2656 | Shock shafts, steel, chrome finish (xx-long) (2) |
| 1765 | Silicone diaphragms (4) |
| 2668 | Spring retainers, upper & lower (2)/ spring pre-load spacers: 1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore Shocks) |
| 6863 | Springs, front (progressive, +10% rate, pink) (2) |
| 6864 | Springs, front (progressive, +20% rate, blue) (2) |
| 6862 | Springs, front (progressive, -10% rate, green) (2) |
| 6861 | Springs, front (progressive, -20% rate, orange) (2) |
| 6857 | Springs, front (white) (progressive rate) (2) |
| 6867 | Springs, rear (progressive, +10% rate, pink) (2) |
| 6868 | Springs, rear (progressive, +20% rate, blue) (2) |
| 6866 | Springs, rear (progressive, -10% rate, green) (2) |

| | |
|------|----------------------------------------------------|
| 6865 | Springs, rear (progressive, -20% rate, orange) (2) |
| 6858 | Springs, rear (white) (progressive rate) (2) |

Shocks (Ultra Shocks)

| | |
|-------|-------------------------------------------------------------------------------------------|
| 3765A | Body, Ultra Shock (long) (grey) (2) |
| 3766A | Body, Ultra Shock (XXL) (grey) (2) |
| 1942 | Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) |
| 2742X | Rod ends, short (6)/ hollow balls (6) |
| 8361 | Shock caps (black) (4) (assembled with hollow balls) |
| 3767A | Shock caps, aluminum (blue-anodized) (4) (fits all Ultra Shocks) |
| 3767G | Shock caps, aluminum (green-anodized) (4) (fits all Ultra Shocks) |
| 3767T | Shock caps, aluminum (orange-anodized) (4) (fits all Ultra Shocks) |
| 3767P | Shock caps, aluminum (pink-anodized) (4) (fits all Ultra Shocks) |
| 3767X | Shock caps, aluminum (red-anodized) (4) (fits all Ultra Shocks) |
| 2362 | Shock rebuild kit (for 2 shocks) |
| 1664T | Shock shafts, hardened steel, titanium nitride coated (long) (2) |
| 2656T | Shock shafts, hardened steel, titanium nitride coated (xx-long) (2) |
| 1664 | Shock shafts, steel, chrome finish (long) (2) |
| 2656 | Shock shafts, steel, chrome finish (xx-long) (2) |
| 1765 | Silicone diaphragms (4) |
| 3769 | Spring pre-load spacers: 1mm (4)/ 2mm (2)/ 4mm (2)/ 8mm (2) |
| 3768 | Spring retainers, upper & lower (2)/ piston head set (2-hole (2)/ 3-hole (2)) |
| 6863 | Springs, front (progressive, +10% rate, pink) (2) |
| 6864 | Springs, front (progressive, +20% rate, blue) (2) |
| 6862 | Springs, front (progressive, -10% rate, green) (2) |
| 6861 | Springs, front (progressive, -20% rate, orange) (2) |
| 6857 | Springs, front (white) (progressive rate) (2) |
| 6867 | Springs, rear (progressive, +10% rate, pink) (2) |
| 6868 | Springs, rear (progressive, +20% rate, blue) (2) |
| 6866 | Springs, rear (progressive, -10% rate, green) (2) |
| 6865 | Springs, rear (progressive, -20% rate, orange) (2) |
| 6858 | Springs, rear (white) (progressive rate) (2) |
| 3760 | Ultra Shocks (black) (long) (complete w/ spring pre-load spacers & springs) (front) (2) |
| 3762 | Ultra Shocks (black) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2) |
| 3760A | Ultra Shocks (grey) (long) (complete w/ spring pre-load spacers & springs) (2) |
| 3762A | Ultra Shocks (grey) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2) |

Slipper Clutch Components

| | |
|-------|--------------------------------------------------------------------------------------------------------------------------------------------------|
| 5119A | Ball bearings, black rubber sealed (10x15x4mm) (2) |
| 6893X | Bearing adapter, 6061-T6 aluminum (blue-anodized) (1)/10x15x4mm ball bearing (black rubber sealed) (1) (for slipper shaft) |
| 6893G | Bearing adapter, 6061-T6 aluminum (green-anodized) (1)/ 10x15x4mm ball bearing (black rubber sealed) (1) (for slipper shaft) |
| 6888 | Drive hub, center, rear (1)/ 4x3 GS (1) |
| 6888X | Drive hub, front, hardened steel (1)/ screw pin (1) |
| 6893 | Input shaft (slipper shaft)/ bearing adapter (1)/ pin (1) |
| 5352R | Rebuild kit (heavy duty), slipper clutch (steel disc/ aluminum friction pads (3)/ spring (1)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1)) |
| 5352X | Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (1)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1)) |
| 5552X | Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1)) |
| 2554 | Screws, 3x6mm caphead machine (hex drive) (6) |
| 6878 | Slipper clutch, complete (for Slash 4x4) |
| 5556 | Slipper pressure plate & hub (aluminum alloy) |
| 5351 | Slipper pressure plate and hub (alloy) |

Spur Gears & Pinion Gears

| | |
|-------|---------------------------------------------------------------------------------------------|
| 3942X | Gear, 12-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw |
| 3943X | Gear, 13-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw |
| 3944X | Gear, 14-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw |
| 3945X | Gear, 15-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw |
| 3946X | Gear, 16-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw |
| 3947X | Gear, 17-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw |

| | |
|-------|---------------------------------------------------------------------------------------------------|
| 3948X | Gear, 18-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw |
| 9090X | Gear adapter, fixed |
| 6842 | Spur gear, 50-tooth (0.8 metric pitch, compatible with 32-pitch) |
| 6843 | Spur gear, 52-tooth (0.8 metric pitch, compatible with 32-pitch) |
| 3956 | Spur gear, 54-tooth (0.8 metric pitch, compatible with 32-pitch) |
| 3956R | Spur gear, 54-tooth (0.8 metric pitch, compatible with 32-pitch) (for center differential) |
| 6842X | Spur gear, steel, 50-tooth (0.8 metric pitch, compatible with 32-pitch) (for center differential) |
| 3956X | Spur gear, steel, 54-tooth (0.8 metric pitch, compatible with 32-pitch) (for center differential) |

Steering Components

| | |
|-------|-------------------------------------------------------------------------------------------------------------------------|
| 6845A | Drag link, machined 6061-T6 aluminum (blue-anodized) |
| 6845G | Drag link, machined 6061-T6 aluminum (green-anodized) |
| 6845T | Drag link, machined 6061-T6 aluminum (orange-anodized) |
| 6845R | Drag link, machined 6061-T6 aluminum (red-anodized) |
| 6846 | Linkage, steering (Revo) (3x20mm turnbuckle) (1)/ rod ends (2)/ hollow balls (2) |
| 2742 | Rod ends, long (6)/ hollow ball connectors (6) |
| 1552 | Screws, 3x8mm cap-head machine (hex drive) (6)/washers (6)/ wrench |
| 6845X | Steering bellcranks/ servo saver/ servo saver spring/ servo spring retainer/servo horn, steering |
| 6742X | Toe links (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1) |
| 6742G | Toe links (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1) |
| 6742R | Toe links (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1) |
| 2746 | Washers, 3x6mm metal (12) |

Suspension Linkage

| | |
|-------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 2537 | 3mm threaded rods: 1 each of 20mm,25mm&44mm |
| 3643X | Camber links, front (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation) |
| 3643G | Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than Titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation) |
| 3643R | Camber links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation) |
| 3644X | Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation) |
| 3644G | Camber links, rear (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation) |
| 3644R | Camber links, rear (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation) |
| 5525 | Rod ends (12)/ hollow balls (12) |
| 3739 | Screw pin set (Rustler®/ Bandit/ Stampede®) |
| 6834 | Suspension pin set, complete (front and rear) |
| 3644 | Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) (fits front & rear on Slash) |
| 3643 | Turnbuckles, camber link, 49mm (82mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) |
| 5539 | Turnbuckles, camber links, 58mm (assembled with rod ends and hollow balls) (2) |

Team Traxxas Items

| | |
|------|-------------------------------------------------------------|
| 2514 | Decal sheet, racing sponsors |
| 9950 | Official Team Traxxas® racing decal set(flag logo/ 6-color) |
| 9909 | Traxxas® racing banner, red & black (3x7 feet) |

Tires & Wheels

| | |
|-----------------|------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 5116 | Ball bearings, blue rubber sealed (5x11x4mm) (2) |
| 3647 | Nuts, 4mm flanged nylon locking (steel, serrated) (8) |
| 1985 | PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings) |
| 1647 | Silicone Grease |
| 2754 | Stub axle pins (4) |
| 10187- BLKCR | Tires & wheels, assembled, glued (Ford Raptor R black chrome wheels, BFGoodrich® All-Terrain™ T/A® KO2 tires, foam inserts) (2) (4WD front/rear, 2WD rear) |
| 10181 | Tires, BFGoodrich® All-Terrain™ T/A® KO2 (dual profile 4.5x1.7-2.2/3.0") (2)/ foam inserts (2) |
| 9069 | Wheel hubs, 12mm hex (steel), extreme heavy duty (4)/ 2x9.8mm pin (4) (for use with #9080 upgrade kit and 6mm axles) |
| 1654R | Wheel hubs, hex (steel) (2)/ axle pins (2) |

Traxxas Tools

| | |
|-------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 3433X | Body reamer (aluminum handle) |
| 3433 | Body reamer (plastic handle) |
| 3436 | Cap, body reamer |
| 3432 | Scissors, curved tip |
| 3431 | Scissors, straight tip |
| 8712 | Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive |
| 8720 | Speed bit handle, large (overmolded) |
| 8721 | Speed bit handle, medium (one piece) |
| 8722 | Speed bit handle, premium (rubber overmold) |
| 8710 | Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive |
| 8711 | Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive |
| 8719 | Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive |
| 8716 | Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive |
| 8716X | Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm) 1/4" drive |
| 8715 | Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive |
| 8715X | Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive |
| 8714 | Speed Bit Set, screwdriver, 3-piece straight (3mm slotted, #1 Phillips, and #2 Phillips bits), 1/4" drive |
| 2748R | Tool set (includes 1.5mm hex wrench / 2.0mm hex wrench / 2.5mm hex wrench/ 4-way wrench/ 8mm & 4mm wrench/ U-joint wrench) |
| 3415 | Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/4mm, 5mm, 5.5mm, 7mm, and 8mm nut drivers/ 2mm, 3mm, and 4mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrenches/ driver handle) |

Turnbuckles & Threaded Rods

| | |
|-------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 3643X | Camber links, front (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation) |
| 3643G | Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than Titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation) |
| 3643R | Camber links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation) |
| 3644X | Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation) |
| 3644G | Camber links, rear (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation) |
| 3644R | Camber links, rear (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation) |
| 5525 | Rod ends (12)/ hollow balls (12) |
| 6742X | Toe links (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1) |
| 6742G | Toe links (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1) |
| 6742R | Toe links (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1) |
| 3644 | Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) (fits front & rear on Slash) |
| 3643 | Turnbuckles, camber link, 49mm (82mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) |
| 5539 | Turnbuckles, camber links, 58mm (assembled with rod ends and hollow balls) (2) |