



## Stampede® (Model 36054-4) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

### Bearings & Bushings

- 5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)
- 1675 Bushings, self-lubricating (5x11x4mm) (14)
- 1985 PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)

### Body & Accessories

- 1926 Antenna caps, vinyl (2)/ antenna spool
- 1726 Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
- 1834 Body Clips (12) (standard size)
- 3934 Body clips, heavy duty (12)
- 1914R Body mount, front & rear (black)/ body posts, 52mm (2), 38mm (2), 25mm (2), 6.5mm (2)/ body post extensions (4)/ hardware
- 3614 Body mounts (front & rear)
- 3619 Body mounts, front & rear/ body mount posts, front & rear (adjustable)/ 2.5x18mm screw pins (4)
- 1815 Body washers (8)
- 6716 Body Washers, Foam, 2mm/3mm/4mm
- 3651X Body, Stampede® (also fits Stampede® VXL), blue (painted, decals applied)
- 3651G Body, Stampede® (also fits Stampede® VXL), green (painted, decals applied)
- 3651T Body, Stampede® (also fits Stampede® VXL), orange (painted, decals applied)
- 3651P Body, Stampede® (also fits Stampede® VXL), purple (painted, decals applied)
- 3651 Body, Stampede® (also fits Stampede® VXL), red (painted, decals applied)
- 3617 Body, Stampede® (clear, requires painting) (requires #3614 to mount)/window, lights, grill decal sheet
- 3649 Body, Stampede®, Hawaiian graphics (painted, decals applied)
- 3651L Body, Stampede®, ProGraphix® (graphics are printed, requires paint & final color application)/ decal sheet
- 3648 Body, Stampede®, Rock n' Roll (painted, decals applied)
- 2514 Decal sheet, racing sponsors
- 3616 Decal sheets, Stampede®
- 9950 Official Team Traxxas® racing decal set(flag logo/ 6-color)
- 3931 Screws, 3x8mm flat-head machine (hex drive) (6)
- 5185 Tires, rubber (2) (fits Traxxas® wheelie bar wheels)
- 4974 Wheelie Bar arm (1)/ connector (1)/ 3x12 SS (hex drive) (4)
- 3677X Wheelie bar mount (1) / hardware (blue)
- 3677A Wheelie bar mount (1) / hardware (green)
- 3677P Wheelie bar mount (1) / hardware (pink)
- 3677 Wheelie bar mount (1)/ hardware (Stampede®, Rustler®, Bandit series)
- 3678 Wheelie bar, assembled (black) (fits Slash®, Stampede®, Rustler®, Bandit® series)
- 3678X Wheelie bar, assembled (blue) (fits Stampede®, Rustler®, Bandit series)
- 3678A Wheelie bar, assembled (green) (fits Slash®, Stampede®, Rustler®, Bandit® series)
- 3678T Wheelie bar, assembled (orange) (fits Slash®, Stampede®, Rustler®, Bandit® series)
- 3678P Wheelie bar, assembled (pink) (fits Slash, Stampede®, Rustler®, Bandit series)
- 3678R Wheelie bar, assembled (red) (fits Slash®, Stampede®, Rustler®, Bandit® series)
- 4976 Wheels (4)/ Axles (2), for Maxx® Wheelie Bar
- 5186A Wheels, aluminum (blue-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)
- 5186 Wheels, aluminum (red-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)

### Chassis & Attachments

- 9463X Axle, wheelie bar, 6061-T6 aluminum (blue-anodized) (1)/ 3x12 BCS (with threadlock) (2)
- 9463 Axle, wheelie bar, 6061-T6 aluminum (gray-anodized) (1)/ 3x12 BCS (with threadlock) (2)
- 9463G Axle, wheelie bar, 6061-T6 aluminum (green-anodized) (1)/ 3x12 BCS (with threadlock) (2)
- 9463A Axle, wheelie bar, 6061-T6 aluminum (orange-anodized) (1)/ 3x12 BCS (with threadlock) (2)
- 9463P Axle, wheelie bar, 6061-T6 aluminum (pink-anodized) (1)/ 3x12 BCS (with threadlock) (2)
- 9463R Axle, wheelie bar, 6061-T6 aluminum (red-anodized) (1)/ 3x12 BCS (with threadlock) (2)
- 3725X Battery expansion kit (allows for installation of taller multi-cell battery packs) (Rustler, Bandit, Stampede) (requires part #3627X)

- 3627X Battery hold-down (grey) (1) / receiver hold-down (grey) (1) / metal posts (2)/ spacers (2)/ body clips (2)/ servo tape/ adhesive foam pad
- 3628 Box, receiver (sealed)/ foam pad/2.5x8mm CS (4)/ 3x10mm CS (2)
- 2735 Bumper (front)
- 2735P Bumper (front) (pink)
- 3635 Bumper, front/ bumper mount/ 4x12 CCS (2)/ 4x22 BCS (2)/ 3x12 BCS (2) (fits 2WD Stampede®) (for LED light kit installation)
- 3622X Main chassis (black) (164mm long battery compartment) (fits both flat and hump style battery packs) (use only with #3626R ESC mounting plate)
- 3622R Main chassis (grey) (164mm long battery compartment) (fits both flat and hump style battery packs) (use only with #3626R ESC mounting plate)
- 3626R Mounting plate, electronic speed control/receiver box (for installation of XL-5/VXL and waterproof receiver box into Stampede®)
- 3629 Seal kit, receiver box (includes o-ring, seals, and silicone grease)
- 9462X Side plates, wheelie bar, blue (aluminum) (2)
- 9462 Side plates, wheelie bar, charcoal gray (aluminum) (2)
- 9462G Side plates, wheelie bar, green (aluminum) (2)
- 9462A Side plates, wheelie bar, orange (aluminum) (2)
- 9462P Side plates, wheelie bar, pink (aluminum) (2)
- 9462R Side plates, wheelie bar, red (aluminum) (2)
- 3623 Skid plates, front & rear (black)
- 3623X Skid plates, front & rear (blue)
- 3623A Skid plates, front & rear (green)
- 3623P Skid plates, front & rear (pink)
- 5185 Tires, rubber (2) (fits Traxxas® wheelie bar wheels)
- 4974 Wheelie Bar arm (1)/ connector (1)/ 3x12 SS (hex drive) (4)
- 3677X Wheelie bar mount (1) / hardware (blue)
- 3677A Wheelie bar mount (1) / hardware (green)
- 3677P Wheelie bar mount (1) / hardware (pink)
- 3677 Wheelie bar mount (1)/ hardware (Stampede®, Rustler®, Bandit series)
- 9464 Wheelie bar mount (heavy duty)
- 2477 Wheelie bar mount/ 3x40 BCS (1)/ 3x30 BCS (1)/ 3x12 BCS (1) (for LED light kit installation)
- 3678 Wheelie bar, assembled (black) (fits Slash®, Stampede®, Rustler®, Bandit® series)
- 3678X Wheelie bar, assembled (blue) (fits Stampede®, Rustler®, Bandit series)
- 3678A Wheelie bar, assembled (green) (fits Slash®, Stampede®, Rustler®, Bandit® series)
- 3678T Wheelie bar, assembled (orange) (fits Slash®, Stampede®, Rustler®, Bandit® series)
- 3678P Wheelie bar, assembled (pink) (fits Slash, Stampede®, Rustler®, Bandit series)
- 3678R Wheelie bar, assembled (red) (fits Slash®, Stampede®, Rustler®, Bandit® series)
- 9460 Wheelie bar, black (assembled)/ wheelie bar mount
- 9460X Wheelie bar, black chrome (assembled)/ wheelie bar mount
- 4976 Wheels (4)/ Axles (2), for Maxx® Wheelie Bar
- 5186A Wheels, aluminum (blue-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)
- 5186 Wheels, aluminum (red-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)
- 9461X Wheels, wheelie bar, 6061-T6 aluminum (blue-anodized) (2)/ 5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)
- 9461T Wheels, wheelie bar, 6061-T6 aluminum (gray-anodized) (2)/ 5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)
- 9461G Wheels, wheelie bar, 6061-T6 aluminum (green-anodized) (2)/ 5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)
- 9461A Wheels, wheelie bar, 6061-T6 aluminum (orange-anodized) (2)/ 5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)
- 9461P Wheels, wheelie bar, 6061-T6 aluminum (pink-anodized) (2)/ 5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)
- 9461R Wheels, wheelie bar, 6061-T6 aluminum (red-anodized) (2)/ 5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)
- 9461 Wheels, wheelie bar, black (26mm (2), 18mm (2))

### Differential Components

- 2380 Differential, complete (fits 1/10-scale 2WD Rustler®, Bandit, Stampede®, Slash®)
- 2381X Main diff with steel ring gear/ side cover plate/ screws (Bandit, Stampede®, Rustler®)
- 2382 Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment shaft (1) all hardened steel
- 2388X Planetary gear differential with steel ring gear (complete) (fits Bandit, Stampede®, Rustler®)

## Page 2 Stampede®: TQ™ 2.4 GHz radio (Model 36054-4) Parts List

5169 Screws, 2.6x8mm countersunk machine (6) (EZ Start 2 motor)  
1647 Silicone Grease

### Driveline Components

**5116** Ball bearings, blue rubber sealed (5x11x4mm) (2)  
4628R Differential output yokes, black (2)/ 3x5mm countersunk screws (2)/ screw pin (2)  
4628X Differential output yokes, hardened steel (w/ U-joints) (2)  
6828X Differential output yokes, heavy duty (2)/ screw pin (2)  
1951R Driveshafts, rear, steel-spline constant-velocity (complete assembly) (2) (fits 2WD Rustler®/Stampede®)  
1953 Half shaft pro-pack (internal-splined (6)/ external-splined (6) (plastic shafts only)  
6752 Half shaft, external splined (steel-spline constant velocity) (1) (fits 2WD Rustler®/Stampede®)  
6751 Half shaft, internal splined (steel-spline constant velocity) (1)  
6850X Half shafts, heavy duty (external splined (2)/ internal splined (2))/ metal u-joints (4)  
1951 Half shafts, long truck (external-splined (2) & internal-splined (2)/ metal U-joints (4)  
6757 Rebuild kit, steel-splined constant-velocity driveshafts (includes pins, dustboots, lube, and hardware)  
3752 Stub axle carriers (2) (requires 5x11x4mm bushings or bearings)  
3652A Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4)  
3652G Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (green-anodized)/ 5x11mm ball bearings (4)  
3652T Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (orange-anodized)/ 5x11mm ball bearings (4)  
3652P Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4)  
3652X Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4)  
2754 Stub axle pins (4)  
6753 Stub axle, rear, steel-splined constant velocity (1)  
2753X Stub axles, rear (2)  
6853X Stub axles, rear, heavy duty (2)/pins (2)

### Front Suspension & Steering

2537 3mm threaded rods: 1 each of 20mm,25mm&44mm  
3637 Axles (front) (2)  
5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)  
2530 Bulkhead (front) (black)  
2530A Bulkhead (front) (grey)  
2545 Bushings (plastic) (5x8x2.5mm) (4)  
1675 Bushings, self-lubricating (5x11x4mm) (14)  
3632 Caster blocks (l&r) (30-degree)  
3632A Caster blocks, 30-degree, blue-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2)  
3632G Caster blocks, 30-degree, green-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2)  
3632T Caster blocks, 30-degree, orange-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2)  
3632P Caster blocks, 30-degree, pink-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2)  
3632X Caster blocks, 30-degree, red-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2)  
1942 Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)  
5525R Rod ends, heavy duty (Jato®/Slayer) (8)  
2742 Rod ends, long (6)/ hollow ball connectors (6)  
5347 Rod ends, Revo® (large) with hollow balls (12)  
2742X Rod ends, short (6)/ hollow balls (6)  
1844 Servo saver  
3639 Shock tower (front)  
3736 Steering blocks, left & right (2) (requires 5x11x4mm bushings or bearings)  
3636A Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4)  
3636G Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (green-anodized)/ 5x11mm ball bearings (4)  
3636T Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (orange-anodized)/ 5x11mm ball bearings (4)  
3636P Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4)  
3636X Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4)  
3631 Suspension arms (front) (2)  
3631X Suspension arms, black, front, heavy duty (2)  
3631A Suspension arms, blue, front, heavy duty (2)  
3631G Suspension arms, green, front, heavy duty (2)  
3631T Suspension arms, orange, front, heavy duty (2)  
3631R Suspension arms, red, front, heavy duty (2)

3740 Suspension pins, 2.5x31.5mm (king pins) w/ E-clips (2) (strengthens caster blocks)  
2640 Suspension pins, 44mm (2) w/ E-clips (Use with tie bar to strengthen front bulkhead)  
3640 Suspension screw pin set, steel (hex drive) (requires part # 2640 for a complete suspension pin set) (Rustler®, Stampede®, Bandit)  
2532 Tie bar, fiberglass (requires suspension pins, part# 2640)  
3737A Turnbuckle, aluminum (blue-anodized), camber link, front, 39mm (1)(assembled w/rod ends)/hollow balls (2)(See part 3741A for complete camber link set)  
3737 Turnbuckle, aluminum (red-anodized), camber link, front, 39mm (1) (assembled w/rod ends)/hollow balls (2)(See part 3741X for complete camber link set)  
2336 Turnbuckles, 78mm (2)  
3741A Turnbuckles, aluminum (blue-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench  
2336A Turnbuckles, aluminum (blue-anodized), toe links, 61mm (2) (assembled w/ rod ends & hollow balls) (fits Stampede®) (requires 5mm aluminum wrench #5477)  
3741G Turnbuckles, aluminum (green-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench  
3741T Turnbuckles, aluminum (orange-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench  
3741P Turnbuckles, aluminum (pink-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench  
3741X Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow balls)/wrench  
2336X Turnbuckles, aluminum (red-anodized), toe links, 61mm (2)(assembled with rod ends & hollow balls) (fits Stampede®) (requires 5mm aluminum wrench #5477)  
3644 Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)  
3745 Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)  
3645 Turnbuckles, toe link, 61mm (96mm center to center) (2) (assembled with rod ends and hollow balls) (fits Stampede®)

### Hardware

1926 Antenna caps, vinyl (2)/ antenna spool  
1726 Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)  
1834 Body Clips (12) (standard size)  
3934 Body clips, heavy duty (12)  
1589 Double-sided adhesive tape (25mm x 25mm)  
1552 Motor screws (3x8mm hex cap) (6)/washers (6)/ wrench  
2745 Nuts, 3mm nylon locking (12)  
1747P Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4)  
3647 Nuts, 4mm flanged nylon locking (steel, serrated) (8)  
1747 Nuts, 4mm nylon locking (10)  
1747R Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)  
1747G Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)  
1747T Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4)  
1747A Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)  
1985 PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)  
1942 Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)  
5525R Rod ends, heavy duty (Jato®/Slayer) (8)  
5347 Rod ends, Revo® (large) with hollow balls (12)  
2742X Rod ends, short (6)/ hollow balls (6)  
3739 Screw pin set (Rustler®/ Bandit/ Stampede®)  
3288 Screw, 3x15mm washerhead self-tapping (6)  
3229 Screws, 2.5x10mm cap-head machine (hex drive) (6)  
3965 Screws, 2.5x8mm cap-head machine (6)  
2587 Screws, 3x10mm caphead machine (6) (no washer)  
2675 Screws, 3x10mm roundhead self-tapping (6)  
2648 Screws, 3x12mm countersunk self-tapping (6)  
3186 Screws, 3x12mm washerhead machine (6)  
3286 Screws, 3x12mm washerhead self-tapping (6)  
2563 Screws, 3x15mm roundhead machine (6)  
3187 Screws, 3x15mm washerhead machine (6)  
2566 Screws, 3x20mm roundhead machine (6)  
2567 Screws, 3x23mm roundhead machine (6)  
2572 Screws, 3x30mm roundhead machine (6)  
2554 Screws, 3x6mm caphead machine (hex drive) (6)  
2558 Screws, 3x6mm roundhead machine (6)  
3185X Screws, 3x8mm washerhead machine (large head for motor mount) (6)  
3290 Screws, 3x8mm washerhead self-tapping (6)

### Page 3 Stampede®: TQ™ 2.4 GHz radio (Model 36054-4) Parts List

2548	Screws, 4x12mm countersunk machine (100-degree) (6)
2546	Screws, 4x15mm countersunk machine (hex drive) (6)
2573	Screws, 4x15mm roundhead machine (6)
5529	Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, captured (4)
<b>3642</b>	<b>Shoulder screws, Ultra Shocks (3x12) (6)</b>
2754	Stub axle pins (4)
3740	Suspension pins, 2.5x31.5mm (king pins) w/ E-clips (2) (strengthens caster blocks)
<b>2746</b>	<b>Washers, 3x6mm metal (12)</b>

#### LED Lights

<b>3690</b>	<b>LED light bar, front (assembled)/ 3x8 BCS (2)/ 2.5x8 BCS (2) (requires front bumper #5835X for 2WD Slash®, #3635 for 2WD Stampede®, #3630 for 2WD Bigfoot® No. 1, #6835X for 4WD Slash®, or #6735 for 4WD Stampede®)</b>
<b>3795</b>	<b>LED light harness, rear (requires #2477 wheelie bar mount)</b>
<b>3694</b>	<b>LED light set, complete (includes front and rear bumpers with LED lights &amp; BEC Y-harness) (fits 2WD Stampede®)</b>
<b>2263</b>	<b>Y-harness, BEC to LED light set</b>

#### Motors & Electronics

<b>2260</b>	<b>BEC assembly (complete) (12.6 volts (3s LiPo) maximum input voltage)</b>
3790	Gear adapter, fixed
2053	Gear set (for 2055, 2056 servos)
<b>2072A</b>	<b>Gear set (for 2070, 2075 servos)</b>
<b>2272</b>	<b>Gear set, metal (for 2270 waterproof servo)</b>
<b>1552</b>	<b>Motor screws (3x8mm hex cap) (6)/washers (6)/ wrench</b>
<b>1275</b>	<b>Motor, Stinger (20-turn, 540 size) (requires 19-tooth pinion with factory installed spur gear on models originally equipped with the Titan 12T)</b>
3785	Motor, Titan® 12T (12-Turn, 550 size)
<b>3351R</b>	<b>Motor, Velineon® 3500, brushless (assembled with 12-gauge wire and gold-plated bullet connectors)</b>
3626R	Mounting plate, electronic speed control/receiver box (for installation of XL-5/VXL and waterproof receiver box into Stampede®)
<b>2271</b>	<b>Servo case/ gaskets (for 2270 waterproof servo)</b>
2074	Servo case/gaskets (for 2056 and 2075 waterproof servos)
<b>2075R</b>	<b>Servo, digital high-speed, metal gear (ball bearing), waterproof</b>
<b>2075</b>	<b>Servo, digital high-torque (ball bearing), waterproof</b>
<b>2270</b>	<b>Servo, digital high-torque, metal gear (ball bearing), waterproof</b>
<b>2075X</b>	<b>Servo, digital high-torque, metal gear (ball bearing), waterproof</b>
2056	Servo, high-torque, waterproof (blue case)
<b>3350R</b>	<b>Velineon® VXL-3s Brushless Power System, waterproof (includes VXL-3s waterproof ESC , Velineon® 3500 motor, and speed control mounting plate (part #3725))</b>
<b>3355R</b>	<b>VXL-3s Waterproof Electronic Speed Control (brushless) (fwd/rev/brake)</b>
3018R	XL-5 Electronic Speed Control, waterproof (land version, low-voltage detection, fwd/rev/brake)

#### Radio System, Batteries & Chargers

<b>2842X</b>	<b>5000mah 7.4v 2-Cell 25C LiPo Battery</b>
<b>2843X</b>	<b>5800mah 7.4v 2-Cell 25C LiPo Battery</b>
<b>2869X</b>	<b>7600mah 7.4v 2-Cell 25C LiPo Battery</b>
<b>2914</b>	<b>AA 4PK</b>
<b>2976</b>	<b>AC to DC adapter</b>
<b>2938X</b>	<b>Adapter, Traxxas® iD® LiPo battery (adapts Traxxas® iD® batteries to separate balance ports)</b>
1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
<b>2943</b>	<b>Battery charge indicators, green (4), grey (4), blue (4)</b>
6548	Battery door, TQ 2.4 transmitter (replacement for #6516, 6517 transmitter)
<b>2922X</b>	<b>Battery, Power Cell, 3000mAh (NiMH, 6-C flat, 7.2V)</b>
<b>2923X</b>	<b>Battery, Power Cell, 3000mAh (NiMH, 7-C flat, 8.4V)</b>
<b>2926X</b>	<b>Battery, Power Cell, 3000mAh (NiMH, 7-C hump, 8.4V)</b>
<b>2942X</b>	<b>Battery, Series 3 Power Cell, 3300mAh (NiMH, 6-C flat, 7.2V)</b>
<b>2940X</b>	<b>Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C flat, 8.4V)</b>
<b>2941X</b>	<b>Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C hump, 8.4V)</b>
<b>2952X</b>	<b>Battery, Series 4 Power Cell, 4200mAh (NiMH, 6-C flat, 7.2V)</b>
<b>2950X</b>	<b>Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C flat, 8.4V)</b>
<b>2951X</b>	<b>Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C hump, 8.4V)</b>
<b>2960X</b>	<b>Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V)</b>
<b>2961X</b>	<b>Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C hump, 8.4V)</b>
<b>2983</b>	<b>Battery/charger complete pack (includes #2969 2-amp NiMH peak detecting AC charger (1), #2923X 3000mAh 8.4V 7-cell NiMH iD® battery (1))</b>
<b>2984</b>	<b>Battery/charger complete pack (includes #2969 2-amp NiMH peak detecting AC charger (1), #2926X 3000mAh 8.4V 7-cell NiMH iD® battery (1))</b>
<b>2992</b>	<b>Battery/charger complete pack (includes #2970 iD® charger (1), #2843X 5800mAh 7.4V 2-cell 25C LiPo iD® battery (1))</b>

<b>2260</b>	<b>BEC assembly (complete) (12.6 volts (3s LiPo) maximum input voltage)</b>
<b>2975</b>	<b>Charger, D/C, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH)</b>
<b>2972</b>	<b>Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery Identification</b>
<b>2973</b>	<b>Charger, EZ-Peak Live Dual, 200W, NiMH/LiPo with iD Auto Battery Identification</b>
<b>2970</b>	<b>Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery Identification</b>
<b>2971</b>	<b>Charger, EZ-Peak® Live, 100W, NiMH/LiPo with iD® Auto Battery Identification</b>
<b>2981</b>	<b>Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto Battery Identification</b>
<b>2978</b>	<b>Fuse, D/C charger, 5A (2) (for #2974, 2975, 2977)</b>
2053	Gear set (for 2055, 2056 servos)
<b>2072A</b>	<b>Gear set (for 2070, 2075 servos)</b>
<b>2272</b>	<b>Gear set, metal (for 2270 waterproof servo)</b>
<b>2968X</b>	<b>LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries)</b>
<b>2968</b>	<b>LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries)</b>
<b>6557X</b>	<b>Mount, telemetry expander (fits Stampede® 2WD)</b>
<b>6535</b>	<b>Mount, temperature sensor (electric motors)/ wire tie/ thermal pad</b>
6519	Receiver, micro, TQ 2.4GHz (3-channel)
<b>6526</b>	<b>Sensor, auto-detectable, temperature</b>
<b>6527</b>	<b>Sensor, auto-detectable, voltage</b>
<b>6522</b>	<b>Sensor, RPM (short)/ 3x4mm BCS (1)/ 3x4 GS (1)</b>
<b>6521</b>	<b>Sensor, temperature and voltage (long)</b>
<b>2271</b>	<b>Servo case/ gaskets (for 2270 waterproof servo)</b>
2074	Servo case/gaskets (for 2056 and 2075 waterproof servos)
<b>2075R</b>	<b>Servo, digital high-speed, metal gear (ball bearing), waterproof</b>
<b>2075</b>	<b>Servo, digital high-torque (ball bearing), waterproof</b>
<b>2075X</b>	<b>Servo, digital high-torque, metal gear (ball bearing), waterproof</b>
<b>2270</b>	<b>Servo, digital high-torque, metal gear (ball bearing), waterproof</b>
2056	Servo, high-torque, waterproof (blue case)
<b>6553X</b>	<b>Telemetry Expander 2.0 and GPS module 2.0, TQi radio system</b>
<b>6550X</b>	<b>Telemetry expander 2.0, TQi radio system (for use only with #6551X GPS module)</b>
<b>6551X</b>	<b>Telemetry GPS module 2.0, TQi radio system (for use only with #6550X telemetry expander)</b>
<b>6538</b>	<b>Telemetry trigger magnet holders, spur gear/ magnet, 5x2mm (1)/ 3x8mm CCS (3)/ 3x10mm CCS (3)</b>
<b>6540</b>	<b>Telemetry trigger magnet, 5X2mm (1)</b>
<b>6509R</b>	<b>TQi 2.4 GHz High Output radio system, 2-channel, Traxxas® Link enabled, TSM® (2-ch transmitter, 5-ch micro receiver)</b>
<b>6507R</b>	<b>TQi 2.4 GHz High Output radio system, 4-channel with Traxxas® Link Bluetooth® module, TSM® (4-ch transmitter, 5-ch micro receiver)</b>
6516	Transmitter, TQ 2.4GHz, 2-channel (transmitter only)
<b>6528</b>	<b>Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 2-channel (transmitter only)</b>
<b>6529</b>	<b>Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 3-channel (transmitter only)</b>
<b>6530</b>	<b>Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 4-channel (transmitter only)</b>
<b>6511</b>	<b>Traxxas® Link Bluetooth® module</b>
<b>6537</b>	<b>Wire retainers, gear cover/ 3x4mm BCS (2)</b>
3018R	XL-5 Electronic Speed Control, waterproof (land version, low-voltage detection, fwd/rev/brake)

#### Ready-To-Race Model

36054-4	Stampede®: 1/10 Scale Monster Truck with TQ™ 2.4GHz radio system
---------	--

#### Rear Suspension

<b>5116</b>	<b>Ball bearings, blue rubber sealed (5x11x4mm) (2)</b>
1675	Bushings, self-lubricating (5x11x4mm) (14)
3739	Screw pin set (Rustler®/ Bandit®/ Stampede®)
3638	Shock tower (rear)
3752	Stub axle carriers (2) (requires 5x11x4mm bushings and bearings)
<b>3652A</b>	<b>Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4)</b>
<b>3652G</b>	<b>Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (green-anodized)/ 5x11mm ball bearings (4)</b>
<b>3652T</b>	<b>Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (orange-anodized)/ 5x11mm ball bearings (4)</b>
<b>3652P</b>	<b>Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4)</b>
<b>3652X</b>	<b>Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4)</b>
2753X	Stub axles, rear (2)
<b>3655P</b>	<b>Suspension arms, blue, front/rear (left &amp; right), heavy duty (2)</b>

**Page 4 Stampede®: TQ™ 2.4 GHz radio (Model 36054-4) Parts List**

- 3655R Suspension arms, front/rear (left & right), heavy duty (2)
- 3655G Suspension arms, green, front/rear (left & right), heavy duty (2)
- 3655X Suspension arms, left & right
- 3655T Suspension arms, orange, front/rear (left & right), heavy duty (2)
- 3655L Suspension arms, red, front/rear (left & right), heavy duty (2)
- 3640 Suspension screw pin set, steel (hex drive) (requires part # 2640 for a complete suspension pin set) (Rustler®, Stampede®, Bandit)

**Shock Oil**

- 5031 Oil, shock (20 wt, 200 cSt, 60cc) (silicone)
- 5032 Oil, shock (30 wt, 350 cSt, 60cc) (silicone)
- 5033 Oil, shock (40 wt, 500 cSt, 60cc) (silicone)
- 5034 Oil, shock (50 wt, 600 cSt, 60cc) (silicone)
- 5035 Oil, shock (60 wt, 700 cSt, 60cc) (silicone)
- 5036 Oil, shock (70 wt, 900 cSt, 60cc) (silicone)
- 5037 Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone)
- 5029 Shock oil bottle (60cc) (for mixing shock oil)
- 5038X Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & 80 wt premium shock oils with spinning carousel rack)
- 5038 Spinning carousel rack

**Shocks (Pro-level Aluminum)**

- 2664 Big Bore shock cylinder (long) (1)
- 5862 Big Bore shocks (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts and springs) (front & rear) (4)
- 2660 Big-bore shocks (long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (rear) (2)
- 2662 Big-bore shocks (xx-long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (rear) (2)
- 2669 Piston head set (2-hole (2)/ 3-hole (2))/ shock mounting bushings & washers (2) (Big Bore Shocks)
- 1942 Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
- 2742X Rod ends, short (6)/ hollow balls (6)
- 2667 Shock caps, aluminum (2) (Big Bore Shocks)
- 2362 Shock rebuild kit (for 2 shocks)
- 1664T Shock shafts, hardened steel, titanium nitride coated (long) (2)
- 2656T Shock shafts, hardened steel, titanium nitride coated (xx-long) (2)
- 1664 Shock shafts, steel, chrome finish (long) (2)
- 2656 Shock shafts, steel, chrome finish (xx-long) (2)
- 1765 Silicone diaphragms (4)
- 2668 Spring retainers, upper & lower (2)/ spring pre-load spacers: 1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore Shocks)
- 5860 Springs, front (white) (progressive rate) (2) (for Slash big bore shocks)
- 5859 Springs, rear (white) (progressive rate) (2) (for Slash big bore shocks)

**Shocks (Ultra Shocks)**

- 3765A Body, Ultra Shock (long) (grey) (2)
- 3766A Body, Ultra Shock (XXL) (grey) (2)
- 1942 Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
- 2742X Rod ends, short (6)/ hollow balls (6)
- 3767 Shock caps (2)/ shock bottoms (2)
- 8361 Shock caps (black) (4) (assembled with hollow balls)
- 3767A Shock caps, aluminum (blue-anodized) (4) (fits all Ultra Shocks)
- 3767G Shock caps, aluminum (green-anodized) (4) (fits all Ultra Shocks)
- 3767T Shock caps, aluminum (orange-anodized) (4) (fits all Ultra Shocks)
- 3767P Shock caps, aluminum (pink-anodized) (4) (fits all Ultra Shocks)
- 3767X Shock caps, aluminum (red-anodized) (4) (fits all Ultra Shocks)
- 2362 Shock rebuild kit (for 2 shocks)
- 1664T Shock shafts, hardened steel, titanium nitride coated (long) (2)
- 2656T Shock shafts, hardened steel, titanium nitride coated (xx-long) (2)
- 1664 Shock shafts, steel, chrome finish (long) (2)
- 2656 Shock shafts, steel, chrome finish (xx-long) (2)
- 3642 Shoulder screws, Ultra Shocks (3x12) (6)
- 1765 Silicone diaphragms (4)
- 3769 Spring pre-load spacers: 1mm (4)/ 2mm (2)/ 4mm (2)/ 8mm (2)
- 3768 Spring retainers, upper & lower (2)/ piston head set (2-hole (2)/ 3-hole (2))
- 3758 Springs (front) (2)
- 3758T Springs, blue (front) (2)
- 3757T Springs, blue (rear) (2)
- 3758A Springs, green (front) (2)
- 3757A Springs, green (rear) (2)
- 3758P Springs, pink (front) (2)
- 3757P Springs, pink (rear) (2)

- 3757 Springs, rear (black) (2)
- 4957 Springs, red (for Ultra Shocks only) (2.5 rate) (f/r) (2)
- 3758X Springs, white (front) (2)
- 3757X Springs, white (rear) (2)
- 3760 Ultra Shocks (black) (long) (complete w/ spring pre-load spacers & springs) (front) (2)
- 3762 Ultra Shocks (black) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2)
- 3760A Ultra Shocks (grey) (long) (complete w/ spring pre-load spacers & springs) (2)
- 3762A Ultra Shocks (grey) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2)

**Slipper Clutch Components**

- 3793 Input shaft (slipper shaft) / spring pin
- 5552X Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1))
- 2554 Screws, 3x6mm caphead machine (hex drive) (6)
- 5556 Slipper pressure plate & hub (aluminum alloy)

**Spur Gears & Pinion Gears**

- 3790 Gear adapter, fixed
- 2416 Gear, 16-T pinion (48-pitch) / set screw
- 1918 Gear, 18-T pinion (48-pitch) / set screw
- 2419 Gear, 19-T pinion (48-pitch) / set screw
- 2421 Gear, 21-T pinion (48-pitch) / set screw
- 2423 Gear, 23-T pinion (48-pitch) (fits 3mm shaft) / set screw
- 4725 Gear, pinion (25-tooth) (48-pitch) / set screw
- 4676 Spur gear, 76-tooth (48-pitch) (for models with Torque Control slipper clutch)
- 4683 Spur gear, 83-tooth (48-pitch) (for models with Torque Control slipper clutch)
- 4686 Spur gear, 86-tooth (48-pitch) (for models with Torque-Control slipper clutch)
- 4690 Spur gear, 90-tooth (48-pitch) (for models with Torque-Control slipper clutch)

**Steering Components**

- 2545 Bushings (plastic) (5x8x2.5mm) (4)
- 2742 Rod ends, long (6)/ hollow ball connectors (6)
- 1844 Servo saver
- 2336 Turnbuckles, 78mm (2)
- 2336A Turnbuckles, aluminum (blue-anodized), toe links, 61mm (2) (assembled w/ rod ends & hollow balls) (fits Stampede®) (requires 5mm aluminum wrench #5477)
- 2336X Turnbuckles, aluminum (red-anodized), toe links, 61mm (2) (assembled with rod ends & hollow balls) (fits Stampede®) (requires 5mm aluminum wrench #5477)
- 3645 Turnbuckles, toe link, 61mm (96mm center to center) (2) (assembled with rod ends and hollow balls) (fits Stampede®)

**Suspension Linkage**

- 3641A Camber link set (plastic / non-adjustable ) ( front & rear) (grey)
- 3641 Camber link set (plastic/ non-adjustable) (front & rear) (black)
- 1942 Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
- 2742 Rod ends, long (6)/ hollow ball connectors (6)
- 2742X Rod ends, short (6)/ hollow balls (6)
- 3739 Screw pin set (Rustler®/ Bandit/ Stampede®)
- 3642 Shoulder screws, Ultra Shocks (3x12) (6)
- 3740 Suspension pins, 2.5x31.5mm (king pins) w/ E-clips (2) (strengthens caster blocks)
- 2637 Suspension pins, 31.5mm, chrome (2) w/ E-clips (4)
- 2640 Suspension pins, 44mm (2) w/ E-clips (Use with tie bar to strengthen front bulkhead)
- 3640 Suspension screw pin set, steel (hex drive) (requires part # 2640 for a complete suspension pin set) (Rustler®, Stampede®, Bandit)
- 3737A Turnbuckle, aluminum (blue-anodized), camber link, front, 39mm (1) (assembled w/rod ends)/hollow balls (2)(See part 3741A for complete camber link set)
- 3738A Turnbuckle, aluminum (blue-anodized), camber link, rear, 49mm (1) (assembled with rod ends & hollow balls) (See part 3741X for complete camber link set)
- 3737 Turnbuckle, aluminum (red-anodized), camber link, front, 39mm (1) (assembled w/rod ends)/hollow balls (2)(See part 3741X for complete camber link set)
- 3738 Turnbuckle, aluminum (red-anodized), camber link, rear, 49mm (1) (assembled with rod ends & hollow balls) (See part 3741X for complete camber link set)
- 1937 Turnbuckles (54mm) (2)/ 3x6x4mm aluminum spacers (rear camber links)
- 2336 Turnbuckles, 78mm (optional rear camber rods) (2)

**Page 5 Stampede®: TQ™ 2.4 GHz radio (Model 36054-4) Parts List**

- 3741A Turnbuckles, aluminum (blue-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench
- 2336A Turnbuckles, aluminum (blue-anodized), toe links, 61mm (2) (assembled w/ rod ends & hollow balls) (fits Stampede®) (requires 5mm aluminum wrench #5477)
- 3741G Turnbuckles, aluminum (green-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench
- 3741T Turnbuckles, aluminum (orange-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench
- 3741P Turnbuckles, aluminum (pink-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench
- 3741X Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow balls)/wrench
- 2336X Turnbuckles, aluminum (red-anodized), toe links, 61mm (2)(assembled with rod ends & hollow balls) (fits Stampede®) (requires 5mm aluminum wrench #5477)
- 3644 Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)
- 3643 Turnbuckles, camber link, 49mm (82mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)
- 3645 Turnbuckles, toe link, 61mm (96mm center to center) (2) (assembled with rod ends and hollow balls) (fits Stampede®)

**Team Traxxas Items**

- 2514 Decal sheet, racing sponsors
- 6160X DVD, Maxx® Power! Full Throttle Action (sleeve)
- 9950 Official Team Traxxas® racing decal set(flag logo/ 6-color)
- 9909 Traxxas® racing banner, red & black (3x7 feet)

**Tires & Wheels**

- 5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)
- 1675 Bushings, self-lubricating (5x11x4mm) (14)
- 5854 Hub retainer, 17mm hubs, M4 X 0.7 (4) (use with #5853X, #6856X, #6469)
- 1747P Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4)
- 3647 Nuts, 4mm flanged nylon locking (steel, serrated) (8)
- 1747R Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)
- 1747G Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)
- 1747T Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4)
- 1747A Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)
- 1985 PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)
- 1647 Silicone Grease
- 2754 Stub axle pins (4)
- 3689 Tires & wheels, assembled, glued (2.8") (All-Star black chrome wheels, paddle tires, foam inserts) (electric rear) (2) (TSM® rated)
- 3668A Tires & wheels, assembled, glued (2.8") (All-Star black chrome wheels, Talon tires, foam inserts) (electric rear) (2) (TSM® rated)
- 3669A Tires & wheels, assembled, glued (2.8") (All-Star black chrome wheels, Talon tires, foam inserts) (nitro rear/electric front) (2) (TSM® rated)
- 3668 Tires & wheels, assembled, glued (2.8") (All-Star chrome wheels, Talon tires, foam inserts) (electric rear) (2)
- 3669 Tires & wheels, assembled, glued (2.8") (All-Star chrome wheels, Talon tires, foam inserts) (nitro rear/electric front) (2)
- 3773A Tires & wheels, assembled, glued (All Star black chrome wheels, Anaconda® tires, foam inserts) (electric rear) (1 left, 1 right)
- 3773 Tires & wheels, assembled, glued (All Star chrome wheels, Anaconda® tires, foam inserts) (electric rear) (1 Left, 1 Right)
- 3776A Tires & wheels, assembled, glued (All-Star black chrome wheels, Anaconda® tires, foam inserts) (nitro rear/ electric front) (1 left, 1 right)
- 5576R Tires & wheels, assembled, glued (All-Star chrome wheels, Anaconda® tires, foam inserts) (nitro rear/ electric front) (1 left, 1 right)
- 6792 Tires & wheels, assembled, glued (black 2.8" wheels, Sledgehammer® tires, foam inserts) (2) (TSM® rated)
- 3778 Tires & wheels, assembled, glued (black 2.8" wheels, Sledgehammer® tires, foam inserts) (electric rear) (2) (TSM® rated)
- 3663X Tires & wheels, assembled, glued (chrome wheels, Terra Groove dual profile tires, foam inserts) (electric rear) (2)
- 3665X Tires & wheels, assembled, glued (chrome wheels, Terra Groove dual profile tires, foam inserts) (nitro rear/ electric front) (2)
- 3663 Tires & wheels, assembled, glued (satin chrome wheels, Terra Groove dual profile tires, foam inserts) (electric rear) (2)
- 3665 Tires & wheels, assembled, glued (satin chrome wheels, Terra Groove dual profile tires, foam inserts) (nitro rear/ electric front) (2)

- 5578 Tires, Anaconda® 2.8" (2)/ foam inserts (2)
- 4791 Tires, Pro-Trax mini-spiked 2.2" (rear) (2)
- 1870 Tires, Sledgehammer® terra-spiked (2)
- 4790R Tires, Spiked 2.2 (R)(2) (Soft Compound) w/inserts
- 3671 Tires, Talon 2.8" (2)/ foam inserts (2)
- 3654 Wheel hubs, hex (front) (tall offset) (2)/ axle pins (2.5x12mm) (2)
- 1654 Wheel hubs, hex (rear) (2)/ stub axle pins (2)
- 5853X Wheel hubs, splined, 17mm, short (2), long (2) (blue-anodized) / wheel nuts, splined, 17mm (blue-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (Slash 2WD)
- 5353 Wheel nuts, splined, 17mm (blue-anodized) (4)
- 5480X Wheel wrench, splined, 17mm
- 5576 Wheels, All Star 2.8" (chrome) (2) (Rustler/Stampede front)
- 3772A Wheels, All-Star 2.8" (black chrome) (electric rear)
- 5576A Wheels, All-Star 2.8" (black chrome) (nitro rear / electric front) (2)
- 3772 Wheels, All-Star 2.8" (chrome) (Rustler®, Stampede® rear only)
- 3672 Wheels, chrome (2.2") (rear) (2)
- 3673 Wheels, chrome 2.2" (front) (2)
- 3674 Wheels, dyable nylon 2.2" (rear) (2)
- 3675 Wheels, dyeable nylon 2.2 (front) (2)
- 3774 Wheels, Jato® Twin-Spoke 2.8" (chrome) (electric rear) (2)
- 5572 Wheels, Jato® twin-spoke 2.8" (chrome) (rear) (2)

**Transmission Components**

- 5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)
- 3792 Cover, gear/ rubber gear cover plug/ 3x6 RM (2)
- 5478 Flat wrench, 8mm (blue anodized aluminum)
- 3790 Gear adapter, fixed
- 3691 Gearbox halves (L&R) (black) w/ idler gear shaft
- 3691A Gearbox halves (L&R) (grey) w/ idler gear shaft
- 5148 Grease, white lithium
- 9492 Idler gear, 30-tooth/ idler gear shaft (steel)
- 3696 Idler gear, steel (30-tooth)
- 9494 Input gear, 22-tooth/ input shaft (transmission) (heavy duty) (fits Bandit®, Rustler®, Stampede®, Slash® 2WD)
- 3793 Input shaft (slipper shaft) / spring pin
- 2381X Main diff with steel ring gear/ side cover plate/ screws (Bandit, Stampede®, Rustler®)
- 1552 Motor screws (3x8mm hex cap) (6)/washers (6)/ wrench
- 2382 Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment shaft (1) all hardened steel
- 2388X Planetary gear differential with steel ring gear (complete) (fits Bandit, Stampede®, Rustler®)
- 9495 Pro Series Magnum 272R™ Transmission, complete (assembled) (fits 1/10-scale 2WD Rustler®, Bandit®, Stampede®, Slash®)
- 5552X Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1) / 5.0mm NL (1))
- 2554 Screws, 3x6mm caphead machine (hex drive) (6)
- 3185X Screws, 3x8mm washerhead machine (large head for motor mount) (6)
- 1647 Silicone Grease
- 5556 Slipper pressure plate & hub (aluminum alloy)
- 3195 Top drive gear, steel (22-tooth)
- 3695 Transmission, complete (fits 1/10-scale 2WD Rustler®, Bandit®, Stampede®, Slash®)

**Traxxas Tools**

- 3433X Body reamer (aluminum handle)
- 3433 Body reamer (plastic handle)
- 3436 Cap, body reamer
- 3432 Scissors, curved tip
- 3431 Scissors, straight tip
- 8712 Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive
- 8720 Speed bit handle, large (overmolded)
- 8721 Speed bit handle, medium (one piece)
- 8722 Speed bit handle, premium (rubber overmold)
- 8710 Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
- 8711 Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive
- 8719 Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive

**Page 6 Stampede®: TQ™ 2.4 GHz radio (Model 36054-4) Parts List**

- 8716 Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive
- 8716X Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm) 1/4" drive
- 8715 Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive
- 8715X Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive
- 8714 Speed Bit Set, screwdriver, 3-piece straight (3mm slotted, #1 Phillips, and #2 Phillips bits), 1/4" drive
- 2748R Tool set (includes 1.5mm hex wrench / 2.0mm hex wrench / 2.5mm hex wrench/ 4-way wrench/ 8mm & 4mm wrench/ U-joint wrench)
- 3415 Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/4mm, 5mm, 5.5mm, 7mm, and 8mm nut drivers/ 2mm, 3mm, and 4mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrenches/ driver handle)

**Turnbuckles & Threaded Rods**

- 1942 Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
- 5525R Rod ends, heavy duty (Jato®/Slayer) (8)
- 2742 Rod ends, long (6)/ hollow ball connectors (6)
- 5347 Rod ends, Revo® (large) with hollow balls (12)
- 2742X Rod ends, short (6)/ hollow balls (6)
- 3737A Turnbuckle, aluminum (blue-anodized), camber link, front, 39mm (1)(assembled w/rod ends)/hollow balls (2)(See part 3741A for complete camber link set)
- 3738A Turnbuckle, aluminum (blue-anodized), camber link, rear, 49mm (1) (assembled with rod ends & hollow balls) (See part 3741X for complete camber link set)
- 3737 Turnbuckle, aluminum (red-anodized), camber link, front, 39mm (1) (assembled w/rod ends)/hollow balls (2)(See part 3741X for complete camber link set)
- 3738 Turnbuckle, aluminum (red-anodized), camber link, rear, 49mm (1) (assembled with rod ends & hollow balls) (See part 3741X for complete camber link set)
- 1937 Turnbuckles (54mm) (2)/ 3x6x4mm aluminum spacers (rear camber links)
- 2336 Turnbuckles, 78mm (optional rear camber rods) (2)
- 3741A Turnbuckles, aluminum (blue-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench
- 2336A Turnbuckles, aluminum (blue-anodized), toe links, 61mm (2) (assembled w/ rod ends & hollow balls) (fits Stampede®) (requires 5mm aluminum wrench #5477)
- 3741G Turnbuckles, aluminum (green-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench
- 3741T Turnbuckles, aluminum (orange-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench
- 3741P Turnbuckles, aluminum (pink-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench
- 3741X Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow balls)/wrench
- 2336X Turnbuckles, aluminum (red-anodized), toe links, 61mm (2)(assembled with rod ends & hollow balls) (fits Stampede®) (requires 5mm aluminum wrench #5477)
- 3645 Turnbuckles, toe link, 61mm (96mm center to center) (2) (assembled with rod ends and hollow balls) (fits Stampede®)

If you have questions or need technical assistance, call Traxxas at:

**1-888-TRAXXAS**

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

**TRAXXAS.COM**