

Stampede® VXL (Model 36076-74) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

	Bearings & Bushings	3623A	Skid plates, front & rear (green)
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)	3623P 5185	Skid plates, front & rear (pink) Tires, rubber (2) (fits Traxxas® wheelie bar wheels)
1985	PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)	9464	Wheelie bar mount (heavy duty)
	Body & Accessories	3650	Wheelie bar mount w/ LED housings (for use with #9495 Magnum
1926	Antenna caps, vinyl (2)/ antenna spool		272R™ transmission) (requires light kit #3794 (2WD Rustler or
1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)		Bandit) or #3694 (2WD Stampede), or #3795 light harness and #2263 BEC Y-harness (2WD Rustler, Bandit, or Stampede)
1834	Body Clips (12) (standard size)	2477	Wheelie bar mount/ 3x40 BCS (1)/ 3x30 BCS (1)/ 3x12 BCS (1) (for
3934	Body clips, heavy duty (12)		LED light kit installation)
1914R	Body mount, front & rear (black)/ body posts, 52mm (2), 38mm (2), 25mm (2), 6.5mm (2)/ body post extensions (4)/ hardware	3678	Wheelie bar, assembled (black) (fits Slash®, Stampede®,
3614	Body mounts (front & rear)		Rustler®, Bandit® series)
3619	Body mounts, front & rear/ body mount posts, front & rear	3678X	Wheelie bar, assembled (blue) (fits Stampede®, Rustler®, Bandit series)
	(adjustable)/ 2.5x18mm screw pins (4)	3678A	Wheelie bar, assembled (green) (fits Slash®, Stampede®,
1815	Body washers (8)	0010A	Rustler®, Bandit® series)
6716	Body Washers, Foam, 2mm/3mm/4mm	3678T	Wheelie bar, assembled (orange) (fits Slash®, Stampede®,
3651X	Body, Stampede® (also fits Stampede® VXL), blue (painted, decals applied)		Rustler®, Bandit® series)
3651G	Body, Stampede® (also fits Stampede® VXL), green (painted,	3678P	Wheelie bar, assembled (pink) (fits Slash, Stampede®, Rustler®,
000.0	decals applied)	3678R	Bandit series) Wheelie bar, assembled (red) (fits Slash®, Stampede®, Rustler®,
3651T	Body, Stampede® (also fits Stampede® VXL), orange (painted,	30/0K	Bandit® series)
	decals applied)	9460	Wheelie bar, black (assembled)/ wheelie bar mount
3651P	Body, Stampede® (also fits Stampede® VXL), purple (painted,	9460X	Wheelie bar, black chrome (assembled)/ wheelie bar mount
3651	decals applied) Body, Stampede® (also fits Stampede® VXL), red (painted,	4976	Wheels (4)/ Axles (2), for Maxx® Wheelie Bar
JUJ 1	decals applied)	5186A	Wheels, aluminum (blue-anodized) (2)/ 5x8mm ball bearings (4)/
3617	Body, Stampede® (clear, requires painting) (requires #3614 to	5186	axles (2)/ rubber tires (2) Wheels, aluminum (red-anodized) (2)/ 5x8mm ball bearings (4)/
	mount)/window, lights, grill decal sheet	3100	axles (2)/ rubber tires (2)
3620G	Body, Stampede® VXL, green & blue (painted, decals applied)	9461X	Wheels, wheelie bar, 6061-T6 aluminum (blue-anodized) (2)/
3620T	Body, Stampede® VXL, orange & blue (painted, decals applied) Body, Stampede®, ProGraphix® (graphics are printed, requires		5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)
3651L	paint & final color application)/ decal sheet	9461T	Wheels, wheelie bar, 6061-T6 aluminum (gray-anodized) (2)/
2514	Decal sheet, racing sponsors	04646	5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)
3613R	Decal sheets, Stampede® VXL	9461G	Wheels, wheelie bar, 6061-T6 aluminum (green-anodized) (2)/ 5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)
9950	Official Team Traxxas® racing decal set(flag logo/ 6-color)	9461A	Wheels, wheelie bar, 6061-T6 aluminum (orange-anodized) (2)/
	Chassis & Attachments		5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)
9463X	Axle, wheelie bar, 6061-T6 aluminum (blue-anodized) (1)/ 3x12	9461P	Wheels, wheelie bar, 6061-T6 aluminum (pink-anodized) (2)/
	BCS (with threadlock) (2)	04040	5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)
9463	Axle, wheelie bar, 6061-T6 aluminum (gray-anodized) (1)/ 3x12	9461R	Wheels, wheelie bar, 6061-T6 aluminum (red-anodized) (2)/ 5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)
04000	BCS (with threadlock) (2)	9461	Wheels, wheelie bar, black (26mm (2), 18mm (2))
9463G	Axle, wheelie bar, 6061-T6 aluminum (green-anodized) (1)/ 3x12 BCS (with threadlock) (2)		Differential Components
9463A	Axle, wheelie bar, 6061-T6 aluminum (orange-anodized) (1)/ 3x12	9480A	Differential assembly (complete) (fits Pro Series Magnum 272R™
	BCS (with threadlock) (2)	3400A	Transmission)
9463P	Axle, wheelie bar, 6061-T6 aluminum (pink-anodized) (1)/ 3x12	9482	Differential gasket/ x-rings (2)
0.4000	BCS (with threadlock) (2)	9481	Differential with steel ring gear/ side cover plate/ gasket/ x-rings (2)/
9463R	Axle, wheelie bar, 6061-T6 aluminum (red-anodized) (1)/ 3x12 BCS (with threadlock) (2)		2.5x10mm BCS (4)
3725X	Battery expansion kit (allows for installation of taller multi-cell	2380	Differential, complete (fits 1/10-scale 2WD Rustler®, Bandit,
	battery packs) (Rustler, Bandit, Stampede) (requires part	9492	Stampede®, Slash®) Idler gear, 30-tooth/ idler gear shaft (steel)
	#3627X)	2381X	Main diff with steel ring gear/ side cover plate/ screws (Bandit,
3627X	Battery hold-down (grey) (1) / receiver hold-down (grey) (1) / metal		Stampede®, Rustler®)
2620	posts (2)/ spacers (2)/ body clips (2)/ servo tape/ adhesive foam pad	9483	Output gears, differential (2)
3628 2735	Box, receiver (sealed)/ foam pad/2.5x8mm CS (4)/ 3x10mm CS (2) Bumper (front)	2382	Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment
2735P	Bumper (front) (pink)	2200V	shaft (1) all hardened steel
3735	Bumper, front/ 4x12 CCS (2) (fits 2WD Rustler® or Bandit®) (for	2388X	Planetary gear differential with steel ring gear (complete) (fits Bandit, Stampede®, Rustler®)
	LED light kit installation)	5169	Screws, 2.6x8mm countersunk machine (6) (EZ Start 2 motor)
3635	Bumper, front/ bumper mount/ 4x12 CCS (2)/ 4x22 BCS (2)/ 3x12	1647	Silicone Grease
3622X	BCS (2) (fits 2WD Stampede®) (for LED light kit installation) Main chassis (black) (164mm long battery compartment) (fits		Driveline Components
JUZZA	both flat and hump style battery packs) (use only with #3626R	6828A	Differential output yoke assembly, extreme heavy duty (2) (left or
	ESC mounting plate)	0020M	right, front or rear) (assembled with external-splined half shaft)/
3622R	Main chassis (grey) (164mm long battery compartment) (fits both flat		screw pin (2)
	and hump style battery packs) (use only with #3626R ESC mounting	4628R	Differential output yokes, black (2)/ 3x5mm countersunk screws (2)/
3636D	plate) May right a plate electronic speed control/receiver box (for installation	40001/	screw pin (2)
3626R	Mounting plate, electronic speed control/receiver box (for installation of XL-5/VXL and waterproof receiver box into Stampede®)	4628X 6828X	Differential output yokes, hardened steel (w/ U-joints) (2)
3629	Seal kit, receiver box (includes o-ring, seals, and silicone grease)	1951R	Differential output yokes, heavy duty (2)/ screw pin (2) Driveshafts, rear, steel-spline constant-velocity (complete
9462X	Side plates, wheelie bar, blue (aluminum) (2)	19911	assembly) (2) (fits 2WD Rustler®/Stampede®)
9462	Side plates, wheelie bar, charcoal gray (aluminum) (2)	1953	Half shaft pro-pack (internal-splined (6)/ external-splined (6)
9462G	Side plates, wheelie bar, green (aluminum) (2)		(plastic shafts only)
9462A	Side plates, wheelie bar, orange (aluminum) (2)	6752	Half shaft, external splined (steel-spline constant velocity) (1)
9462P 9462R	Side plates, wheelie bar, pink (aluminum) (2) Side plates, wheelie bar, red (aluminum) (2)	6751	(fits 2WD Rustler®/Stampede®) Half shaft, internal splined (steel-spline constant velocity) (1)
3623	Side plates, wheelie bar, red (aluminum) (2) Skid plates, front & rear (black)	6850X	Half shafts, heavy duty (external splined (2)/ internal splined (2)/
3623X	Skid plates, front & rear (blue)	00000	metal u-joints (4)
	p.m.o, a.o. (wide)		

sluminum (blue-anodized) 6s 11mm ball bearings (4) 58520 Stub sace carriers, Nusteriostampede/Stampt (2), 686-116 sluminum (orange-anodized) 6s11mm ball bearings (4) 58521 Stub asia carriers, Rusteriostampede/Stampt (2), 686-116 sluminum (orange-anodized) 6s11mm ball bearings (4) 58522 Stub sale carriers, Rusteriostampede/Stampt (2), 686-116 sluminum (plan-anodized) 6s11mm ball bearings (4) 58523 Stub sale carriers, Rusteriostampede/Stampt (2), 686-116 sluminum (plan-anodized) 6s1 min ball bearings (4) 58524 Stub sale carriers, Rusteriostampede/Stampt (2), 686-116 sluminum (plan-anodized) 5s1 min ball bearings (4) 58525 Stub sale, rear (2) 58526 Stub sale, rear (2) 58526 Stub sale, rear (2) 58527 Stub sale, rear (2) 58528 Stub sale, rear (2) 58529 Stub sale, rear (2) 58529 Stub sale, rear (2) 58520 Stub sale, rear (2) 58521 Stub sale, rear (2) 58520 Stub sal	Page 2	e 2 Stampede® VXL: TQi™ Traxxas Link™ Enabled 2.4GHz Radio & TSM® (Model 36076-74) Parts List				
Sezu Statubooks lube, and hardwaren benarings (s) Sezu Statubooks lube, and hardwaren benarings (s) Statubooks lube, and hardwaren	1951			* ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' '		
Sub ask carriers (2) (requires 6s 11-s/mm bearings) 2745 Nats, 3mm spin locking (12) 1474	6757	Rebuild kit, steel-splined constant-velocity driveshafts (includes	4859	CS 3x10 flathead (hex drive)		
Stab zek carriers, RustlereitöstampedesiBandti (2), 605-17 stammum (braw-andozidy) Srt 1 mm ball bearings (4) stammum (pray-andozidy) Srt 1 mm ball bearings (4) stammum (p	3752			. •		
Stub axis carriers, Rustine/Stampode/Stamfild (2), 661-16	3652A	Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6		Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4)		
aluminum (green-anocidedy) Sx1 frim ball bearings (4) S2527 Sub acceraires, RustierOSIstempedel@Bandit (2, 8061-16 aluminum (orange-anocided) Sx1 frim ball bearings (4) S3528 Sub axis carries, RustierOSIstempedel@Bandit (2, 8061-16 aluminum (parties) Sx1 frim ball bearings (4) S3529 Sub axis carries, RustierOSIstempedel@Bandit (2, 8061-16 aluminum (carries, Rust	20520					
Stub ask carriers, Rustlerd Staffunn bell barrings (4) 17477 1748 1747	3052G	• • • • • • • • • • • • • • • • • • • •		3 3 7		
Secondary Seco	3652T					
1982		` ` ,		Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4)		
Sub axis carriers, Rustler®/Stampede@Bandit (2), 661-76 505-75	3652P	, , , , , , , , , , , , , , , , , , , ,	1747A	Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)		
	3652X			PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)		
Stub and, rest, fixed-splined constant velocity (1) 275X Sha hade; sere (2) 275X Sha hade; sere (3) 275X Sha hade; sere (2) 275X Sha hade; sere (3) 275X Sha hade; sere (4) 275X Serews, 3.51mm button-head machine (the drive) (6) 275X Serews, 3.51mm button-head machine (the drive) (6) 275X Serews, 3.51mm cap-head machine (the drive) (6) 275X Serews, 3.51mm button-head machine (the drive) (6) 275X Serews, 3.51mm fai-head machine (the drive) (6) 275X Serews, 3.52mm button-head machine (the drive				· · ·		
Sub axios. rare; (Sersegue) FOIL SUSPICION (2) 2377 Sub axios. rare; (Sersegue) FOIL SUSPICION (2) 2377 Sing axios. rare; (Serve) FOIL SUSPICION (2) 2377 Axios (rord) (2) 2572 Axios (rord) (2) 2572 Axios (rord) (3) 2572 Axios (rord) (3) 2572 Axios (rord) (3) 2572 Salva bactings, live nubber sealed (5x11x4mm) (2) 2572 Salva Ballihead (rord) (grey) Salva Ballihead (rord) (grey) Salva Caster blocks, 30-degree, plue-a-modized 6061-T6 aluminum (left & right) suspension serve pin (2) Salva Ballihead (rord) (grey) Salva Caster blocks, 30-degree, plue-a-modized 6061-T6 aluminum (left & right) suspension serve pin (2) Salva Caster blocks, 30-degree, plue-a-modized 6061-T6 aluminum (left & right) suspension serve pin (2) Salva Caster blocks, 30-degree, pre-a-modized 6061-T6 aluminum (left & right) suspension serve pin (2) Salva Caster blocks, 30-degree, pre-a-modized 6061-T6 aluminum (left & right) suspension serve pin (2) Salva Caster blocks, 30-degree, pre-a-modized 6061-T6 aluminum (left & right) suspension serve pin (2) Salva Caster blocks, 30-degree, pre-a-modized 6061-T6 aluminum (left & right) suspension serve pin (2) Salva Caster blocks, 30-degree, pre-a-modized 6061-T6 aluminum (left & right) suspension serve pin (2) Salva Caster blocks, 30-degree, pre-a-modized 6061-T6 aluminum (left & right) suspension serve pin (2) Salva Caster blocks, 30-degree, pre-a-modized 6061-T6 aluminum (left & right) suspension serve pin (2) Salva Caster blocks, 30-degree, pre-de-modized 6061-T6 aluminum (left & right) suspension serve pin (2) Salva Caster blocks, 30-degree, pre-de-modized 6061-T6 aluminum (left & right) suspension serve pin (2) Salva Caster blocks, 30-degree, pre-de-modized 6061-T6 aluminum (left & right) suspension serve pin (2) Salva Caster blocks, 30-degree, pre-de-modized 6061-T6 aluminum (left & right) suspension serve pin (2) Salva Caster blocks, 30-degree, pre-de-modized 6061-T6 aluminum (left & right) suspension serve pin activation serve pin (2) Salva Caster blocks, 30-degree, p						
Stub axles, rear, heavy duty (Zylpins (2) FORTI STUBPISTOR & Steering 1995 (1995) (19			3236			
Screws						
2521 Screws, 3x12mm countersurk machine (6) (hax drive) (6)						
Section	3637					
2332		, , , ,				
3632A Caster blocks (8/d) (3/d-degree) 2580 Screws, 3:320mm button-head machine (hex drive) (6) 3632G Caster blocks, 30-degree, perea-nodized 6061-T6 aluminum (left & right) suspension screw pin (2) 2592 Screws, 3:320mm button-head machine (hex drive) (6) 2592 Screws, 3:300mm button-head machine (hex dr						
Sasza Caster blocks, 30-degree, pute-anodized 6061-T6 aluminum (left 8 right/) suspension screw pin (2) 36321 Caster blocks, 30-degree, green-anodized 6061-T6 aluminum (left 8 right/) suspension screw pin (2) 36322 Caster blocks, 30-degree, organe-anodized 6061-T6 aluminum (left 8 right/) suspension screw pin (2) 36322 Caster blocks, 30-degree, prink-anodized 6061-T6 aluminum (left 8 right/) suspension screw pin (2) 36322 Caster blocks, 30-degree, prink-anodized 6061-T6 aluminum (left 8 right/) suspension screw pin (2) 36322 Caster blocks, 30-degree, prink-anodized 6061-T6 aluminum (left 8 right/) suspension screw pin (2) 36322 Caster blocks, 30-degree, prink-anodized 6061-T6 aluminum (left 8 right/) suspension screw pin (2) 36322 Caster blocks, 30-degree, prink-anodized 6061-T6 aluminum (left 8 right/) suspension ancrew pin (2) 36322 Caster blocks, 30-degree, prink-anodized 6061-T6 aluminum (left 8 right/) suspension ancrew pin (2) 36323 Shock tower (front) 36324 Stepring blocks, Ruster@Stampede@Bandit (2), 6061-T6 36325 All suminum (lubu-anodized) Sxt1mm ball bearings (4) 36326 Stepring blocks, Ruster@Stampede@Bandit (2), 6061-T6 36327 Stepring blocks, Ruster@Stampede@Bandit (2), 6061-T6 36328 All suminum (lubu-anodized) Sxt1mm ball bearings (4) 363314 Suspension arms, blue, front, heavy duty (2) 363315 Suspension arms, blue, front, heavy duty (2) 363316 Suspension arms, blue, front, heavy duty (2) 363317 Suspension arms, blue, front, heavy duty (2) 363318 Suspension arms, blue, front, heavy duty (2) 363319 Shock subminum (lubu-anodized) Sxt1mm ball bearings (4) 363110 Suspension arms, blue, front, heavy duty (2) 363110 Suspension arms, blue, front, heavy duty (2) 363111 Suspension arms, blue, front, heavy duty (2) 363112 Suspension arms, blue, front, heavy duty (2) 363113 Suspension arms, blue, front, heavy duty (2) 363114 Suspension arms, blue, front, heavy duty (2) 363115 Suspension arms, blue, front, heavy duty (2) 363116 Suspension		· · · · · · · · · · · · · · · · · · ·				
Screws, 3x30mm button-head machine (hex drive) (6)		. ,		, , , , , , , , , , , , , , , , , , , ,		
Saszer blocks, 30-degree, green-anodized 661-T6 aluminum (left & fright) suspension screw pin (2) Saszer blocks, 30-degree, orange-anodized 661-T6 aluminum (left & fright) suspension screw pin (2) Saszer blocks, 30-degree, prink-anodized 661-T6 aluminum (left & fright) suspension screw pin (2) Saszer blocks, 30-degree, prink-anodized 661-T6 aluminum (left & fright) suspension screw pin (2) Saszer blocks, 30-degree, prink-anodized 661-T6 aluminum (left & fright) suspension screw pin (2) Saszer blocks, 30-degree, red-anodized 661-T6 aluminum (left & fright) suspension screw pin (2) Saszer blocks, 30-degree, red-anodized 661-T6 aluminum (left & fright) suspension screw pin (2) Saszer blocks, 30-degree, red-anodized 661-T6 aluminum (left & fright) suspension screw pin (2) Saszer blocks, 30-degree, red-anodized 661-T6 aluminum (left & fright) suspension screw pin (2) Saszer blocks, 30-degree, red-anodized 661-T6 aluminum (left & fright) suspension screw pin (2) Saszer blocks, 30-degree, red-anodized 661-T6 aluminum (left & fright) suspension are screw pin (2) Saszer blocks, 30-degree, red-anodized 661-T6 aluminum (left & fright) suspension are screw pin (2) Saszer blocks, 30-degree, red-anodized 661-T6 aluminum (left & fright) suspension are screw pin (2) Saszer blocks, 40-degree, red-anodized 661-T6 aluminum (left & fright) suspension are screen glocks, 81 suspension are screen glocks, 8	JUJZA					
Saster blocks, 30-degree, orange-anolized 6981-76 aluminum (left & right) suspension screw pin (2) 38327 Caster blocks, 30-degree, pink-anodized 6981-76 aluminum (left & right) suspension screw pin (2) 38328 Caster blocks, 30-degree, red-anodized 6981-76 aluminum (left & right) suspension screw pin (2) 38328 Caster blocks, 30-degree, red-anodized 6981-76 aluminum (left & right) suspension screw pin (2) 3846 Screws, 3x (5mm flak-head machine (hex drive) (6) 38587 Screws, 3x (5mm flak-head machine (hex drive) (6) 38586 Screws, 3x (5mm flak-head machine (hex drive) (6) 38587 Screws, 3x (5mm flak-head machine (hex drive) (6) 38586 Screws, 3x (5mm flak-head machine (hex drive) (6) 38587 Screws, 3x (5mm flak-head machine (hex drive) (6) 38586 Screws, 3x (5mm flak-head machine (hex drive) (6) 38587 Screws, 3x (5mm flak-head machine (hex drive) (6) 38586 Screws, 3x (5mm flak-head machine (hex drive) (6) 38587 Screws, 3x (5mm flak-head machine (hex drive) (6) 38587 Screws, 3x (5mm flak-head machine (hex drive) (6) 38587 Screws, 3x (5mm flak-head machine (hex drive) (6) 38587 Screws, 3x (5mm flak-head machine (hex drive) (6) 38588 Screws, 3x (5mm flak-head machine (hex drive) (6) 38589 Screws, 3x (5mm flak-head machine (hex drive) (6) 38580 Screws, 3x (5mm flak-head machine (hex drive) (6) 38580 Screws, 3x (5mm flak-head machine (hex drive) (6) 38581 Screws, 3x (5mm flak-head machine (hex drive) (6) 38581 Screws, 3x (5mm flak-head machine (hex drive) (6) 38581 Screws, 3x (5mm flak-head machine (hex drive) (6) 38582 Screws, 3x (5mm flak-head machine (hex drive) (7x (5mm flak)) 38582 Screws, 3x (5mm flak-head machine (hex drive) (8) 38642 Screws, 3x (5mm flak-head machine (hex drive) (8) 38643 Screws, 3x (5mm flak-head machine (hex drive) (8) 38644 Screws, 3x (5mm flak-head machine (hex drive) (8) 38645 Screws, 3x (5mm flak-head machine (hex drive) (8) 38645 Screws, 3x (5mm flak-head machine (hex drive) (8) 38646 Screws, 3x (5mm flak-head machine (hex drive) (8) 38647 Screws, 3x (5mm flak-he	3632G	9, 1, 1,				
(left & rightly suspension screw pin (2) 3932 Screws, 3.8hm flathead machine (hex drive) (6) 3937 Screws, 3.8hm flathead machine (he						
Sasy Caster blocks, 30-degree, pink-anodized 6061-T6 aluminum (left & fight) suspension screw pin (2) Sasy Caster blocks, 30-degree, red-anodized 6061-T6 aluminum (left & fight) suspension screw pin (2) Sasy Caster blocks, 30-degree, red-anodized 6061-T6 aluminum (left & fight) suspension screw pin (2) Sasy Caster blocks, 30-degree, red-anodized 6061-T6 aluminum (left & fight) suspension screw pin (2) Sasy Caster blocks, 30-degree, red-anodized 6061-T6 aluminum (left & fight) suspension screw pin (2) Sasy Caster blocks, 30-degree, red-anodized 6061-T6 aluminum (left & fight) suspension screw pin (2) Sasy Caster blocks, 30-degree, red-anodized 6061-T6 aluminum (left & fight) suspension screw pin (2) Sasy Caster blocks, 30-degree, red-anodized 6061-T6 aluminum (left & fight) suspension screw pin (2) Sasy Caster blocks, 30-degree, red-anodized 6061-T6 aluminum (left & fight) suspension screw pin (2) Sasy Caster blocks, 30-degree, red-anodized 6061-T6 aluminum (left & fight) suspension screw pin (2) Sasy Caster blocks, 30-degree, red-anodized 6061-T6 aluminum (left & fight) suspension screw pin (2) Sasy Caster blocks, 30-degree, red-anodized 6061-T6 aluminum (left & fight) suspension screw pin (2) Sasy Caster blocks, 30-degree, red-anodized 6061-T6 aluminum (left & fight) suspension screw pin (2) Sasy Caster blocks, 30-degree, red-anodized 6061-T6 aluminum (left & fight) suspension screw pin (2) Sasy Caster Blocks, 30-degree, fight (2) (requires 5x11x4mm beal bearings) (4) Sasy Caster Blocks, 30-degree, fight (2) (requires 5x11x4mm beal bearings) (4) Sasy Caster Blocks, 30-degree, fight (2) (soft-16 aluminum (left & fight) suspension screw pin (2) (soft-16 aluminum (left & fight) (2) (requires 5x11x4mm ball bearings) (4) Sasy Caster Blocks, 30-degree, fight (2) (requires 5x11x4mm ball bearings) (4) Sasy Caster Blocks, 30-degree, fight (2) (requires 5x11x4mm ball bearing) (4) Sasy Caster Blocks, 30-degree, fight (2) (requires 5x11x4mm ball bearing) (4) Sasy Caster Blocks, 30-degree, fight (2) (re	3632T					
\$ 4 fight)! suspension screw pin (2) 382X Carcens, 4x12mm button-head machine (hex drive) (6) 3846 Screws, 3x15mm fail-head machine (hex drive) (6) 3848 Steerns, 3x15mm fail-head machine (hex drive) (6) 3858 Steerns glocks, left & right (2) (requires 5x11x4mm bearings) 3858 Steering blocks, lett & right (2) (requires 5x11x4mm bearings) 3858 Steering blocks, lett & right (2) (requires 5x11x4mm bearings) 3858 Steering blocks, lettler@istampede@istandit (2), 6061-T6	3632P					
Saszy Caster blocks, 30-degree, red-anodized 6061-T6 aluminum (left & right) suspension screw pin (2) Sas Sas Stering blocks, 15mm flat-head machine (hex drive) (6) Sas Sas Stering blocks, left & right (2) (requires 5x11x4mm bearings) Sas Sas Stering blocks, left & right (2) (requires 5x11x4mm bearings) Sas Sas Stering blocks, left & right (2) (requires 5x11x4mm bearings) Sas Sas Stering blocks, left & right (2) (requires 5x11x4mm bearings) Sas Sas Stering blocks, left & right (2) (requires 5x11x4mm bearings) Sas Sas Stering blocks, Rustler®Stampede®/Bandit (2), 6061-T6 aluminum (prick-anodized) 5x11mm ball bearings (4) Sas Sas Stering blocks, Rustler®Stampede®/Bandit (2), 6061-T6 aluminum (prick-anodized) 5x11mm ball bearings (4) Sas Sas Stering blocks, Rustler®Stampede®/Bandit (2), 6061-T6 aluminum (prick-anodized) 5x11mm ball bearings (4) Sas Sas Stering blocks, Rustler®Stampede®/Bandit (2), 6061-T6 aluminum (prick-anodized) 5x11mm ball bearings (4) Sas Sas Stering blocks, Rustler®Stampede®/Bandit (2), 6061-T6 aluminum (prick-anodized) 5x11mm ball bearings (4) Sas Sas Stering blocks, Rustler®Stampede®/Bandit (2), 6061-T6 aluminum (prick-anodized) 5x11mm ball bearings (4) Sas Sas Stering blocks, Rustler®Stampede®/Bandit (2), 6061-T6 aluminum (prick-anodized) 5x11mm ball bearings (4) Sas Sas Stering blocks, Rustler®Stampede®/Bandit (2), 6061-T6 aluminum (prick-anodized) 5x11mm ball bearings (4) Sas Sas Stering blocks, Rustler®Stampede®/Bandit (2), 6061-T6 aluminum (prick-anodized) 5x11mm ball bearings (4) Sas Sas Stering blocks, Rustler®Stampede®/Bandit (2), 6061-T6 aluminum (prick-anodized) 5x11mm ball bearings (4) Sas Sas Stering blocks, Rustler®Stampede®/Bandit (2), 6061-T6 aluminum (prick-anodized) 5x11mm ball bearings (4) Sas Sas Stering blocks, Rustler®Stampede®/Bandit (2), 6061-T6 aluminum (prick-anodized) 5x11mm ball bearings (4) Sas Sas Sas Stering blocks, Rustler®Stampede®/Bandit (2), 6061-T6 aluminum (prick-anodized) 5x11mm ball bearings (4) Sas Sas Sas Sas Stering b						
Screws, 3xf5mm flat-head machine (hex drive) (6) Schib diversity (head of head	3632X	· · · · · · · · · · · · · · · · · · ·				
Servo saver 3736 3839 Shock kower (front) 3736 Sleering blocks, Rustler@Stampede@Bandit (2), 6061-T6 aluminum (ploue-anodized) 5x1 mm ball bearings (4) 3736 Steering blocks, Rustler@Stampede@Bandit (2), 6061-T6 aluminum (pren-anodized) 5x1 mm ball bearings (4) 3736 Steering blocks, Rustler@Stampede@Bandit (2), 6061-T6 aluminum (prang-anodized) 5x1 mm ball bearings (4) 3736 Steering blocks, Rustler@Stampede@Bandit (2), 6061-T6 aluminum (pink-anodized) 5x1 mm ball bearings (4) 3736 Steering blocks, Rustler@Stampede@Bandit (2), 6061-T6 aluminum (pink-anodized) 5x1 mm ball bearings (4) 3736 Steering blocks, Rustler@Stampede@Bandit (2), 6061-T6 aluminum (pink-anodized) 5x1 mm ball bearings (4) 3736 Suspension arms, black, front, heavy duty (2) 3736 Suspension arms, pren, front, heavy duty (2) 3736 Suspension arms, red, front, heavy duty (2) 3737 Suspension arms, red, front, heavy duty (2) 3739 Suspension arms pren, front, heavy duty (2) 3739 Suspension arms, red, front, heavy duty (2) 3739 Suspension arms, red, front, heavy duty (2) 3739 Suspension arms red, front, beavy duty (2) 3740 Suspension arms red, front, heavy duty (2) 3750 Suspension arms red, front, heavy duty (2) 3750 Suspension arms red, front, heavy duty (2) 3750 Suspension arms red,	3646					
Shock tower (front) 3736 Steering blocks, left & right (2) (requires Sx11x4mm bearings) 3736 Steering blocks, Rustler®Stampede®Bandit (2), 6061-16 aluminum (green-anodized) sx11mm ball bearings (4) 38366 Steering blocks, Rustler®Stampede®Bandit (2), 6061-16 aluminum (orange-anodized) sx11mm ball bearings (4) 38367 Steering blocks, Rustler®Stampede®Bandit (2), 6061-16 aluminum (rorange-anodized) sx11mm ball bearings (4) 38368 Steering blocks, Rustler®Stampede®Bandit (2), 6061-16 aluminum (rorange-anodized) sx11mm ball bearings (4) 38368 Steering blocks, Rustler®Stampede®Bandit (2), 6061-16 aluminum (rorange-anodized) sx11mm ball bearings (4) 3831 Suspension arms (front) (2) 38313 Suspension arms (front) (2) 38314 Suspension arms, blue, front, heavy duty (2) 38316 Suspension arms, plue, front, heavy duty (2) 38317 Suspension arms, plue, front, heavy duty (2) 38318 Suspension arms, rorange, front, heavy duty (2) 38319 Suspension arms, rorange, front, heavy duty (2) 38310 Suspension arms, rorange, front, heavy duty (2) 38311 Suspension arms, rorange, front, heavy duty (2) 38312 Suspension arms, rorange, front, heavy duty (2) 38313 Suspension arms, rorange, front, heavy duty (2) 38314 Suspension arms, rorange, front, heavy duty (2) 38315 Suspension arms, rorange, front, heavy duty (2) 38316 Suspension arms, rorange, front, heavy duty (2) 38317 Suspension arms, rorange, front, heavy duty (2) 38318 Suspension arms, rorange, front, heavy duty (2) 38319 Suspension arms, rorange, front, heavy duty (2) 38320 Suspension arms, rorange, front, heavy duty (2) 383319 Suspension arms, rorange, front, heavy duty (2) 38340 Suspension arms, rorange, front, he			5529	Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls,		
Steering blocks, Rustler@Steampede@Bandli (2), 6061-76 aluminum (blue-anodized) 5x11mm ball bearings (4) Steering blocks, Rustler@Steampede@Bandli (2), 6061-76 aluminum (green-anodized) 5x11mm ball bearings (4) Steering blocks, Rustler@Steampede@Bandli (2), 6061-76 aluminum (orange-anodized) 5x11mm ball bearings (4) Steering blocks, Rustler@Steampede@Bandli (2), 6061-76 aluminum (prage-anodized) 5x11mm ball bearings (4) Steering blocks, Rustler@Steampede@Bandli (2), 6061-76 aluminum (pink-anodized) 5x11mm ball bearings (4) Steering blocks, Rustler@Steampede@Bandli (2), 6061-76 aluminum (red-anodized) 5x11mm ball bearings (4) Steering blocks, Rustler@Steampede@Bandli (2), 6061-76 aluminum (red-anodized) 5x11mm ball bearings (4) Suspension arms, blue, front, heavy duty (2) Steering blocks, Rustler@Steampede@Bandli (2), 6061-76 aluminum (red-anodized) 5x11mm ball bearings (4) Suspension arms, blue, front, heavy duty (2) Steering blocks, Rustler@Steampede@Bandli (2), 6061-76 aluminum (red-anodized) 5x11mm ball bearings (4) Suspension arms, blue, front, heavy duty (2) Steering blocks, Rustler@Steampede@Bandli (2), 6061-76 aluminum (red-anodized) 5x11mm ball bearings (4) Suspension arms, blue, front, heavy duty (2) Steering blocks, Rustler@Steampede@Bandli (2), 6061-76 aluminum (red-anodized) 5x11mm ball bearings (4) Suspension arms, blue, front, heavy duty (2) Steering blocks, Rustler@Steampede@Bandli (2), 6061-76 aluminum (red-anodized) 5x11mm ball bearings (4) Suspension arms, plue, front, heavy duty (2) Steering blocks, Rustler@Steampede@Bandli (2), 6061-76 aluminum (red-anodized) 5x11mm ball bearings (4) Steering blocks, Rustler@Steampede@Bandli (2), 6061-76 aluminum (red-anodized) 5x11mm ball bearings (4) Steering blocks, Rustler@Steampede@Bandli (2), 6061-76 aluminum (red-anodized) 5x11mm ball bearings (4) Steering blocks, Rustler@Steampede@Bandli (2), 6061-76 aluminum (red-anodized) 5x11mm ball bearings (4) Steering blocks, Rustler@Steampede@Bandli (2), 6061-76 al			3642X	,		
aluminum (blue-anodized/) 5x11mm ball bearings (4) Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-16 aluminum (green-anodized/) 5x11mm ball bearings (4) Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-16 aluminum (grang-anodized/) 5x11mm ball bearings (4) Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-16 aluminum (grang-anodized/) 5x11mm ball bearings (4) Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-16 aluminum (grang-anodized/) 5x11mm ball bearings (4) Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-16 aluminum (grang-anodized/) 5x11mm ball bearings (4) Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-16 aluminum (grand-anodized/) 5x11mm ball bearings (4) Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-16 aluminum (granodized/) 5x11mm ball bearings (4) Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-16 aluminum (granodized/) 5x11mm ball bearings (4) Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-16 aluminum (granodized/) 5x11mm ball bearings (4) Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-16 aluminum (granodized/) 5x11mm ball bearings (4) Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-16 aluminum (grand-anodized/) 2x11mm ball bearings (4) Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-16 aluminum (grand-anodized/) 2x11mm ball bearings (4) Suspension arms, (front) (2) Suspension arms, prace, front, heavy duty (2) Suspension arms, green, front, heavy duty (2) Suspension arms, green, front, heavy duty (2) Suspension arms, green, front, heavy duty (2) Suspension arms, red, front, heavy duty (2) Suspension arms, red, front, heavy duty (2) Suspension arms, green, front, heavy duty (2) Suspension arms, red, front, hea						
searing blocks, Rustler@Stampede@Bandit (2), 6061-76 aluminum (green-anodized) 5x11mm ball bearings (4) 36367 Steering blocks, Rustler@Stampede@Bandit (2), 6061-76 aluminum (prange-anodized) 5x11mm ball bearings (4) 36368 Steering blocks, Rustler@Stampede@Bandit (2), 6061-76 aluminum (pink-anodized) 5x11mm ball bearings (4) 3631 Suspension arms, blue, front, heavy duty (2) 3631 Suspension arms, parage, front, heavy duty (2) 3631 Suspension pins, 44mm (2) w E-clips 3640 Suspension pins, 44mm (2) w E-clips 3641 Suspension pins even pin set, steel (hex drive) (requires part # 2640 for a complete suspension pin set) (Rustler@, Stampede@, Bandit) 3741 Turnbuckles, aluminum (blue-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled wird ends & hollow balls)/ wrench 3741 Turnbuckles, aluminum (green-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled wird ends & hollow balls)/ wrench 3741 Turnbuckles, aluminum (pink-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled wird ends & hollow balls)/ wrench 3741 Turnbuckles, aluminum (pink-anodized), camber links, front, 39mm (2), rear, 49m	3636A	• • • • • • • • • • • • • • • • • • • •	2746	Washers, 3x6mm metal (12)		
aluminum (green-anodizedy) 5x1 mm ball bearings (4) Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (orange-anodizedy) 5x1 mm ball bearings (4) Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (prick-anodizedy) 5x1 mm ball bearings (4) Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (prick-anodizedy) 5x1 mm ball bearings (4) Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (prick-anodizedy) 5x1 mm ball bearings (4) Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (prick-anodizedy) 5x1 mm ball bearings (4) Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (prick-anodizedy) 5x1 mm ball bearings (4) Suspension arms, (front) (2) Suspension arms, black, front, heavy duty (2) Suspension arms, green, front, heavy duty (2) Suspension arms, green, front, heavy duty (2) Suspension arms, green, front, heavy duty (2) Suspension arms, red, front, heavy duty (2) Suspension arms, red, front, heavy duty (2) Suspension pins, 44mm (2) w E-clips Suspension screw pin set, steel (hex drive) (requires part # 2640 for a Suspension pins, et/frum) (prick-anodizedy), camber links, front, 39mm (2), rear, 49mm (2) (assembled wirod ends & hollow balls)/ wrench Turnbuckles, aluminum (green-anodizedy), camber links, front, 39mm (2), rear, 49mm (2) (assembled wirod ends & hollow balls)/ wrench Turnbuckles, aluminum (prange-anodizedy), camber links, front, 39mm (2), rear, 49mm (2) (assembled wirod ends & hollow balls)/ wrench Turnbuckles, aluminum (prick-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled wirod ends & hollow balls)/ wrench Turnbuckles, aluminum (prick-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled wirod ends & hollow balls)/ wrench Turnbuckles, aluminum (prick-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled wirod ends & hollow balls)/ wrench Turnbuckles, aluminum (prick-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled wirod ends & hollo	3636G			LED Lights		
aluminum (orange-anodized)/ 5x11mm ball bearings (4) Statering blocks, Rustler®/Stampede®/Bandit (2), 661-16 aluminum (pink-anodized)/ 5x11mm ball bearings (4) Stabeple or #8735 for 4WD Stampede®) Stabeple or #8735 for 4WD Stampede®, #8735 for 4WD Stamped	00000		3690	LED light bar, front (assembled)/ 3x8 BCS (2)/ 2.5x8 BCS (2)		
Steering blocks, Rustler@/Stampede@/Bandit (2), 6061-76 aluminum (pink-anodizedy) 5x11mm ball bearings (4) Steering blocks, Rustler@/Stampede@/Bandit (2), 6061-76 aluminum (red-anodizedy) 5x11mm ball bearings (4) Suspension arms (front) (2) Suspension arms, black, front, heavy duty (2) Suspension arms, black, front, heavy duty (2) Suspension arms, red, front, heavy duty (2) Suspension serve pin set, steel (hex drive) (requires part #2640 for a complete suspension pin set) (Rustler®, Stampede®, Bandit) Turnbuckles, aluminum (blue-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled wirod ends & hollow balls)/ wrench Turnbuckles, aluminum (pink-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled wirod ends & hollow balls)/ wrench Turnbuckles, aluminum (pink-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled wirod ends & hollow balls)/ wrench Turnbuckles, aluminum (pink-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled wirod ends & hollow balls)/ wrench Turnbuckles, aluminum (pink-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled wirod ends & hollow balls)/ wrench Turnbuckles, aluminum (pink-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled wirod ends & hollow balls)/ wrench Turnbuckles, aluminum (pink-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled wirod ends & hollow balls)/ wrench Turnbuckles, aluminum (pink-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled wirod ends & hollow balls)/ wrench Turnbuckles, aluminum (pink-anodized), camber links, front, 39mm (2), r	3636T			(requires front bumper #5835X for 2WD Slash®, #3635 for 2WD		
aluminum (pink-anodizedl) 5x11mm ball bearings (4) Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (red-anodizedl) 5x11mm ball bearings (4) Suspension arms (front) (2) Suspension arms, black, front, heavy duty (2) Suspension arms, blue, front, heavy duty (2) Suspension arms, grean, front, heavy duty (2) Suspension arms, blue, front, heavy duty (2) Suspension arms, grean, front, heavy duty (2) Suspension pins, 44mm (2) w E-clips Motor core, 3356R Gear adapter, fixed Motor core, 3050, Drushless (assembled with 12-gauge v and got-plated bullet connectors) Motor screws, 3x8mm hex cap) (6)/washers (6)/wrench Motor, Velineon® 3500, brushless (assembled with 12-gauge v and got-plated bullet connectors) Motor screws, 3x8mm hex cap) (6)/washers (6)/wrench Motor, Velineon® 3500, brushless (assembled with 12-gauge v and got-plated bullet connectors) Motor screws, 3x8mm hex cap) (6)/washers (6)/wrench Motor, Velineon® 3500, brushless (assembled with 12-gauge v and got-plated bullet connectors) Motor screws, 3x8mm hex cap) (6)/washers (6)/wrench Motor, Velineon® 3500, brushless (assembled with 12-gauge v and got-plated bullet connectors) Motor screws, 3x8mm hex cap) (6)/washers (6)/wrench Motor, Velineon® 3500, brushless (assembled with 12-gauge v and got-plated bullet connectors) Motor screws, 3x8mm hex cap) (6)/washers (6)/wrench Motor, Velineon® 3500 (includes plastic endell, 5x11x4n b	20200			• • •		
Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (red-anodizedy) 5x11mm ball bearings (4) Suspension arms (front) (2) Suspension arms, black, front, heavy duty (2) Suspension arms, plack, front, heavy duty (2) Suspension arms, green, front, heavy duty (2) Suspension arms, red, front, heavy duty (2) Suspension arms, suef, red, front, heavy duty (2) Su	3030P		3795			
Suspension arms (front) (2) 3631A Suspension arms, black, front, heavy duty (2) 3631G Suspension arms, green, front, heavy duty (2) 3631R Suspension arms, red, front, heavy duty (2) 3631R Suspension arms, red, front, heavy duty (2) 3640 Suspension pins, 44mm (2) W.E-clips 3640 Suspension pins, et, steel (hex drive) (requires part # 2640 for a complete suspension pin set) (Rustler®, Stampede®, Bandit) 3741A Turnbuckles, aluminum (blue-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled wirod ends & hollow balls) wrench 3741T Turnbuckles, aluminum (orange-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled wirod ends & hollow balls) wrench 3741P Turnbuckles, aluminum (pink-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled wirod ends & hollow balls) wrench 3741P Turnbuckles, aluminum (pink-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled wirod ends & hollow balls) wrench 3741P Turnbuckles, aluminum (pink-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled wirod ends & hollow balls) wrench 3741P Turnbuckles, aluminum (pink-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled wirod ends & hollow balls) wrench 3741P Turnbuckles, aluminum (pink-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled wirod ends & hollow balls) wrench 3741P Turnbuckles, aluminum (pink-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled wirod ends & hollow balls) wrench 3741P Turnbuckles, aluminum (pink-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled wirod ends & hollow balls) wrench 3741P Turnbuckles, aluminum (pink-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled wirod ends & hollow balls) wrench 3741P Turnbuckles, aluminum (pink-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled wirod ends & hollow balls) wrench 3741P Turnbuckles, aluminum (pink-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled wirod ends & hollow balls) wrench 3741P Tu	3636X			- , , ,		
3631X Suspension arms, blue, front, heavy duty (2) 3631G Suspension arms, blue, front, heavy duty (2) 3631G Suspension arms, green, front, heavy duty (2) 3631R Suspension arms, green, front, heavy duty (2) 3631R Suspension arms, red, front, heavy duty (2) 3631B Suspension arms, red, front, heavy duty (2) 3640 Suspension pins, 44mm (2) W F-clips 3640 Suspension pins, 44mm (2) W F-clips 3640 Suspension pins, 44mm (2) W F-clips 3641 Turnbuckles, aluminum (blue-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled wirod ends & hollow balls)/ wrench 3741T Turnbuckles, aluminum (orange-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled wirod ends & hollow balls)/ wrench 3741T Turnbuckles, aluminum (pink-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled wirod ends & hollow balls)/ wrench 3741T Turnbuckles, aluminum (pink-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled wirod ends & hollow balls)/ wrench 3741T Turnbuckles, aluminum (pink-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled wirod ends & hollow balls)/ wrench 3741T Turnbuckles, aluminum (pink-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled wirod ends & hollow balls)/ wrench 3741T Turnbuckles, aluminum (pink-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled wirod ends & hollow balls)/ wrench 3741T Turnbuckles, aluminum (pink-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled wirod ends & hollow balls)/ wrench 3741X Turnbuckles, aluminum (pink-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled wirod ends & hollow balls)/ wrench 3741X Turnbuckles, aluminum (pink-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled wirod ends & hollow balls)/ wrench 3741X Turnbuckles, aluminum (pink-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled wirod ends & hollow balls)/ wrench 3741X Turnbuckles, aluminum (pink-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled wirod e	0004	, , , , , , , , , , , , , , , , , , , ,		Motors & Electronics		
Suspension arms, blue, front, heavy duty (2) 3631G Suspension arms, green, front, heavy duty (2) 3631R Suspension arms, red, front, heavy duty (2) 3640 Suspension arms, red, front, heavy duty (2) 2672 Suspension arms, red, front, heavy duty (2) 2673 Suspension iscrew pin set, steel (hex drive) (requires part # 2640 for a complete suspension pin set) (Rustler®, Stampede®, Bandit) 3741A Turnbuckles, aluminum (blue-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled wirod ends & hollow balls)/ wrench 3741T Turnbuckles, aluminum (orange-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled wirod ends & hollow balls)/ wrench 3741P Turnbuckles, aluminum (pink-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled wirod ends & hollow balls)/ wrench 3741A Turnbuckles, aluminum (pink-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled wirod ends & hollow balls)/ wrench 3741A Turnbuckles, aluminum (pink-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled wirod ends & hollow balls)/ wrench 3741A Turnbuckles, aluminum (pink-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled wirod ends & hollow balls)/ wrench 3741A Turnbuckles, aluminum (pink-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled wirod ends & hollow balls)/ wrench 3741A Turnbuckles, aluminum (pink-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled wirod ends & hollow balls)/ wrench 3741A Turnbuckles, aluminum (pink-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled wirod ends & hollow balls)/ wrench 3741A Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (f1eft, f1 right) 3741B 3741B 3741B 3741B 3741B 3741B 3741C 3			2260	BEC assembly (complete) (12.6 volts (3s LiPo) maximum input		
3342 Suspension arms, green, front, heavy duty (2) 3342 Suspension arms, orange, front, heavy duty (2) 3342 Suspension arms, orange, front, heavy duty (2) 3343 Suspension arms, ed, front, heavy duty (2) 3340 Suspension arms, ed, front, heavy duty (2) 340 Suspension pins, 44mm (2) w/ E-clips 3410 Suspension screw pin set, steel (hex drive) (requires part # 2640 for a Suspension pin set) (Rustler®, Stampede®, Bandit) 3351R 3				voltage)		
Suspension arms, red, front, heavy duty (2) Suspension pins, 44mm (2) w/ E-clips Suspension arms, red, front, heavy duty (2) Suspension arms, red, front, heavy duty (2) Suspension arms, red, front, heavy duty (2) Suspension arms, red, front, leavy duty (2) Suspension are, ended (1, 2, 20, 20, 20, 20, 20, 20, 20, 20, 20,						
Suspension pins, 44mm (2) w/ E-olips 3640 Suspension screw pin set, steel (hex drive) (requires part # 2640 for a complete suspension pin set) (Rustler®, Stampede®, Bandit) 3741A Tie bar, fiberglass 3741A Turnbuckles, aluminum (blue-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/wrench 3741G Turnbuckles, aluminum (green-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/wrench 3741T Turnbuckles, aluminum (orange-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/wrench 3741P Turnbuckles, aluminum (pink-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/wrench 3741P Turnbuckles, aluminum (pink-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/wrench 3741P Turnbuckles, aluminum (pink-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/wrench 3741P Turnbuckles, aluminum (pink-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/wrench 3741X Turnbuckles, aluminum (pink-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/wrench 3741X Turnbuckles, aluminum (pink-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls) (1 left, 1 right) 3741X Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) 3741X Turnbuckles, toe link, 61mm (96mm center to center) (2) (assembled with rod ends and hollow balls) (1 left, 1 right) 3741X Turnbuckles, toe link, 61mm (96mm center to center) (2) (assembled with rod ends and hollow balls) (1 left, 1 right) 37552 3x8mm Hex Cap Screws (6)/ Washers (6)/ Wrench (1) 3764 Valence (3500, balls)/wrench 3775 Servo, digital high-torque, metal gear (ball bearing), waterproof (balls)/winkles/core (ball bearing), waterproof (balls)/winkles/core (balls)/win						
3348 Suspension screw pin set, steel (hex drive) (requires part # 2640 for a complete suspension pin set) (Rustler®, Stampede®, Bandit) 3741A Turnbuckles, aluminum (blue-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/wrench 3741T Turnbuckles, aluminum (orange-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/wrench 3741T Turnbuckles, aluminum (orange-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/wrench 3741T Turnbuckles, aluminum (orange-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/wrench 3741P Turnbuckles, aluminum (pink-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/wrench 3741P Turnbuckles, aluminum (pink-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/wrench 3741X Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/wrench 3741X Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/wrench 3741X Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/wrench 3741X Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/wrench 3741X Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/wrench 3741X Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/wrench 3741X Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/wrench 3741X Jurnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/wrench 3741X Ju						
complete suspension pin set) (Rustler®, Stampede®, Bandit) Tie bar, fiberglass 3741A Turnbuckles, aluminum (blue-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled wirod ends & hollow balls)/wrench 3741G Turnbuckles, aluminum (green-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled wirod ends & hollow balls)/wrench 3741T Turnbuckles, aluminum (orange-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled wirod ends & hollow balls)/wrench 3741T Turnbuckles, aluminum (orange-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled wirod ends & hollow balls)/wrench 3741P Turnbuckles, aluminum (pink-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled wirod ends & hollow balls)/wrench 3741X Turnbuckles, aluminum (pink-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled wirod ends & hollow balls)/wrench 3741X Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled wirod ends & hollow balls)/wrench 3741X Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled wirod ends & hollow balls)/wrench 3741X Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled wirod ends & hollow balls)/wrench 3741X Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled wirod ends & hollow balls)/wrench 3741X Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled wirod ends & hollow balls)/wrench 3741X Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled wirod ends & hollow balls)/wrench 3741X Turnbuckles, aluminum (prod-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled wirod ends & hollow balls)/wrench 3741X Turnbuckles, aluminum (prod-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled wirod ends & hollow balls)/wrench 3741X Turnbuckles, aluminum (prod-anodized), camber links, front						
Turnbuckles, aluminum (blue-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench 3741G Turnbuckles, aluminum (green-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench 3741T Turnbuckles, aluminum (orange-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench 3741P Turnbuckles, aluminum (pink-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench 3741P Turnbuckles, aluminum (pink-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench 3741X Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench 3741X Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench 3741X Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench 3741X Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench 3741X Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench 3741X Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench 3741X Turnbuckles, aluminum (red-anodized), camber links, front, 3350R 3750R Velineon® 3500 (includes plastic endbell, 5x11x4n bearings (2), 2.5x5mm BCS (with threadlock) (4), rear bushing; 347 3741P Servo, digital high-torque, metal gear (ball bearing), waterprof Servo, digital high-torque (ball bearing), waterprof Servo, digital high-torque metal gear (ball bearing), waterprof Servo, digital high-torque, metal gear (ball bearing), waterprof Servo, digital high-torque metal gear (ball bearing), waterprof (includes plastic endbel	3040					
3741A Turnbuckles, aluminum (blue-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench 3741G Turnbuckles, aluminum (green-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench 3741T Turnbuckles, aluminum (orange-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench 3741P Turnbuckles, aluminum (pink-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench 3741P Turnbuckles, aluminum (pink-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench 3741X Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench 3741X Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench 3741X Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ with rod ends and hollow balls) (1 left, 1 right) 3645 Turnbuckles, camber link, 61mm (96mm center to center) (2) (assembled with rod ends and hollow balls) (fits Stampede®) 1371Warre 1552 3x8mm Hex Cap Screws (6)/ Washers (6)/ Wrench (1) 266R Mounting plate, electronic speed control/receiver box (for 205a nd xuterproof receiver box into Stampede®) 8352R Rebuild kit, Velineon® 3500 (includes plastic endbell, 5x11x4n bearings, 22, 2.5x5mm BCS (with threadlock) (4), rear bushing, 3247 Screws, 2.5x5mm button-head machine (hex drive) (6) Servo digital high-torque (ball bearing), waterproof Servos, digital high-torque (ball bearing), waterproof VXL-3s waterproof ESC velineon® 3500 motor, and speed control/receiver box (for 2056 and 2075 waterproof (includ years), waterproof Electronic Speed Control (brushless) (fivid/rev/brake) 3350R 3741D Susterior Sampede®) 3741D Susterior Sampede®) 3741D Susterior Sampede®) 3741D Susterior S	2532	Tie bar, fiberglass	3351R	, , ,		
Turnbuckles, aluminum (green-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench 3741T Turnbuckles, aluminum (orange-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench 3741P Turnbuckles, aluminum (pink-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench 3741P Turnbuckles, aluminum (pink-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench 3741X Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench 3741X Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench 3741X Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) 3644 Turnbuckles, camber link, 39mm (69mm center to center) (2) (assembled with rod ends and hollow balls) (1 left, 1 right) 3645 Turnbuckles, toe link, 61mm (96mm center to center) (2) (assembled with rod ends and hollow balls) (fits Stampede®) 3748 Turnbuckles, toe link, 61mm (96mm center to center) (2) (assembled with rod ends and hollow balls) (fits Stampede®) 3749 Turnbuckles, aluminum (pink-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls) (1 left, 1 right) 3750 VXL-3s Waterproof Electronic Speed Control (brushless) (fwd/rev/brake) 3750 VXL-3s Waterproof Electronic Speed Cont	3741A	39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/	3626R	Mounting plate, electronic speed control/receiver box (for installation		
Turnbuckles, aluminum (orange-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench Turnbuckles, aluminum (pink-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench Turnbuckles, aluminum (pink-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/wrench Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/wrench Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) 3645 Turnbuckles, toe link, 61mm (96mm center to center) (2) (assembled with rod ends and hollow balls) (fits Stampede®) Turnbuckles, toe link, 61mm (96mm center to center) (2) (assembled with rod ends and hollow balls) (fits Stampede®) Tartiwarc 2849X 4000mah 11.1v 3-Cell 25C LiPo Battery	3741G	Turnbuckles, aluminum (green-anodized), camber links, front,		Rebuild kit, Velineon® 3500 (includes plastic endbell, 5x11x4mm ball bearings (2), 2.5x5mm BCS (with threadlock) (4), rear bushing)		
39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench 3741P Turnbuckles, aluminum (pink-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench 3741X Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench 3741X Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow balls)/wrench 3741X Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow balls)/wrench 3741X Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow balls)/wrench 3741X Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow balls)/wrench 3741X Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow balls)/wrench 3750R 3750R VXL-3s Waterproof Electronic Speed Control (brushless) (fwd/rev/brake) Wire, 12-gauge, silicone (Maxx® Cable) (650mm or 26 inches) (Black) Ratio System, Waterproof (includ volume) Wire, 12-gauge, silicone (Maxx® Cable) (650mm or 26 inches) (Black) Ratio System, Waterproof (includ volume) Wire, 12-gauge, silicone (Maxx® Cable) (650mm or 26 inches) (Black) Ratio System, Waterproof (includ volume) Wire, 12-gauge, silicone (Maxx® Cable) (650mm or 26 inches) (Black) Ratio System, Waterproof (includ volume) Wollneon® VXL-3s Brushless Power System, waterproof (includ volume) Wire, 12-gauge, silicone (Maxx® Cable) (650mm or 26 inches) (Black) Ratio System, Waterproof (includ volume) Wollneon® VXL-3s Brushless (black) Wire, 12-gauge, silicone (Maxx® Cable) (650mm or 26 inches) (Black) Wollneon® VXL-3s Brushless (black) Wire, 12-gauge, silicone (Maxx® Cable) (650mm or 26 inches) (Black)	07447					
wrench Turnbuckles, aluminum (pink-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/wrench Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow balls)/wrench 3350R Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow balls)/wrench 3350R Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow balls)/wrench 3350R 3350R VXL-3s Brushless Power System, waterproof (includ vXL-3s Waterproof ESC , Velineon® 3500 motor, and speed comuniting plate (part #3725)) VXL-3s Waterproof Electronic Speed Control (brushless) (fwd/rev/brake) Wire, 12-gauge, silicone (Maxx® Cable) (650mm or 26 inches) (Black) Ratio System, Ratio Fies & Clargers 4000mah 11.1v 3-Cell 25C LiPo Battery 5000mah 11.1v 3-Cell 25C LiPo Battery	37411	· · · · · · · · · · · · · · · · · · ·				
Turnbuckles, aluminum (pink-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow balls)/wrench 3741X Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow balls)/wrench 3644 Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) 3645 Turnbuckles, toe link, 61mm (96mm center to center) (2) (assembled with rod ends and hollow balls) (fits Stampede®) 3741X Turnbuckles, aluminum (red-anodized), camber links, front, 3350R 375R Valienon® VXL-3s Brushless Power System, waterproof (inclus valience) 3500 motor, and speed on mounting plate (part #3725)) 375R Waterproof Electronic Speed Control (brushless) (fwd/rev/brake) Wire, 12-gauge, silicone (Maxx® Cable) (650mm or 26 inches) (Black) 376R Velineon® VXL-3s Brushless Power System, waterproof (inclus valience) 3775 VAL-3s Waterproof Electronic Speed Control (brushless) (fwd/rev/brake) 3787 Wire, 12-gauge, silicone (Maxx® Cable) (650mm or 26 inches) (Black) 3787 Waterproof Electronic Speed Control (brushless) 3788 Waterproof Electronic Speed Control (brushless) 4788 Waterproof Electronic Speed Control (brushless) 4789 Wire, 12-gauge, silicone (Maxx® Cable) (650mm or 26 inches) 4789 Waterproof Electronic Speed Control (brushless) 4780 Waterproof Electronic Speed Control (br				Servo, digital high-speed, metal gear (ball bearing), waterproof		
wrench Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow balls)/wrench Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) Turnbuckles, toe link, 61mm (96mm center to center) (2) (assembled with rod ends and hollow balls) (fits Stampede®) Turnbuckles, toe link, 61mm (96mm center to center) (2) (assembled with rod ends and hollow balls) (fits Stampede®) Turnbuckles, toe link, 61mm (96mm center to center) (2) (assembled with rod ends and hollow balls) (fits Stampede®) Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled wounting plate (part #3725)) VXL-3s Waterproof ESC , Velineon® 3500 motor, and speed comounting plate (part #3725)) VXL-3s Waterproof Electronic Speed Control (brushless) (fwd/rev/brake) Wire, 12-gauge, silicone (Maxx® Cable) (650mm or 26 inches) (Black) Ratio System, waterproof (includ VXL-3s waterproof ESC , Velineon® 3500 motor, and speed comounting plate (part #3725)) VXL-3s Waterproof Electronic Speed Control (brushless) (fwd/rev/brake) Wire, 12-gauge, silicone (Maxx® Cable) (650mm or 26 inches) (Black) Ratio System, waterproof (includ VXL-3s waterproof ESC , Velineon® 3500 motor, and speed comounting plate (part #3725)) VXL-3s Waterproof Esc volume volume value (part #3725) VXL-3s waterproof Esc volume value (part #3726) VXL-3	3741P					
Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow balls)/wrench 3644 Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) 3645 Turnbuckles, toe link, 61mm (96mm center to center) (2) (assembled with rod ends and hollow balls) (fits Stampede®) 3741X 3843 3755R VXL-3s waterproof ESC , Velineon® 3500 motor, and speed comounting plate (part #3725)) VXL-3s Waterproof Electronic Speed Control (brushless) (fwd/rev/brake) Wire, 12-gauge, silicone (Maxx® Cable) (650mm or 26 inches) (Black) 3776 3786 3787 3787 3787 3788 Mam Hex Cap Screws (6)/ Washers (6)/ Wrench (1) 3787 3788 Waterproof ESC , Velineon® 3500 motor, and speed comounting plate (part #3725)) VXL-3s Waterproof ESC , Velineon® 3500 motor, and speed comounting plate (part #3725)) VXL-3s Waterproof ESC , Velineon® 3500 motor, and speed comounting plate (part #3725)) VXL-3s Waterproof ESC , Velineon® 3500 motor, and speed comounting plate (part #3725)) VXL-3s Waterproof ESC , Velineon® 3500 motor, and speed comounting plate (part #3725)) VXL-3s Waterproof ESC , Velineon® 3500 motor, and speed comounting plate (part #3725)) VXL-3s Waterproof ESC , Velineon® 3500 motor, and speed comounting plate (part #3725)) VXL-3s Waterproof Electronic Speed Control (brushless) (fwd/rev/brake) Wire, 12-gauge, silicone (Maxx® Cable) (650mm or 26 inches) (Black) 3884 4000mah 11.1v 3-Cell 25C LiPo Battery 4000mah 11.1v 3-Cell 25C LiPo Battery				Servo, digital high-torque, metal gear (ball bearing), waterproof		
balls)/wrench 3355R VXL-3s Waterproof Electronic Speed Control (brushless) (fwd/rev/brake) Wire, 12-gauge, silicone (Maxx® Cable) (650mm or 26 inches) (Black) Wire, 12-gauge, silicone (Maxx® Cable) (650mm or 26 inches) (Black) Ratiform (96mm center to center) (2) (assembled with rod ends and hollow balls) (fits Stampede®) Ratiform (Black) 2849X 3355R VXL-3s Waterproof Electronic Speed Control (brushless) (fwd/rev/brake) Wire, 12-gauge, silicone (Maxx® Cable) (650mm or 26 inches) (Black) Ratiform (Black) 2849X 4000mah 11.1v 3-Cell 25C LiPo Battery 5000mah 11.1v 3-Cell 25C LiPo Battery	3741X	Turnbuckles, aluminum (red-anodized), camber links, front,	335UK	VXL-3s waterproof ESC , Velineon® 3500 motor, and speed control		
Turnbuckles, toe link, 61mm (96mm center to center) (2) (assembled with rod ends and hollow balls) (fits Stampede®) #### Author of the center of center (2) (assembled with rod ends and hollow balls) (fits Stampede®) ###################################	3644	balls)/wrench Turnbuckles, camber link, 39mm (69mm center to center) (assembled		VXL-3s Waterproof Electronic Speed Control (brushless) (fwd/rev/brake)		
with rod ends and hollow balls) (fits Stampede®) Radio System, Batteries & Chargers 2849X 4000mah 11.1v 3-Cell 25C LiPo Battery 3x8mm Hex Cap Screws (6)/ Washers (6)/ Wrench (1) 2872X 5000mah 11.1v 3-Cell 25C LiPo Battery	3645	, , , , , , , , , , , , , , , , , , , ,	3343	Wire, 12-gauge, silicone (Maxx® Cable) (650mm or 26 inches)		
1552 3x8mm Hex Cap Screws (6)/ Washers (6)/ Wrench (1) 2872X 5000mah 11.1v 3-Cell 25C LiPo Battery	3045	with rod ends and hollow balls) (fits Stampede®)				
	4.5.5			-		
				<u>•</u>		
1926 Antenna caps, vinyl (2)/ antenna spool 2842X 5000mah 7.4v 2-Cell 25C LiPo Battery 1726 Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) 2843X 5800mah 7.4v 2-Cell 25C LiPo Battery				<u>•</u>		

Page 3	Stampede® VXL: TQi™ Traxxas Link™ Enabled 2.4	GHz Rad	io & TSM® (Model 36076-74) Parts List
2857X 2869X	6400mah 11.1v 3-Cell 25C LiPo Battery 7600mah 7.4v 2-Cell 25C LiPo Battery	6529	Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 3- channel (transmitter only)
2914	AA 4PK	6530	Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 4-
2976	AC to DC adapter		channel (transmitter only)
2938X	Adapter, Traxxas® iD® LiPo battery (adapts Traxxas® iD®	6511 3355R	Traxxas® Link Bluetooth® module VXL-3s Waterproof Electronic Speed Control (brushless)
1726	batteries to separate balance ports) Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)	JJJJK	(fwd/rev/brake)
2943	Battery charge indicators, green (4), grey (4), blue (4)	6537	Wire retainers, gear cover/ 3x4mm BCS (2)
6548	Battery door, TQ 2.4 transmitter (replacement for #6516, 6517		Ready-To-Race Model
	transmitter)	36076-74	Stampede® VXL: 1/10 Scale Monster Truck with TQi™ Traxxas
2922X	Battery, Power Cell, 3000mAh (NiMH, 6-C flat, 7.2V)	30070-74	Link™ Enabled 2.4GHz Radio System & Traxxas Stability
2923X	Battery, Power Cell, 3000mAh (NiMH, 7-C flat, 8.4V)		Management (TSM)®
2926X 2942X	Battery, Power Cell, 3000mAh (NiMH, 7-C hump, 8.4V) Battery, Series 3 Power Cell, 3300mAh (NiMH, 6-C flat, 7.2V)		Rear Suspension
2942X 2940X	Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C flat, 8.4V)	5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
2941X	Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C hump, 8.4V)	3638	Shock tower (rear)
2952X	Battery, Series 4 Power Cell, 4200mAh (NiMH, 6-C flat, 7.2V)	3752	Stub axle carriers (2) (requires 5x11x4mm bearings)
2950X	Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C flat, 8.4V)	3652A	Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6
2951X	Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C hump, 8.4V)	00500	aluminum (blue-anodized)/ 5x11mm ball bearings (4)
2960X	Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V)	3652G	Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (green-anodized)/ 5x11mm ball bearings (4)
2961X 2963X	Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C hump, 8.4V) Battery, Series 5 Power Cell, 5000mAh (NiMH, 8-C hump, 9.6V)	3652T	Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6
2983	Battery/charger completer pack (includes #2969 2-amp NiMH		aluminum (orange-anodized)/ 5x11mm ball bearings (4)
2000	peak detecting AC charger (1), #2923X 3000mAh 8.4V 7-cell NiMH	3652P	Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6
	iD® battery (1))		aluminum (pink-anodized)/ 5x11mm ball bearings (4)
2984	Battery/charger completer pack (includes #2969 2-amp NiMH	3652X	Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6
	peak detecting AC charger (1), #2926X 3000mAh 8.4V 7-cell NiMH	2753X	aluminum (red-anodized)/ 5x11mm ball bearings (4) Stub axles, rear (2)
2992	iD® battery (1)) Battery/charger completer pack (includes #2970 iD® charger (1),	3655P	Suspension arms, blue, front/rear (left & right), heavy duty (2)
2332	#2843X 5800mAh 7.4V 2-cell 25C LiPo iD® battery (1))	3655R	Suspension arms, front/rear (left & right), heavy duty (2)
2994	Battery/charger completer pack (includes #2970 iD® charger (1),	3655G	Suspension arms, green, front/rear (left & right), heavy duty (2)
	#2849X 4000mAh 11.1v 3-Cell 25C LiPo iD® battery (1))	3655X	Suspension arms, left & right
2260	BEC assembly (complete) (12.6 volts (3s LiPo) maximum input	3655T	Suspension arms, orange, front/rear (left & right), heavy duty (2)
0075	voltage)	3655L	Suspension arms, red, front/rear (left & right), heavy duty (2)
2975 2972	Charger, D/C, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH) Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery	3640	Suspension screw pin set, steel (hex drive) (requires part # 2640 for a
2312	Identification		complete suspension pin set) (Rustler®, Stampede®, Bandit)
2973	Charger, EZ-Peak Live Dual, 200W, NiMH/LiPo with iD Auto		Shock Oil
	Battery Identification	5031	Oil, shock (20 wt, 200 cSt, 60cc) (silicone)
2970	Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery	5032	Oil, shock (30 wt, 350 cSt, 60cc) (silicone)
2074	Identification	5033 5034	Oil, shock (40 wt, 500 cSt, 60cc) (silicone) Oil, shock (50 wt, 600 cSt, 60cc) (silicone)
2971	Charger, EZ-Peak® Live, 100W, NiMH/LiPo with iD® Auto Battery Identification	5035	Oil, shock (60 wt, 700 cSt, 60cc) (silicone)
2981	Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto	5036	Oil, shock (70 wt, 900 cSt, 60cc) (silicone)
	Battery Identification	5037	Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone)
6525	Communication link, telemetry expander	5029	Shock oil bottle (60cc) (for mixing shock oil)
6512	Cover plate, Traxxas® Link Bluetooth® module	5038X	Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, &
2978	Fuse, D/C charger, 5A (2) (for #2974, 2975, 2977)	5000	80 wt premium shock oils with spinning carousel rack)
2072A 2968X	Gear set (for 2070, 2075 servos) LiPo cell voltage checker/balancer (includes #2938X adapter for	5038	Spinning carousel rack
29007	Traxxas® iD® batteries)		Shocks (Pro-level Aluminum)
2968	LiPo cell voltage checker/balancer (requires #2938X adapter for	2664	Big Bore shock cylinder (long) (1)
	Traxxas® iD® batteries)	5862	Big Bore shocks (hard-anodized & PTFE-coated T6 aluminum)
6557X	Mount, telemetry expander (fits Stampede® 2WD)	2660	(assembled with TiN shafts and springs) (front & rear) (4) Big-bore shocks (long) (hard-anodized & PTFE-coated T6
6535	Mount, temperature sensor (electric motors)/ wire tie/ thermal	2000	aluminum) (assembled with TiN shafts) w/o springs (rear) (2)
6533	pad Receiver, micro, TQi 2.4GHz with telemetry & TSM® (5-channel)	2662	Big-bore shocks (xx-long) (hard-anodized & PTFE-coated T6
6552	Seal kit, expander box (includes o-ring, seals, and silicone		aluminum) (assembled with TiN shafts) w/o springs (rear) (2)
0002	grease)	2669	Piston head set (2-hole (2)/ 3-hole (2))/ shock mounting bushings
6526	Sensor, auto-detectable, temperature	10.10	& washers (2) (Big Bore Shocks)
6527	Sensor, auto-detectable, voltage	1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
6522	Sensor, RPM (short)/ 3x4mm BCS (1)/ 3x4 GS (1)	2742X	Rod ends, short (6)/ hollow balls (6)
6521	Sensor, temperature and voltage (long)	2667	Shock caps, aluminum (2) (Big Bore Shocks)
2074 2075R	Servo case/gaskets (for 2056 and 2075 waterproof servos) Servo, digital high-speed, metal gear (ball bearing), waterproof	2362	Shock rebuild kit (for 2 shocks)
2075K	Servo, digital high-torque (ball bearing), waterproof	1664T	Shock shafts, hardened steel, titanium nitride coated (long) (2)
2075X	Servo, digital high-torque, metal gear (ball bearing), waterproof	2656T	Shock shafts, hardened steel, titanium nitride coated (xx-long)
6553X	Telemetry Expander 2.0 and GPS module 2.0, TQi radio system	4004	(2)
6550X	Telemetry expander 2.0, TQi radio system (for use only with	1664 2656	Shock shafts, steel, chrome finish (long) (2) Shock shafts, steel, chrome finish (xx-long) (2)
	#6551X GPS module)	1765	Silicone diaphragms (4)
6551X	Telemetry GPS module 2.0, TQi radio system (for use only with	2668	Spring retainers, upper & lower (2)/ spring pre-load spacers:
6538	#6550X telemetry expander) Telemetry trigger magnet holders, spur gear/ magnet, 5x2mm (1)/		1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore
0330	3x8mm CCS (3)/ 3x10mm CCS (3)		Shocks)
6540	Telemetry trigger magnet, 5X2mm (1)	5860	Springs, front (white) (progressive rate) (2) (for Slash big bore
6509R	TQi 2.4 GHz High Output radio system, 2-channel, Traxxas® Link	5859	shocks) Springs, rear (white) (progressive rate) (2) (for Slash big bore
	enabled, TSM® (2-ch transmitter, 5-ch micro receiver)	3033	shocks)
6507R	TQi 2.4 GHz High Output radio system, 4-channel with Traxxas®		Shocks (Ultra Shocks)
	Link Bluetooth® module, TSM® (4-ch transmitter, 5-ch micro receiver)	3642	Attachment screws, shock (3x12mm shoulder screws) (6)
6528	Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 2-	3765A	Body, Ultra Shock (long) (grey) (2)
	channel (transmitter only)	3766A	Body, Ultra Shock (XXL) (grey) (2)

Page 4 St	stampede® VXL: TQi	™ Traxxas Link™	' Enabled 2.4GHz Radio &	TSM®	(Model 36076-74)) Parts List
-----------	--------------------	-----------------	--------------------------	-------------	------------------	--------------

1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws		Suspension Linkage
2742X	(2) Rod ends, short (6)/ hollow balls (6)	5525	Rod ends (12)/ hollow balls (12)
3767	Shock caps (2)/ shock bottoms (2)	5347	Rod ends, Revo® (large) with hollow balls (12)
8361	Shock caps (black) (4) (assembled with hollow balls)	1844	Servo saver
3767A	Shock caps, aluminum (blue-anodized) (4) (fits all Ultra Shocks)	2640	Suspension pins, 44mm (2) w/ E-clips
3767G	Shock caps, aluminum (green-anodized) (4) (fits all Ultra Shocks)	3640	Suspension screw pin set, steel (hex drive) (requires part # 2640 for a
3767T	Shock caps, aluminum (orange-anodized) (4) (fits all Ultra		complete suspension pin set) (Rustler®, Stampede®, Bandit)
	Shocks)	3737A	Turnbuckle, aluminum (blue-anodized), camber link, front, 39mm
3767P	Shock caps, aluminum (pink-anodized) (4) (fits all Ultra Shocks)		(1)(assembled w/rod ends)/hollow balls (2)(See part 3741A for
3767X	Shock caps, aluminum (red-anodized) (4) (fits all Ultra Shocks)	3738A	complete camber link set) Turnbuckle, aluminum (blue-anodized), camber link, rear, 49mm
2362	Shock rebuild kit (for 2 shocks)	3130A	(1) (assembled with rod ends & hollow balls) (See part 3741X for
1664T	Shock shafts, hardened steel, titanium nitride coated (long) (2)		complete camber link set)
2656T	Shock shafts, hardened steel, titanium nitride coated (xx-long)	3737	Turnbuckle, aluminum (red-anodized), camber link, front, 39mm
4004	(2)	-	(1) (assembled w/rod ends)/hollow balls (2)(See part 3741X for
1664	Shock shafts, steel, chrome finish (long) (2)		complete camber link set)
2656 1765	Shock shafts, steel, chrome finish (xx-long) (2)	3738	Turnbuckle, aluminum (red-anodized), camber link, rear, 49mm
3769	Silicone diaphragms (4)		(1) (assembled with rod ends & hollow balls) (See part 3741X for
3769 3768	Spring pre-load spacers: 1mm (4)/ 2mm (2)/ 4mm (2)/ 8mm (2) Spring retainers, upper & lower (2)/ piston head set (2-hole (2)/ 3-hole	2744 4	complete camber link set)
3700	(2)) spring retainers, upper α lower (2)/ pistorr nead set (2-note (2)/ 3-note	3741A	Turnbuckles, aluminum (blue-anodized), camber links, front,
3758	Springs (front) (2)		39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench
3758T	Springs, blue (front) (2)	2336A	Turnbuckles, aluminum (blue-anodized), toe links, 61mm (2)
3757T	Springs, blue (rear) (2)	2000/1	(assembled w/ rod ends & hollow balls) (fits Stampede®)
3758A	Springs, green (front) (2)		(requires 5mm aluminum wrench #5477)
3757A	Springs, green (rear) (2)	3741G	Turnbuckles, aluminum (green-anodized), camber links, front,
3758P	Springs, pink (front) (2)		39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/
3757P	Springs, pink (rear) (2)		wrench
3757	Springs, rear (black) (2)	3741T	Turnbuckles, aluminum (orange-anodized), camber links, front,
3757R	Springs, rear (red) (2.9 rate) (2)		39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/
4957	Springs, red (for Ultra Shocks only) (2.5 rate) (f/r) (2)	2744D	wrench Turnbuckles aluminum (nink anodized) camber links front
3758X	Springs, white (front) (2)	3741P	Turnbuckles, aluminum (pink-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/
3757X	Springs, white (rear) (2)		wrench
3760	Ultra Shocks (black) (long) (complete w/ spring pre-load spacers	3741X	Turnbuckles, aluminum (red-anodized), camber links, front,
	& springs) (front) (2)	J. 71A	39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow
3762	Ultra Shocks (black) (xx-long) (complete w/ spring pre-load		balls)/wrench
0700	spacers & springs) (rear) (2)	2336X	Turnbuckles, aluminum (red-anodized), toe links, 61mm
3760A	Ultra Shocks (grey) (long) (complete w/ spring pre-load spacers &		(2)(assembled with rod ends & hollow balls) (fits Stampede®)
3762A	springs) (2) Ultra Shocks (grey) (xx-long) (complete w/ spring pre-load spacers &		(requires 5mm aluminum wrench #5477)
01 02A	springs) (rear) (2)	3644	Turnbuckles, camber link, 39mm (69mm center to center) (assembled
	Slipper Clutch Components	3643	with rod ends and hollow balls) (1 left, 1 right) Turnbuckles, camber link, 49mm (82mm center to center) (assembled
0.40		5045	with rod ends and hollow balls) (1 left, 1 right)
9494	Input gear, 22-tooth/ input shaft (transmission) (heavy duty) (fits	3645	Turnbuckles, toe link, 61mm (96mm center to center) (2) (assembled
2702	Bandit®, Rustler®, Stampede®, Slash® 2WD)	55.10	with rod ends and hollow balls) (fits Stampede®)
3793 5552X	Input shaft (slipper shaft) / spring pin Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/		Team Traxxas Items
υυυΖΛ	4.0mm NL (1)/ 5.0mm NL (1))	0544	
2554	Screws, 3x6mm caphead machine (hex drive) (6)	2514	Decal sheet, racing sponsors
5556	Slipper pressure plate & hub (aluminum alloy)	6160X	DVD, Maxx® Power! Full Throttle Action (sleeve)
3000		9950	Official Team Traxxas® racing decal set(flag logo/ 6-color)
	Spur Gears & Pinion Gears	9909	Traxxas® racing banner, red & black (3x7 feet)
9491	Gear adapter set, fixed (48-pitch)		Tires & Wheels
2416	Gear, 16-T pinion (48-pitch) / set screw	5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
1918	Gear, 18-T pinion (48-pitch) / set screw	5854	Hub retainer, 17mm hubs, M4 X 0.7 (4) (use with #5853X, #6856X,
2419	Gear, 19-T pinion (48-pitch) / set screw		#6469)
2422	Gear, 22-T pinion (48-p) (fits 3mm shaft)/ set screw	3647	Nuts, 4mm flanged nylon locking (steel, serrated) (8)
2423	Gear, 23-T pinion (48-pitch) (fits 3mm shaft)/ set screw	1985	PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)
2426	Gear, 26-T pinion (48-pitch) (fits 3mm shaft)/ set screw	1647	Silicone Grease
4728	Gear, 28-T pinion (48-pitch) (fits 3mm shaft)/ set screw	2754	Stub axle pins (4)
2429	Gear, 29-T pinion (48-pitch) (fits 3mm shaft)/ set screw	3689	Tires & wheels, assembled, glued (2.8") (All-Star black chrome
2431	Gear, 31-T pinion (48-pitch) (fits 3mm shaft)/ set screw		wheels, paddle tires, foam inserts) (electric rear) (2) (TSM®
4725	Gear, pinion (25-tooth) (48-pitch) / set screw	00001	rated)
4676	Spur gear, 76-tooth (48-pitch) (for models with Torque Control	3668A	Tires & wheels, assembled, glued (2.8") (All-Star black chrome
1663	slipper clutch) Spur goar 83-tooth (48-pitch) (for models with Torque Control	26004	wheels, Talon tires, foam inserts) (electric rear) (2) (TSM® rated)
4683	Spur gear, 83-tooth (48-pitch) (for models with Torque Control slipper clutch)	3669A	Tires & wheels, assembled, glued (2.8") (All-Star black chrome
4686	Spur gear, 86-tooth (48-pitch) (for models with Torque-Control slipper		wheels, Talon tires, foam inserts) (nitro rear/electric front) (2) (TSM® rated)
.500	clutch)	3668	Tires & wheels, assembled, glued (2.8") (All-Star chrome wheels,
4690	Spur gear, 90-tooth (48-pitch) (for models with Torque-Control		Talon tires, foam inserts) (electric rear) (2)
	slipper clutch)	3669	Tires & wheels, assembled, glued (2.8") (All-Star chrome wheels,
	Steering Components		Talon tires, foam inserts) (nitro rear/electric front) (2)
50.45		6792	Tires & wheels, assembled, glued (black 2.8" wheels,
5347	Rod ends, Revo® (large) with hollow balls (12)		Sledgehammer® tires, foam inserts) (2) (TSM® rated)
1844	Servo saver	3778	Tires & wheels, assembled, glued (black 2.8" wheels,
2336A	Turnbuckles, aluminum (blue-anodized), toe links, 61mm (2)		Sledgehammer® tires, foam inserts) (electric rear) (2) (TSM®
	(assembled w/ rod ends & hollow balls) (fits Stampede®)		rated)
2336X	(requires 5mm aluminum wrench #5477) Turnbuckles, aluminum (red-anodized), toe links, 61mm	3663X	Tires & wheels, assembled, glued (chrome wheels, Terra Groove
20007	(2)(assembled with rod ends & hollow balls) (fits Stampede®)	20057	dual profile tires, foam inserts) (electric rear) (2)
	(requires 5mm aluminum wrench #5477)	3665X	Tires & wheels, assembled, glued (chrome wheels, Terra Groove dual profile tires, foam inserts) (nitro rear/ electric front) (2)
3645			• • • • • • • • • • • • • • • • • • • •
	Turnbuckles, toe link, 61mm (96mm center to center) (2) (assembled	3663	Tires & wheels assembled alued (satin chrome wheels Torra
	Turnbuckles, toe link, 61mm (96mm center to center) (2) (assembled with rod ends and hollow balls) (fits Stampede®)	3663	Tires & wheels, assembled, glued (satin chrome wheels, Terra Groove dual profile tires, foam inserts) (electric rear) (2)

Page 5 Stampede® VXL: TQi™ Traxxas Link™ Enabled 2.4GHz Radio & TSM® (Model 36076-74) Parts Li	Page 5	Stampede® VXL:	.: TQi™ Traxxas Link™	[™] Enabled 2.4GHz Radio & TSM®) (Model 36076-74) Parts List
--	--------	----------------	-----------------------	--	-------------------------------

			, , , , , , , , , , , , , , , , , , , ,
3665	Tires & wheels, assembled, glued (satin chrome wheels, Terra Groove dual profile tires, foam inserts) (nitro rear/ electric front) (2)	8711	Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm,
4791	Tires, Pro-Trax mini-spiked 2.2" (rear) (2)		2.5mm, 3.0mm), 1/4" drive
1870	Tires, Sledgehammer® terra-spiked (2)	8719	Speed Bit Master Set, nut driver, 6-piece, includes premium
4790R	Tires, Spiked 2.2 (R(2) (Soft Compound) w/inserts		handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm,
3671	Tires, Talon 2.8" (2)/ foam inserts (2)		5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
3654	Wheel hubs, hex (front) (tall offset) (2)/ axle pins (2.5x12mm) (2)	8716	Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4"
1654	Wheel hubs, hex (rear) (2)/ stub axle pins (2)		drive
		8716X	Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm,
5853X	Wheel hubs, splined, 17mm, short (2), long (2) (blue-anodized) /		3.0mm) 1/4" drive
	wheel nuts, splined, 17mm (blue-anodized) (4)/ hub retainer M4 X	8715	Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm,
E2E2	0.7 (4)/ axle pin (4) (Slash 2WD)		2.5mm), 1/4" drive
5353	Wheel nuts, splined, 17mm (blue-anodized) (4)	8715X	Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm,
5480X	Wheel wrench, splined, 17mm	01 1021	2.5mm, 3.0mm), 1/4" drive
5576	Wheels, All Star 2.8" (chrome) (2) (Rustler/Stampede front)	8714	Speed Bit Set, screwdriver, 3-piece straight (3mm slotted, #1
3772A	Wheels, All-Star 2.8" (black chrome) (electric rear)	• • • • • • • • • • • • • • • • • • • •	Phillips, and #2 Phillips bits), 1/4" drive
5576A	Wheels, All-Star 2.8" (black chrome) (nitro rear / electric front) (2)	2748R	Tool set (includes 1.5mm hex wrench / 2.0mm hex wrench /
3772	Wheels, All-Star 2.8" (chrome) (Rustler®, Stampede® rear only)		2.5mm hex wrench/ 4-way wrench/ 8mm & 4mm wrench/ U-joint
3672	Wheels, chrome (2.2") (rear) (2)		wrench)
3673	Wheels, chrome 2.2" (front) (2)	3415	Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm,
3674	Wheels, dyable nylon 2.2" (rear) (2)		3.5mm, 4mm drivers/4mm. 5mm, 5.5mm, 7mm, and 8mm nut
3675	Wheels, dyeable nylon 2.2 (front) (2)		drivers/ 2mm, 3mm, and 4mm slotted screwdrivers/ #00 Phillips,
3774	Wheels, Jato® Twin-Spoke 2.8" (chrome) (electric rear) (2)		#0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm
5572	Wheels, Jato® twin-spoke 2.8" (chrome) (rear) (2)		wrenches/ driver handle)
	Transmission Components		Turnbuckles & Threaded Rods
	-		
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)	5525	Rod ends (12)/ hollow balls (12)
9489X	Cover, gear/ rubber gear cover plug/ 3x10mm BCS (1)/ 3x14mm BCS	5347	Rod ends, Revo® (large) with hollow balls (12)
	(1)	3737A	Turnbuckle, aluminum (blue-anodized), camber link, front, 39mm
9480A	Differential assembly (complete) (fits Pro Series Magnum 272R™		(1)(assembled w/rod ends)/hollow balls (2)(See part 3741A for
	Transmission)		complete camber link set)
9482	Differential gasket/ x-rings (2)	3738A	Turnbuckle, aluminum (blue-anodized), camber link, rear, 49mm
9481	Differential with steel ring gear/ side cover plate/ gasket/ x-rings (2)/		(1) (assembled with rod ends & hollow balls) (See part 3741X for
	2.5x10mm BCS (4)		complete camber link set)
6783	Gear set, differential (spider gears (4)/ spider gear shaft (2))	3737	Turnbuckle, aluminum (red-anodized), camber link, front, 39mm
9493	Gearbox halves, left & right/ differential cover (charcoal gray)		(1) (assembled w/rod ends)/hollow balls (2)(See part 3741X for
5148	Grease, white lithium		complete camber link set)
9492	Idler gear, 30-tooth/ idler gear shaft (steel)	3738	Turnbuckle, aluminum (red-anodized), camber link, rear, 49mm
9494	Input gear, 22-tooth/ input shaft (transmission) (heavy duty) (fits		(1) (assembled with rod ends & hollow balls) (See part 3741X for
3434	Bandit®, Rustler®, Stampede®, Slash® 2WD)		complete camber link set)
9483	Output gears, differential (2)	3741A	Turnbuckles, aluminum (blue-anodized), camber links, front,
9490			39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/
9490X	Plate, motor, 6061-T6 aluminum (blue-anodized) (3.2mm thick)		wrench
345UA	Plate, motor, 6061-T6 aluminum (blue-anodized) (4mm thick)/	2336A	Turnbuckles, aluminum (blue-anodized), toe links, 61mm (2)
9490T	3x10mm CS with split and flat washer (2) Plate, motor, 6061-T6 aluminum (gray-anodized) (4mm thick)/		(assembled w/ rod ends & hollow balls) (fits Stampede®)
34301	3x10mm CS with split and flat washer (2)		(requires 5mm aluminum wrench #5477)
9490G	Plate, motor, 6061-T6 aluminum (green-anodized) (4mm thick)/	3741G	Turnbuckles, aluminum (green-anodized), camber links, front,
34300	3x10mm CS with split and flat washer (2)		39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/
9490A	Plate, motor, 6061-T6 aluminum (orange-anodized) (4mm thick)/		wrench
3430A	3x10mm CS with split and flat washer (2)	3741T	Turnbuckles, aluminum (orange-anodized), camber links, front,
9490P	Plate, motor, 6061-T6 aluminum (pink-anodized) (4mm thick)/		39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/
3430F	3x10mm CS with split and flat washer (2)		wrench
9490R	Plate, motor, 6061-T6 aluminum (red-anodized) (4mm thick)/	3741P	Turnbuckles, aluminum (pink-anodized), camber links, front,
34301	3x10mm CS with split and flat washer (2)		39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/
9495	Pro Series Magnum 272R™ Transmission, complete (assembled)		wrench
3433	(fits 1/10-scale 2WD Rustler®, Bandit®, Stampede®, Slash®)	3741X	Turnbuckles, aluminum (red-anodized), camber links, front,
5552X	Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/		39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow
3332X	4.0mm NL (1)/ 5.0mm NL (1))		balls)/wrench
2554	· · · · · · · · · · · · · · · · · · ·	2336X	Turnbuckles, aluminum (red-anodized), toe links, 61mm
2554 3931	Screws, 3x8mm flat head machine (hex drive) (6)		(2)(assembled with rod ends & hollow balls) (fits Stampede®)
	Screws, 3x8mm flat-head machine (hex drive) (6)		(requires 5mm aluminum wrench #5477)
1647	Silicone Grease	3644	Turnbuckles, camber link, 39mm (69mm center to center) (assembled
5556	Slipper pressure plate & hub (aluminum alloy)		with rod ends and hollow balls) (1 left, 1 right)
9464	Wheelie bar mount (heavy duty)	3643	Turnbuckles, camber link, 49mm (82mm center to center) (assembled
	Traxxas Tools		with rod ends and hollow balls) (1 left, 1 right)
3433X	Body reamer (aluminum handle)	3645	Turnbuckles, toe link, 61mm (96mm center to center) (2) (assembled
			with rod ends and hollow balls) (fits Stampede®)
3433	Body reamer (plastic handle)		
3436	Cap, body reamer		
3432	Scissors, curved tip		
3431	Scissors, straight tip		
8712	Speed Bit Essentials Set, hex and nut driver, 7-piece, includes		If you have questions or need technical assistance, call Traxxas at:
	premium handle (medium), travel pouch, hex drivers (straight:		
	1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm,		1-888-TRAXXAS
0700	and 8.0mm), 1/4" drive		(1-888-872-9927) (U.S. residents only)
8720	Speed bit handle, large (overmolded)		(. 555 STE 55ET) (5.6. Foliatina diliy)
8721	Speed bit handle, medium (one piece)		For orders, calls outside the U.S., and other information, call 972-549-3000,
8722	Speed bit handle, premium (rubber overmold)		or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com
8710	Speed Bit Master Set, hex and nut driver, 13-piece, includes		TRAXXAS.COM
	premium handle (medium), travel pouch, hex drivers (straight:		
	1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm,		
	3.0mm), and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm,		
	8.0mm), 1/4" drive		