

TRX-4® Equipped with Traxx® (Model 82034-4) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

	Axle Components	5196X	Ball bearing, black rubber sealed, stainless (20x32x7mm) (2)
0044	-	5119A	Ball bearings, black rubber sealed (10x15x4mm) (2)
8241 8242	Axle housing, front Axle housing, intermediate (TRX-6™) or rear (TRX-4®)	5120A	Ball bearings, black rubber sealed (12x18x4mm) (2)
8227	Axle mount set (complete) (front & rear) (for suspension links)	5102A	Ball bearings, black rubber sealed (15x21x4mm) (2)
8228	Axle shaft, front (left)/ drive pin/ cross pin	5104A	Ball bearings, black rubber sealed (4x10x4mm) (2)
8229	Axle shaft, front (right)/ drive pin/ cross pin	5115A	Ball bearings, black rubber sealed (5x10x4mm) (2)
8060	Axle shaft, front, heavy duty (left & right) (requires #8064 front	5116A	Ball bearings, black rubber sealed (5x11x4mm) (2)
	portal drive input gear)	5114A	Ball bearings, black rubber sealed (5x8x2.5mm) (2)
8062	Axle shaft, front, heavy duty (left & right)/ portal drive input gear,	5117A 5180A	Ball bearings, black rubber sealed (6x12x4mm) (2) Ball bearings, black rubber sealed (6x13x5mm) (2)
	front (machined) (2) (assembled)	5100A 5103A	Ball bearings, black rubber sealed (0x13x3/mm) (2)
8230	Axle shaft, rear (left)	8889	Bearing retainers, inner (2)/ outer (2)
8231	Axle shaft, rear (right)	1675	Bushings, self-lubricating (5x11x4mm) (14)
8063	Axle shaft, rear, heavy duty (left & right) (requires #8065 rear portal drive input gear)	10.0	Body (1969 Chevrolet® Blazer)
8061	Axle shaft, rear, heavy duty (left & right)/ portal drive input gear, rear (machined) (2) (assembled)	9112	Body, Chevrolet Blazer (1969 - 1970) (clear, requires painting) (includes grille, side mirrors, door handles, windshield wipers,
8233	Cross pin (2)/ drive pin (2) (to rebuild front axle shafts)		decals, window masks)
8256	Portal drive axle mount, rear (left & right)	9131	Body, Chevrolet Blazer (1969) (clear, requires painting)/ decals/
8256X	Portal drive axle mount, rear, 6061-T6 aluminum (blue-anodized) (left and right)/ 2.5x16 CS (4)		window masks (includes grille, side mirrors, door handles, windshield wipers, clipless mounting, hardware) (requires
8256A	Portal drive axle mount, rear, 6061-T6 aluminum (charcoal gray-		#8072X inner fenders)
00500	anodized) (left and right)/ 2.5x16 CS (4)	9131-BLK	Body, Chevrolet Blazer (1969), complete, black (painted)
8256G	Portal drive axle mount, rear, 6061-T6 aluminum (green- anodized) (left and right)/ 2.5x16 CS (4)		(includes grille, side mirrors, door handles, windshield wipers, front & rear bumpers, clipless mounting) (requires #8072X inner
8256R	Portal drive axle mount, rear, 6061-T6 aluminum (red-anodized)	04407	fenders)
0050	(left and right)/ 2.5x16 CS (4)	9112X	Body, Chevrolet Blazer (1969), complete, black (painted)
8252 8253	Portal drive housing, inner, front (left & right)/ 2.5x4 BCS (6)		(includes grille, side mirrors, door handles, windshield wipers, front & rear bumpers, decals)
8253 8251	Portal drive housing, inner, rear (left or right) (2)	9125	Bumper pads/ bumper guards (chrome)/ 2.5x12 BCS (4)/ 2.7mm
8064	Portal drive housing, outer (front or rear) (2) Portal drive input gear, front (machined) (left or right) (requires	0.20	drill bit (fits #9126 or #9127 front bumpers)
0004	#8060 front axle shaft)	9127	Bumper, front (chrome)/ bumper mount/ 3x10 BCS (2)
8257	Portal drive input gear, front/ drive pin/ cross pin	9124	Bumper, rear (chrome)/ bumper mount/ 3x10 BCS (2)
8259	Portal drive input gear, rear	9113	Decal sheets, Chevrolet Blazer (1969 - 1972)
8065	Portal drive input gear, rear (machined) (left or right) (requires #8063 rear axle)	6593	Distribution block, Pro Scale® Advanced Lighting Control System
8258	Portal drive output gear, front or rear	9115	Door handles, left, right, and rear/ retainers (3)/ windshield
8252X	Portal housings, inner (front), 6061-T6 aluminum (blue-anodized)		wipers, left & right/ retainer (1)/ fuel cap/ fuel flange/ fuel cap
00504	(2)/ 3x12 BCS (2)	9123	mount/ 1.6x5 BCS (self-tapping) (7)/ 2.6x8 BCS (1) Grille, Chevrolet Blazer (1969 - 1970)/ grille retainers (5)/
8252A	Portal housings, inner (front), 6061-T6 aluminum (charcoal gray- anodized) (2)/ 3x12 BCS (2)	3123	headlight housing (2)/ headlight lens (2)/ turn signal lens (2)/
8252G	Portal housings, inner (front), 6061-T6 aluminum (green- anodized) (2)/ 3x12 BCS (2)		hood emblem/ hood emblem mount/ 2.6x8 BCS (5)/ 2.5x6 BCS (4)/ 1.6x5 BCS (self-tapping) (2) (fits #9112 body)
8252R	Portal housings, inner (front), 6061-T6 aluminum (red-anodized) (2)/ 3x12 BCS (2)	8091	Installation kit, Pro Scale® Advanced Lighting Control System, TRX-4® Chevrolet Blazer (1969 & 1972) (includes mount, reverse
8253X	Portal housings, inner (rear), 6061-T6 aluminum (blue-anodized) (2)/ 2.5x10 CS (2)	9114-BLK	lights and turn signal harnesses, hardware) Interior, Chevrolet Blazer (1969 -1972) (black) (includes rollbar,
8253A	Portal housings, inner (rear), 6061-T6 aluminum (charcoal gray- anodized) (2)/ 2.5x10 CS (2)		gauge bezel, steering wheel and column, shifter, armrest, decals) (fits #9111, 9112, 9130, or 9131 series bodies) (#9111 or 9112
8253G	Portal housings, inner (rear), 6061-T6 aluminum (green- anodized) (2)/ 2.5x10 CS (2)	9114-BLUE	series bodies require #9128 body cage for installation) Interior, Chevrolet Blazer (1969 -1972) (blue) (includes rollbar,
8253R	Portal housings, inner (rear), 6061-T6 aluminum (red-anodized) (2)/ 2.5x10 CS (2)		gauge bezel, steering wheel and column, shifter, armrest, decals) (fits #9111, 9112, 9130, or 9131 series bodies) (#9111 or 9112
8251X	Portal housings, outer, 6061-T6 aluminum (blue-anodized) (2)/ 2.5x10 CS (12)	9114	series bodies require #9128 body cage for installation) Interior, Chevrolet Blazer (1969 -1972) (clear, requires painting)
8251A	Portal housings, outer, 6061-T6 aluminum (charcoal grayanodized) (2)/ 2.5x10 CS (12)		(includes rollbar, gauge bezel, steering wheel and column, shifter, armrest, decals) (fits #9111, 9112, 9130, or 9131 series
8251G	Portal housings, outer, 6061-T6 aluminum (green-anodized) (2)/ 2.5x10 CS (12)		bodies) (#9111 or 9112 series bodies require #9128 body cage for installation)
8251R	Portal housings, outer, 6061-T6 aluminum (red-anodized) (2)/ 2.5x10 CS (12)	9116	Marker light housing (4)/ marker light mount (4)/ marker light lens (red (2), amber (2))/ reverse lens (left & right)/ 1.6x5 BCS
8255	Stub axle (portal drive) (2)	9121	(self-tapping) (8) Mirrors, side, chrome (left & right)/ o-rings (4)/ body clips (4) (fits
8255A	Stub axle, extended thread (portal drive) (2)	V121	#9112 body)
8267	Weight, portal housing, brass (2) (34 grams)/ 2.5x8 CS (6) (requires #8251X, 8251R, 8251A, or 8251G outer portal housing)	6592	Power module, Pro Scale® Advanced Lighting Control System (includes mount, communication cables, hardware)
	Bearings & Bushings	6591	Pro Scale® Advanced Lighting Control System (includes power
8214	Ball bearing kit, stainless steel, TRX-4® (complete)	6504	module & distribution block)
8265	Ball bearing kit, TRX-4® (complete)	6594	Receiver communication cable, Pro Scale® Advanced Lighting Control System
8892	Ball bearing kit, TRX-4® Traxx®, black rubber sealed, stainless	9122	Tail light housing, black (2)/ lens (2)/ retainers (left & right)/ 2.6x8
	(contains 5x11x4mm (40), 20x32x7mm (2), & 17x26x5mm (2)		BCS (self-tapping) (4)
	bearings/ 5x11x.5mm PTFE-coated washers (40)) (for 1 pair of front or rear tracks)		Body (1972 Chevrolet® Blazer)
5107A	Ball Bearing, black rubber sealed (17x26x5) (2)	9111	Body, Chevrolet Blazer (1972) (clear, requires painting) (includes
5196A	Ball bearing, black rubber sealed (17x20x0) (2) Ball bearing, black rubber sealed (20x32x7mm) (2)	9111	grille, side mirrors, side trim, door handles, windshield wipers,
5107X	Ball bearing, black rubber sealed, stainless (17x26x5mm) (2)		decals, window masks)

Page 2 TRX-4® Equipped with Traxx®: TQ™ 2.4 GHz Radio (Model 82034-4) Parts List

•	• • • •	•	,
9130-BLWT	Body, Chevrolet Blazer (1972), complete, blue & white (painted) (includes grille, side mirrors, door handles, windshield wipers, front & rear bumpers, clipless mounting) (requires #8072X inner	8039	LED light set (contains headlights, tail lights, side marker lights, & distribution block) (fits #8130 series bodies, requires #8028 power supply)
9130-BLUE	fenders) Body, Chevrolet Blazer (1972), complete, blue (painted) (includes grille, side mirrors, door handles, windshield wipers, front & rear	8038	LED light set, complete with power supply (contains headlights, tail lights, side marker lights, & distribution block) (fits #8130 series bodies)
	bumpers, clipless mounting) (requires #8072X inner fenders)	8133X	Mirrors, side (folding) (fits #8130 series bodies)
9111X	Body, Chevrolet Blazer (1972), complete, blue (painted) (includes grille, side mirrors, door handles, windshield wipers, front & rear		Mirrors, side, chrome (left & right)/ o-rings (4)/ body clips (4) (fits #8130 series bodies)
9130-RED	bumpers, decals) Body, Chevrolet Blazer (1972), complete, red (painted) (includes	6592	Power module, Pro Scale® Advanced Lighting Control System (includes mount, communication cables, hardware)
9125	grille, side mirrors, door handles, windshield wipers, front & rear bumpers, clipless mounting) (requires #8072X inner fenders) Bumper pads/ bumper guards (chrome)/ 2.5x12 BCS (4)/ 2.7mm	6591 8038X	Pro Scale® Advanced Lighting Control System (includes power module & distribution block) Pro Scale® LED light set, TRX-4® Chevrolet Blazer or K10 Truck
9126	drill bit (fits #9126 or #9127 front bumpers) Bumper, front (chrome)/ bumper mount/ lens (left and right) (2)/	0030X	(1979), complete with power module (contains headlights, tail lights, side marker lights, & distribution block) (fits #8130 or
9124	lens mount (left and right) (2)/ 3x10 BCS (2)/ 2.6x6 BCS (4) Bumper, rear (chrome)/ bumper mount/ 3x10 BCS (2)	6594	9212 series bodies) Receiver communication cable, Pro Scale® Advanced Lighting
9113 6593	Decal sheets, Chevrolet Blazer (1969 - 1972) Distribution block, Pro Scale® Advanced Lighting Control System	8135	Control System Tail lights, left & right (assembled)/ tail light retainers, left & right/ side marker lights (assembled) (2)/ side marker retainers
9115	Door handles, left, right, and rear/ retainers (3)/ windshield wipers, left & right/ retainer (1)/ fuel cap/ fuel flange/ fuel cap		(2)/ mounting tape (2)/ 1.6x5 BCS (self-tapping) (4)/ 2.6x8 BCS (2) (fits #8130 or 9212 series bodies)
	mount/ 1.6x5 BCS (self-tapping) (7)/ 2.6x8 BCS (1)		Body (1979 Ford® Bronco)
9120	Grille, Chevrolet Blazer (1972)/ grille retainers (5)/ headlight		Duny (1979 Futuw Druncu)
	housing (2)/ lens (2)/ 2.6x8 BCS (5)/ 2.5x6 BCS (4) (fits #9111 body)	8010X	Body, Ford Bronco, complete (black) (includes front and rear bumpers, push bar, rear body mount, grille, side mirrors, door handles, windshield wipers, spare tire mount, red and sunset
8091	Installation kit, Pro Scale® Advanced Lighting Control System,		decals) (requires #8072 inner fenders)
	TRX-4® Chevrolet Blazer (1969 & 1972) (includes mount, reverse lights and turn signal harnesses, hardware)	8078R	Decal sheet, Bronco, red (fits #8010 body)
9114-BLK	Interior, Chevrolet Blazer (1969 -1972) (black) (includes rollbar,	6593	Distribution block, Pro Scale® Advanced Lighting Control
JII4-DER	gauge bezel, steering wheel and column, shifter, armrest, decals)	1	System
	(fits #9111, 9112, 9130, or 9131 series bodies) (#9111 or 9112	8075	Door handles, left & right/ windshield wipers, left & right/
	series bodies require #9128 body cage for installation)		retainers (3)/ 1.6x5 BCS (self-tapping) (4) (fits #8010 or 9230
9114-BLUE	Interior, Chevrolet Blazer (1969 -1972) (blue) (includes rollbar,		series bodies)
	gauge bezel, steering wheel and column, shifter, armrest, decals)	8070	Grille, Ford Bronco or F-150/ grille retainers (6)/ headlight housing (2)/ lens (2)/ 2.6x8 BCS (6)/ 2.5x6 BCS (2) (fits #8010 or
	(fits #9111, 9112, 9130, or 9131 series bodies) (#9111 or 9112		9230 series bodies)
9114	series bodies require #9128 body cage for installation) Interior, Chevrolet Blazer (1969 -1972) (clear, requires painting)	8032R	Installation kit, Pro Scale® Advanced Lighting Control System,
3114	(includes rollbar, gauge bezel, steering wheel and column,		TRX-4® Ford Bronco (1979), Ford F-150 (1979), or Chevrolet K10
	shifter, armrest, decals) (fits #9111, 9112, 9130, or 9131 series		Truck (1979) (includes mount, reverse lights harness, hardware)
	bodies) (#9111 or 9112 series bodies require #9128 body cage for	8036R	LED light set (contains headlights, tail lights, side marker lights,
	installation)		and distribution block) (fits #8010 or 9230 series bodies, requires
9116	Marker light housing (4)/ marker light mount (4)/ marker light		#8028 power supply)
	lens (red (2), amber (2))/ reverse lens (left & right)/ 1.6x5 BCS	8035A	LED light set, complete with power supply (contains headlights,
0440	(self-tapping) (8)		tail lights, side marker lights, & distribution block) (fits #8010 or 9230 series bodies)
9118	Mirrors, side, chrome (left & right)/ o-rings (4)/ body clips (4) (fits #9111 body)	8037	LED lights, high/low switch (for #8035 or #8036 LED light kits)
6592	Power module, Pro Scale® Advanced Lighting Control System	8073	Mirrors, side, black (left & right)/ retainers (2)/ body clips (4) (fits
	(includes mount, communication cables, hardware)		#8010 or 9230 series bodies)
6591	Pro Scale® Advanced Lighting Control System (includes power module & distribution block)	8073X	Mirrors, side, chrome (left & right)/ retainers (2)/ body clips (4) (fits #8010 or 9230 series bodies)
6594	Receiver communication cable, Pro Scale® Advanced Lighting	6592	Power module, Pro Scale® Advanced Lighting Control System (includes mount, communication cables, hardware)
9117	Control System Side trim, Chevrolet Blazer (1972), left & right/ rear trim, upper &	6591	Pro Scale® Advanced Lighting Control System (includes power module & distribution block)
	lower/ retainers, left, right & rear/ 2.6x8 BCS (23)/ 1.6x5 BCS (self-tapping) (5) (fits #9111 body)	8035R	Pro Scale® LED light set, TRX-4® Ford Bronco (1979) or Ford F-
9119	Tail light housing, chrome (2)/ lens (2)/ retainers (left & right)/	000011	150 (1979), complete with power module (contains headlights,
• • • • • • • • • • • • • • • • • • • •	2.6x8 BCS (self-tapping) (4)		tail lights, side marker lights, & distribution block) (fits #8010 or
	Body (1979 Chevrolet® Blazer)		9230 series bodies)
8130T	Body, Chevrolet Blazer (1979), complete (black) (includes grille,	6594	Receiver communication cable, Pro Scale® Advanced Lighting
0.001	side mirrors, door handles, windshield wipers, front & rear bumpers, decals)	8076	Control System Side trim, left & right (chrome)/ retainers/ LED lens/ 2.6x8 BCS (24) (fits #8010 sories hodies)
8130P	Body, Chevrolet Blazer (1979), complete (clear, requires	8074	(24) (fits #8010 series bodies) Spare tire mount/ mounting bracket/ spare tire cover/ mounting
	painting) (includes grille, side mirrors, side trim, door handles,	•••	hardware
04007	windshield wipers, decals, window masks)	8077	Tailgate panel insert (clear, requires painting)/ adhesive foam
8130X	Body, Chevrolet Blazer (1979), complete (orange) (includes grille, side mirrors, door handles, windshield wipers, front & rear		tape (2) (fits #8010 series bodies)
	bumpers, decals)	8071	Tailgate panel/ tail light lens (2) (left & right) (fits #8010 series bodies)
8130R	Body, Chevrolet Blazer (1979), complete (red) (includes grille,		·
-	side mirrors, door handles, windshield wipers, front & rear		Body (Mercedes-Benz® G 500®)
	bumpers, decals)	8811	Body, Mercedes-Benz® G 500® (clear, requires painting)/ decals/
8131	Decal sheet, Chevrolet Blazer (1979)		window masks (includes rear body post, grille, side mirrors,
6593	Distribution block, Pro Scale® Advanced Lighting Control	2015	door handles, windshield wipers)
	System	8812	Decals, Mercedes-Benz® G 500®
8132	Door handles, left, right & rear tailgate/ windshield wipers, left &	6593	Distribution block, Pro Scale® Advanced Lighting Control
	right/ retainers (2)/ 1.6x5 BCS (self-tapping) (7) (fits #8130 series	8813X	System Grilla Marcadas-Banz® G 500® 4v4²/grilla mount & insert/lens
8134	bodies) Grille, Chevrolet Blazer or K10 Truck (1979)/ grille retainers (4)/	0013A	Grille, Mercedes-Benz® G 500® 4x4²/grille mount & insert/lens, headlight (2 ea)/reflector (2)/bumperette & mounts, front (2
0104	headlight housing (2)/ lens (2)/ 2.6x8 BCS (4)/ 2.5x6 BCS (2) (fits		ea)/turn signal housing & lens (2 ea)/ hardware (fits #8811/8825
	#8130 or 9212 series bodies)		body)
8082	Installation kit, Pro Scale® Advanced Lighting Control System,		
	TRX-4® Chevrolet Blazer (1979) (includes mount, reverse lights		
	harness, hardware)		

Page 3	TRX-4® Equipped with Traxx®: TQ™ 2.4 GHz Radio	(Model 82	2034-4) Parts List
8893	Installation kit, Pro Scale® Advanced Lighting Control System, TRX-4® Mercedes® G 500® & G 63® (includes mount, rear	8119	Mirrors, side (left & right)/ snorkel/ mounting hardware (fits #8111 or #8112 body)
	bumper lens, turn signal, reverse light, & fog light harnesses, hardware)	6592	Power module, Pro Scale® Advanced Lighting Control System (includes mount, communication cables, hardware)
8899	LED light set (contains headlights, tail lights, roof lights, and distribution block) (fits #8811 body, requires #8028 power	6591	Pro Scale® Advanced Lighting Control System (includes power module & distribution block)
8898	supply) LED light set, complete with power supply (contains headlights, tail lights, real lights, 2 distribution block) (fits, #9944 heads)	8085X	Pro Scale® LED light set, TRX-4® Sport, complete with power module (contains headlights, tail lights, & distribution block) (fits
8817	tail lights, roof lights, & distribution block) (fits #8811 body) Mirrors, side, black (left & right)/ o-rings (4)/ windshield wipers, left, right, & rear/ wiper retainers (2)/ body clips (4)/ 1.6x5 BCS	6594	#8111 or #8112 body) Receiver communication cable, Pro Scale® Advanced Lighting Control System
6592	(self-tapping) (3) Power module, Pro Scale® Advanced Lighting Control System	8122-BLK 8122	Shovel/ axe (black)/ accessory mount/ mounting hardware Shovel/ axe/ accessory mount/ mounting hardware
6591	(includes mount, communication cables, hardware) Pro Scale® Advanced Lighting Control System (includes power	8118 8117	Spare tire mount/ mounting hardware Tailgate panel/ tailgate retainers (2)/ tailgate mount/ tail light lens (2)
8898X	module & distribution block) Pro Scale® LED light set, TRX-4® Mercedes® G 500® & G 63®,	8121X	(left & right)/ 2.5x8 BCS (4) (fits #8111 or #8112 body) Traction boards, blue/ mounting hardware
	complete with power module (contains headlights, tail lights, roof lights, & distribution block) (fits #8811 or 8825 body)	8121G 8121A	Traction boards, green/ mounting hardware Traction boards, yellow/ mounting hardware
6594	Receiver communication cable, Pro Scale® Advanced Lighting Control System	8121	Traction boards/ mounting hardware
8822	Roof visor/ visor retainer/ visor lens (2)/ 2.6x6 BCS (3)/ 3x4 GS (4		Body Accessories
8816X	Side marker light housing (2)/ mount (2)/ lens (2)/ 1.6x7 BCS (self-tapping) (2)	1926	Antenna caps, vinyl (2)/ antenna spool
8814X	Tail light lens (2)/ tail light housing (2)/ tail light housing mount	1726 1834	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) Body Clips (12) (standard size)
00147	(2)/ reverse lens (2)/ 1.6x5 BCS (4) (left & right)	1834A	Body clips, black (12) (standard size)
	Body (Tactical Unit)	3934	Body clips, heavy duty (12)
8211X	Body, Tactical Unit, night camo (painted)/ decals	3934A	Body clips, heavy duty (black) (12)
8019	Fender brace, inner, front & rear	8215	Body mounts & posts, front & rear (complete set)
8017	Fender flares, front & rear (2 each) (fits #8011 or #8211 series	8115	Body posts, front & rear
	bodies)	4915	Body washers, foam adhesive (10)
8018	Fenders, inner, front & rear (2 each)/ rock light covers (8)	2514 8081	Decal sheet, racing sponsors Fender extensions (4)/ 3x8 flathead screws (24) (requires #8080
8020	Mirrors, side (left & right)/ snorkel/ mounting hardware (fits #8011 series bodies)	0001	narrow inner fenders)
8021	Spare tire mount/ mounting bracket/ screw pins (2)	8080	Fenders, inner (narrow), front & rear (2 each)/ rock light covers (8)/
	Body (TRX-4® Sport)	00001	battery plate/ body mount/ 3x8 flat-head screws (4)/ 2.5x6 CS (10)
8112	Body with camper, TRX-4® Sport (clear, trimmed, requires painting)/window masks/ decal sheet	8080X	Fenders, inner (narrow), front & rear (2 each)/ rock light covers (8)/ battery plate/ body mount/ 3x8 flat-head screws (4)/ 2.5x6 CS (10) (for clipless body mounting)
8213	Body, TRX-4® Sport (clear, trimmed, die-cut for clipless	8022T	Fuel canisters (black) (2)/ screw pin
	mounting, requires painting)/ window masks/ decal sheet	8022R	Fuel canisters (blue) (2)/ screw pin
8111R	Body, TRX-4® Sport (clear, trimmed, die-cut for LED light kit, requires painting)/ window masks/ decal sheet	8022-GRN 8022	Fuel canisters (green) (2)/ screw pin Fuel canisters (red) (2)/ screw pin
8111	Body, TRX-4® Sport (clear, trimmed, requires painting)/ window masks/ decal sheet	8022X	Fuel canisters (white) (2)/ screw pin
8213-BLUE	Body, TRX-4® Sport, complete, blue (painted, decals applied)	8022A 9950	Fuel canisters (yellow) (2)/ screw pin Official Team Traxxas® racing decal set(flag logo/ 6-color)
	(includes grille, side mirrors, door handles, windshield wipers, expedition rack, & clipless mounting) (requires #8080X inner		Bumpers & Skidplates
8213-GRAY	fenders)	8234 8234R	Bumper D-Rings, grey (front or rear)/ 2.0x12 CS (4) Bumper D-rings, red (front or rear)/ 2.0x12 CS (4)
0213-GRA1	Body, TRX-4® Sport, complete, gray (painted, decals applied) (includes grille, side mirrors, door handles, windshield wipers,	8067X	Bumper mounts, front & rear/ bumper mount, rear (offset)
	expedition rack, & clipless mounting) (requires #8080X inner	8237	Bumper mounts, front & rear/ screw pins (4)
	fenders)	8124	Bumper, front (178mm wide)/ winch/ 2.6x8 BCS (1)
8213-RED	Body, TRX-4® Sport, complete, red (painted, decals applied)	8235	Bumper, front/ winch/ 2.6x8 BCS (1)
	(includes grille, side mirrors, door handles, windshield wipers, expedition rack, & clipless mounting) (requires #8080X inner	8236	Bumper, rear
	fenders)	8125	Bumper, rear (176mm wide)
8113	Decal Sheet, TRX-4® Sport	8238	Skidplate/ lower gear cover
6593	Distribution block, Pro Scale® Advanced Lighting Control System	0007	Chassis & Attachments
8120X	Expedition rack, complete (includes traction boards, shovel, axe, jack	8327	Battery hold-down/ battery clip/ hold-down post/screw pin (for 256mm wheelbase)
0.20%	fire extinguisher, fuel cans, & mounting hardware) (fits #8111 or	8215	Body mounts & posts, front & rear (complete set)
	#8111R body)	8224	Box, receiver (sealed)/ wire cover/ foam pads/ silicone grease/ 3x8
8120	Expedition rack/ mounting hardware (fits #8111 or #8111R body)		BCS (5)/ 2.5x8 CS (2)
8422-BLK 8422	Fire extinguisher, black (2) Fire extinguisher, red (2)	8058	Chassis conversion kit, TRX-4® (long to short wheelbase)
8116	Grille/ grille retainers (2)/ grille mount/ lens (2)/ 2.5x8 BCS (6) (fits #8111 or #8112 body)	9057	(includes rear upper & lower suspension links, front & rear inner fenders, short female half shaft, battery tray, 3x8mm FCS (4))
8083	Installation kit, Pro Scale® Advanced Lighting Control System, TRX-4® Sport (includes mount, rear lens, reverse lights and turn	8057	Chassis conversion kit, TRX-4® (short to long wheelbase) (includes rear upper & lower suspension links, front & rear shock towers, long female half shaft)
8083	signal harnesses, hardware) Installation kit, Pro Scale® Advanced Lighting Control System, TRX-4® Sport (includes mount, rear lens, reverse lights and turn	8220 8080	Chassis rails, 448mm (steel) (left & right) Fenders, inner (narrow), front & rear (2 each)/ rock light covers (8)/ battery plate/ body mount/ 3x8 flat-head screws (4)/ 2.5x6 CS
8086	signal harnesses, hardware) LED expedition rack scene light kit (fits #8111 or 8213 series	8080X	(10) Fenders, inner (narrow), front & rear (2 each)/ rock light covers
8084	bodies, requires #8028 power supply) LED headlight/tail light kit (fits #8111 or #8112 body, requires #8028 power supply)	0040	(8)/ battery plate/ body mount/ 3x8 flat-head screws (4)/ 2.5x6 CS (10) (for clipless body mounting)
8088	#0026 power supply) LED light bar, front bumper (fits #8866 front bumper, requires #8028 power supply)	8218 8224X	Floor pans, left & right Receiver box cover (for use only with #8224 receiver box & #2260 BEC)/ foam pads/ seals/ silicone grease
8087	LED light bar, roof lights (fits #8111 or 8213 series bodies,	8219	Rock sliders, left & right
	requires #8028 power supply)	8225	Seal kit, receiver box (includes o-ring, seals, and silicone grease)
8085	LED light set, complete with power supply (contains headlights, tail lights, & distribution block) (fits #8111 or #8112 body)	8240X	Servo mount, 2-speed/ servo mount, T-Lock/ wire clips
	• • • • • • • • • • • • • • • • • • • •		

Page 4	TRX-4® Equipped with	Traxx®: TQ™ 2.4 GHz Radio	(Model 82034-4) Parts List
--------	----------------------	---------------------------	----------------------------

8216	Servo mount, steering/ chassis crossmember	2564	Screws, 2x8mm cap-head machine (hex drive) (6)
	Shock towers, front & rear (left & right)	2577	Screws, 3x10mm button-head machine (hex drive) (6)
8226	Tray, battery	2578	Screws, 3x12mm button-head machine (hex drive) (6)
	Differential Components	2579	Screws, 3x15mm button-head machine (hex drive) (6)
8281	Carrier, differential/ differential slider/ T-Lock fork	2591	Screws, 3x23mm button-head machine (hex drive) (6)
8280A	Differential cover, front or rear (black)	2581 2616	Screws, 3x25mm button-head machine (hex drive) (6)
8280X	Differential cover, front or rear (chrome plated)	2582	Screws, 3x27mm button-head machine (hex drive) (6) Screws, 3x30mm button-head machine (hex drive) (6)
8280-GRN	Differential cover, front or rear (green)	2575	Screws, 3x6mm button-head machine (hex drive) (6)
8280	Differential cover, front or rear (grey)	3932	Screws, 3x6mm flat-head machine (hex drive) (6)
8280R	Differential cover, front or rear (red)	2576	Screws, 3x8mm button-head machine (hex drive) (6)
8195	Differential, locking, front and rear (assembled) (includes T-Lock	3931	Screws, 3x8mm flat-head machine (hex drive) (6)
	cables and servos)	3933	Screws, 4x16mm button-head machine (hex drive) (6)
8282	Gear set, differential (output gears (2), spider gears (4), spider	8886	Stub axle nut (4)
0005	gear shaft (2))	8891	Tension wheels (6)/ road wheels (4)
8295	Output drive, transmission or differential (pin retainer (1)/ drive cup (1)/ drive ball (1)/ drive pin (1)/ 3x10 screw pin (1)/ cross pin (black)	5480X	Wheel wrench, splined, 17mm
	(1) 3x6 BCS with threadlock (1))		LED Light Accessories
8279	Ring gear, differential/ pinion gear, differential	9024	
8279R	Ring gear, differential/ pinion gear, differential (machined)	8031 8089	3-in-1 wire harness, LED light kit 4-in-2 wire harness, LED light kit
8287	Ring gear, differential/ pinion gear, differential (overdrive,	6589	Distribution block, LED light set
	machined)	6593	Distribution block, EED light set Distribution block, Pro Scale® Advanced Lighting Control
8288	Ring gear, differential/ pinion gear, differential (underdrive,	0000	System
	machined)	8083	Installation kit, Pro Scale® Advanced Lighting Control System,
8297	Spool/ differential housing plug/ e-clip/ 2.5x8mm BCS (with		TRX-4® Sport (includes mount, rear lens, reverse lights and turn
	threadlock) (4)		signal harnesses, hardware)
	Driveline Components	8086	LED expedition rack scene light kit (fits #8111 or 8213 series
8139	Half shafts, center (external splined) (2)/ pin retainer (4) (plastic parts		bodies, requires #8028 power supply)
	only)	8084	LED headlight/tail light kit (fits #8111 or #8112 body, requires
8250	Half shafts, center (internal splined, front (2) & internal splined, rear	0000	#8028 power supply)
	(2)/ external splined (2)/ pin retainer (4)) (plastic parts only)	8088	LED light bar, front bumper (fits #8866 front bumper, requires #8028 power supply)
8250X	Half shafts, center (internal splined, short (3) & internal splined, long	8085	LED light set, complete with power supply (contains headlights,
0055	(2))	0003	tail lights, & distribution block) (fits #8111 or #8112 body)
8255	Stub axle (portal drive) (2)	8028	LED lights, power supply (regulated, 3V, 0.5-amp)/ 3-in-1 wire
8255A	Stub axle, extended thread (portal drive) (2)		harness
8269 8269X	Wheel hubs, 12mm hex (2)/ stub axle pins (2) (steel) Wheel hubs, 12mm hex, 6061-T6 aluminum (blue-anodized) (4)/	8026X	LED rock light kit, TRX-4®/TRX-6™ (requires #8028 power supply
5269A	3x10 screw pin (4)		and #8018, #8072, or #8080 inner fenders)
8269A	Wheel hubs, 12mm hex, 6061-T6 aluminum (charcoal gray-	6592	Power module, Pro Scale® Advanced Lighting Control System
520074	anodized) (4)/ 3x10 screw pin (4)		(includes mount, communication cables, hardware)
8269G	Wheel hubs, 12mm hex, 6061-T6 aluminum (green-anodized) (4)/	6591	Pro Scale® Advanced Lighting Control System (includes power
	3x10 screw pin (4)	000EV	module & distribution block)
8269R	Wheel hubs, 12mm hex, 6061-T6 aluminum (red-anodized) (4)/	8085X	Pro Scale® LED light set, TRX-4® Sport, complete with power module (contains headlights, tail lights, & distribution block) (fits
	3x10 screw pin (4)		#8111 or #8112 body)
	Hardware	6594	Receiver communication cable, Pro Scale® Advanced Lighting
1552	3x8mm Hex Cap Screws (6)/ Washers (6)/ Wrench (1)		Control System
1834	Body Clips (12) (standard size)		Long Arm Lift Kit
1834A	Body clips, black (12) (standard size)	8162X	-
3934	Body clips, heavy duty (12)	0102X	Body, GTS shock, long (aluminum, blue-anodized) (1) (for use #8140X TRX-4® Long Arm Lift Kit)
3934A	Body clips, heavy duty (black) (12)	8162R	· · · · · · · · · · · · · · · · · · ·
	CS 3x10 flathead (hex drive)	8162R	Body, GTS shock, long (aluminum, red-anodized) (1) (for use
4859			Body, GTS shock, long (aluminum, red-anodized) (1) (for use with #8140R TRX-4® Long Arm Lift Kit)
4859 5150	CS 3x10 flathead (hex drive) E-clips, 1.5mm (24) Hardware kit, black stainless steel, TRX-4® Traxx® (contains all	8162R 8162	Body, GTS shock, long (aluminum, red-anodized) (1) (for use
4859 5150 8894	CS 3x10 flathead (hex drive) E-clips, 1.5mm (24) Hardware kit, black stainless steel, TRX-4® Traxx® (contains all stainless steel hardware used on #8880 TRX-4® Traxx®)		Body, GTS shock, long (aluminum, red-anodized) (1) (for use with #8140R TRX-4® Long Arm Lift Kit) Body, GTS shock, long (silver aluminum) (1) (for use with #8140
4859 5150 8894	CS 3x10 flathead (hex drive) E-clips, 1.5mm (24) Hardware kit, black stainless steel, TRX-4® Traxx® (contains all stainless steel hardware used on #8880 TRX-4® Traxx®) Hardware kit, stainless steel, beadlock rings (contains stainless	8162	Body, GTS shock, long (aluminum, red-anodized) (1) (for use with #8140R TRX-4® Long Arm Lift Kit) Body, GTS shock, long (silver aluminum) (1) (for use with #8140 TRX-4® Long Arm Lift Kit)
4859 5150 8894 8167X	CS 3x10 flathead (hex drive) E-clips, 1.5mm (24) Hardware kit, black stainless steel, TRX-4® Traxx® (contains all stainless steel hardware used on #8880 TRX-4® Traxx®) Hardware kit, stainless steel, beadlock rings (contains stainless steel hardware for 4 wheels)	8162 8147 8148	Body, GTS shock, long (aluminum, red-anodized) (1) (for use with #8140R TRX-4® Long Arm Lift Kit) Body, GTS shock, long (silver aluminum) (1) (for use with #8140 TRX-4® Long Arm Lift Kit) Cable, T-lock (medium) (for use with TRX-4® Long Arm Lift Kit) Cable, T-lock, extra long (193mm) (for use with TRX-4® Long Arm Lift Kit)
4859 5150 8894 8167X	CS 3x10 flathead (hex drive) E-clips, 1.5mm (24) Hardware kit, black stainless steel, TRX-4® Traxx® (contains all stainless steel hardware used on #8880 TRX-4® Traxx®) Hardware kit, stainless steel, beadlock rings (contains stainless steel hardware for 4 wheels) Hardware kit, stainless steel, TRX-4® (contains all stainless steel	8162 8147 8148	Body, GTS shock, long (aluminum, red-anodized) (1) (for use with #8140R TRX-4® Long Arm Lift Kit) Body, GTS shock, long (silver aluminum) (1) (for use with #8140 TRX-4® Long Arm Lift Kit) Cable, T-lock (medium) (for use with TRX-4® Long Arm Lift Kit) Cable, T-lock, extra long (193mm) (for use with TRX-4® Long Arm Lift Kit) Driveshaft extension kit, center (includes internal splined, x-long
3934A 4859 5150 8894 8167X	CS 3x10 flathead (hex drive) E-clips, 1.5mm (24) Hardware kit, black stainless steel, TRX-4® Traxx® (contains all stainless steel hardware used on #8880 TRX-4® Traxx®) Hardware kit, stainless steel, beadlock rings (contains stainless steel hardware for 4 wheels) Hardware kit, stainless steel, TRX-4® (contains all stainless steel hardware used on TRX-4®)	8162 8147 8148	Body, GTS shock, long (aluminum, red-anodized) (1) (for use with #8140R TRX-4® Long Arm Lift Kit) Body, GTS shock, long (silver aluminum) (1) (for use with #8140 TRX-4® Long Arm Lift Kit) Cable, T-lock (medium) (for use with TRX-4® Long Arm Lift Kit) Cable, T-lock, extra long (193mm) (for use with TRX-4® Long Arm Lift Kit) Driveshaft extension kit, center (includes internal splined, x-long (2), internal splined, long (1) and internal splined, medium (1))
4859 5150 8894 8167X	CS 3x10 flathead (hex drive) E-clips, 1.5mm (24) Hardware kit, black stainless steel, TRX-4® Traxx® (contains all stainless steel hardware used on #8880 TRX-4® Traxx®) Hardware kit, stainless steel, beadlock rings (contains stainless steel hardware for 4 wheels) Hardware kit, stainless steel, TRX-4® (contains all stainless steel hardware used on TRX-4®) Hardware kit, stainless steel, TRX-4® High Lift Kit (contains all	8162 8147 8148 8150	Body, GTS shock, long (aluminum, red-anodized) (1) (for use with #8140R TRX-4® Long Arm Lift Kit) Body, GTS shock, long (silver aluminum) (1) (for use with #8140 TRX-4® Long Arm Lift Kit) Cable, T-lock (medium) (for use with TRX-4® Long Arm Lift Kit) Cable, T-lock, extra long (193mm) (for use with TRX-4® Long Arm Lift Kit) Driveshaft extension kit, center (includes internal splined, x-long (2), internal splined, long (1) and internal splined, medium (1)) (for use with TRX-4® Long Arm Lift Kit)
4859 5150 8894 8167X 8298 8151	CS 3x10 flathead (hex drive) E-clips, 1.5mm (24) Hardware kit, black stainless steel, TRX-4® Traxx® (contains all stainless steel hardware used on #8880 TRX-4® Traxx®) Hardware kit, stainless steel, beadlock rings (contains stainless steel hardware for 4 wheels) Hardware kit, stainless steel, TRX-4® (contains all stainless steel hardware used on TRX-4®) Hardware kit, stainless steel, TRX-4® High Lift Kit (contains all stainless steel hardware used on TRX-4® High Lift Kit)	8162 8147 8148 8150	Body, GTS shock, long (aluminum, red-anodized) (1) (for use with #8140R TRX-4® Long Arm Lift Kit) Body, GTS shock, long (silver aluminum) (1) (for use with #8140 TRX-4® Long Arm Lift Kit) Cable, T-lock (medium) (for use with TRX-4® Long Arm Lift Kit) Cable, T-lock, extra long (193mm) (for use with TRX-4® Long Arm Lift Kit) Driveshaft extension kit, center (includes internal splined, x-long (2), internal splined, long (1) and internal splined, medium (1)) (for use with TRX-4® Long Arm Lift Kit) Long arm lift kit, TRX-4®, complete
4859 5150 8894 8167X 8298 8151	CS 3x10 flathead (hex drive) E-clips, 1.5mm (24) Hardware kit, black stainless steel, TRX-4® Traxx® (contains all stainless steel hardware used on #8880 TRX-4® Traxx®) Hardware kit, stainless steel, beadlock rings (contains stainless steel hardware for 4 wheels) Hardware kit, stainless steel, TRX-4® (contains all stainless steel hardware used on TRX-4®) Hardware kit, stainless steel, TRX-4® High Lift Kit (contains all stainless steel hardware used on TRX-4® High Lift Kit) Hardware kit, TRX-4® (contains all hardware used on TRX-4®)	8162 8147 8148 8150	Body, GTS shock, long (aluminum, red-anodized) (1) (for use with #8140R TRX-4® Long Arm Lift Kit) Body, GTS shock, long (silver aluminum) (1) (for use with #8140 TRX-4® Long Arm Lift Kit) Cable, T-lock (medium) (for use with TRX-4® Long Arm Lift Kit) Cable, T-lock, extra long (193mm) (for use with TRX-4® Long Arm Lift Kit) Driveshaft extension kit, center (includes internal splined, x-long (2), internal splined, long (1) and internal splined, medium (1)) (for use with TRX-4® Long Arm Lift Kit) Long arm lift kit, TRX-4®, complete Long arm lift kit, TRX-4®, complete (includes blue powder coated
4859 5150 8894 8167X 8298 8151 8217 5476X	CS 3x10 flathead (hex drive) E-clips, 1.5mm (24) Hardware kit, black stainless steel, TRX-4® Traxx® (contains all stainless steel hardware used on #8880 TRX-4® Traxx®) Hardware kit, stainless steel, beadlock rings (contains stainless steel hardware for 4 wheels) Hardware kit, stainless steel, TRX-4® (contains all stainless steel hardware used on TRX-4®) Hardware kit, stainless steel, TRX-4® High Lift Kit (contains all stainless steel hardware used on TRX-4® High Lift Kit) Hardware kit, TRX-4® (contains all hardware used on TRX-4®) Hex wrenches; 1.5mm, 2mm, 2.5mm, 3mm, 2.5 ball	8162 8147 8148 8150 8140 8140X	Body, GTS shock, long (aluminum, red-anodized) (1) (for use with #8140R TRX-4® Long Arm Lift Kit) Body, GTS shock, long (silver aluminum) (1) (for use with #8140 TRX-4® Long Arm Lift Kit) Cable, T-lock (medium) (for use with TRX-4® Long Arm Lift Kit) Cable, T-lock, extra long (193mm) (for use with TRX-4® Long Arm Lift Kit) Driveshaft extension kit, center (includes internal splined, x-long (2), internal splined, long (1) and internal splined, medium (1)) (for use with TRX-4® Long Arm Lift Kit) Long arm lift kit, TRX-4®, complete Long arm lift kit, TRX-4®, complete (includes blue powder coated links, blue-anodized shocks)
4859 5150 8894 8167X 8298 8151 8217 5476X 1747P	CS 3x10 flathead (hex drive) E-clips, 1.5mm (24) Hardware kit, black stainless steel, TRX-4® Traxx® (contains all stainless steel hardware used on #8880 TRX-4® Traxx®) Hardware kit, stainless steel, beadlock rings (contains stainless steel hardware for 4 wheels) Hardware kit, stainless steel, TRX-4® (contains all stainless steel hardware used on TRX-4®) Hardware kit, stainless steel, TRX-4® High Lift Kit (contains all stainless steel hardware used on TRX-4® High Lift Kit) Hardware kit, TRX-4® (contains all hardware used on TRX-4®) Hex wrenches; 1.5mm, 2mm, 2.5mm, 3mm, 2.5 ball Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4)	8162 8147 8148 8150	Body, GTS shock, long (aluminum, red-anodized) (1) (for use with #8140R TRX-4® Long Arm Lift Kit) Body, GTS shock, long (silver aluminum) (1) (for use with #8140 TRX-4® Long Arm Lift Kit) Cable, T-lock (medium) (for use with TRX-4® Long Arm Lift Kit) Cable, T-lock, extra long (193mm) (for use with TRX-4® Long Arm Lift Kit) Driveshaft extension kit, center (includes internal splined, x-long (2), internal splined, long (1) and internal splined, medium (1)) (for use with TRX-4® Long Arm Lift Kit) Long arm lift kit, TRX-4®, complete Long arm lift kit, TRX-4®, complete (includes blue powder coated links, blue-anodized shocks) Long arm lift kit, TRX-4®, complete (includes green powder
4859 5150 8894 8167X 8298 8151 8217 5476X 1747P 3647	CS 3x10 flathead (hex drive) E-clips, 1.5mm (24) Hardware kit, black stainless steel, TRX-4® Traxx® (contains all stainless steel hardware used on #8880 TRX-4® Traxx®) Hardware kit, stainless steel, beadlock rings (contains stainless steel hardware for 4 wheels) Hardware kit, stainless steel, TRX-4® (contains all stainless steel hardware used on TRX-4®) Hardware kit, stainless steel, TRX-4® High Lift Kit (contains all stainless steel hardware used on TRX-4® High Lift Kit) Hardware kit, TRX-4® (contains all hardware used on TRX-4®) Hex wrenches; 1.5mm, 2mm, 2.5mm, 3mm, 2.5 ball Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4) Nuts, 4mm flanged nylon locking (steel, serrated) (8)	8162 8147 8148 8150 8140 8140X 8140-GRN	Body, GTS shock, long (aluminum, red-anodized) (1) (for use with #8140R TRX-4® Long Arm Lift Kit) Body, GTS shock, long (silver aluminum) (1) (for use with #8140 TRX-4® Long Arm Lift Kit) Cable, T-lock (medium) (for use with TRX-4® Long Arm Lift Kit) Cable, T-lock, extra long (193mm) (for use with TRX-4® Long Arm Lift Kit) Driveshaft extension kit, center (includes internal splined, x-long (2), internal splined, long (1) and internal splined, medium (1)) (for use with TRX-4® Long Arm Lift Kit) Long arm lift kit, TRX-4®, complete Long arm lift kit, TRX-4®, complete (includes blue powder coated links, blue-anodized shocks) Long arm lift kit, TRX-4®, complete (includes green powder coated links, green-anodized shocks)
4859 5150 8894 8167X 8298 8151 8217 5476X 1747P 3647 8347	CS 3x10 flathead (hex drive) E-clips, 1.5mm (24) Hardware kit, black stainless steel, TRX-4® Traxx® (contains all stainless steel hardware used on #8880 TRX-4® Traxx®) Hardware kit, stainless steel, beadlock rings (contains stainless steel hardware for 4 wheels) Hardware kit, stainless steel, TRX-4® (contains all stainless steel hardware used on TRX-4®) Hardware kit, stainless steel, TRX-4® High Lift Kit (contains all stainless steel hardware used on TRX-4® High Lift Kit) Hardware kit, TRX-4® (contains all hardware used on TRX-4®) Hex wrenches; 1.5mm, 2mm, 2.5mm, 3mm, 2.5 ball Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4) Nuts, 4mm flanged nylon locking (steel, serrated) (8) Nuts, 4mm flanged nylon locking, serrated (black) (10)	8162 8147 8148 8150 8140 8140X	Body, GTS shock, long (aluminum, red-anodized) (1) (for use with #8140R TRX-4® Long Arm Lift Kit) Body, GTS shock, long (silver aluminum) (1) (for use with #8140 TRX-4® Long Arm Lift Kit) Cable, T-lock (medium) (for use with TRX-4® Long Arm Lift Kit) Cable, T-lock, extra long (193mm) (for use with TRX-4® Long Arm Lift Kit) Driveshaft extension kit, center (includes internal splined, x-long (2), internal splined, long (1) and internal splined, medium (1)) (for use with TRX-4® Long Arm Lift Kit) Long arm lift kit, TRX-4®, complete Long arm lift kit, TRX-4®, complete (includes blue powder coated links, blue-anodized shocks) Long arm lift kit, TRX-4®, complete (includes green powder coated links, green-anodized shocks) Long arm lift kit, TRX-4®, complete (includes red powder coated
4859 5150 8894 8167X 8298 8151 8217 5476X 1747P 3647 8347 1747R	CS 3x10 flathead (hex drive) E-clips, 1.5mm (24) Hardware kit, black stainless steel, TRX-4® Traxx® (contains all stainless steel hardware used on #8880 TRX-4® Traxx®) Hardware kit, stainless steel, beadlock rings (contains stainless steel hardware for 4 wheels) Hardware kit, stainless steel, TRX-4® (contains all stainless steel hardware used on TRX-4®) Hardware kit, stainless steel, TRX-4® High Lift Kit (contains all stainless steel hardware used on TRX-4® High Lift Kit) Hardware kit, TRX-4® (contains all hardware used on TRX-4®) Hex wrenches; 1.5mm, 2mm, 2.5mm, 3mm, 2.5 ball Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4) Nuts, 4mm flanged nylon locking (steel, serrated) (8) Nuts, 4mm flanged nylon locking, serrated (black) (10) Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)	8162 8147 8148 8150 8140 8140X 8140-GRN 8140R	Body, GTS shock, long (aluminum, red-anodized) (1) (for use with #8140R TRX-4® Long Arm Lift Kit) Body, GTS shock, long (silver aluminum) (1) (for use with #8140 TRX-4® Long Arm Lift Kit) Cable, T-lock (medium) (for use with TRX-4® Long Arm Lift Kit) Cable, T-lock, extra long (193mm) (for use with TRX-4® Long Arm Lift Kit) Driveshaft extension kit, center (includes internal splined, x-long (2), internal splined, long (1) and internal splined, medium (1)) (for use with TRX-4® Long Arm Lift Kit) Long arm lift kit, TRX-4®, complete Long arm lift kit, TRX-4®, complete (includes blue powder coated links, blue-anodized shocks) Long arm lift kit, TRX-4®, complete (includes green powder coated links, green-anodized shocks) Long arm lift kit, TRX-4®, complete (includes red powder coated links, red-anodized shocks)
4859 5150 8894 8167X 8298 8151 8217 5476X 1747P 3647 8347	CS 3x10 flathead (hex drive) E-clips, 1.5mm (24) Hardware kit, black stainless steel, TRX-4® Traxx® (contains all stainless steel hardware used on #8880 TRX-4® Traxx®) Hardware kit, stainless steel, beadlock rings (contains stainless steel hardware for 4 wheels) Hardware kit, stainless steel, TRX-4® (contains all stainless steel hardware used on TRX-4®) Hardware kit, stainless steel, TRX-4® High Lift Kit (contains all stainless steel hardware used on TRX-4® High Lift Kit) Hardware kit, TRX-4® (contains all hardware used on TRX-4®) Hex wrenches; 1.5mm, 2mm, 2.5mm, 3mm, 2.5 ball Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4) Nuts, 4mm flanged nylon locking, serrated (black) (10) Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)	8162 8147 8148 8150 8140 8140X 8140-GRN	Body, GTS shock, long (aluminum, red-anodized) (1) (for use with #8140R TRX-4® Long Arm Lift Kit) Body, GTS shock, long (silver aluminum) (1) (for use with #8140 TRX-4® Long Arm Lift Kit) Cable, T-lock (medium) (for use with TRX-4® Long Arm Lift Kit) Cable, T-lock, extra long (193mm) (for use with TRX-4® Long Arm Lift Kit) Driveshaft extension kit, center (includes internal splined, x-long (2), internal splined, long (1) and internal splined, medium (1)) (for use with TRX-4® Long Arm Lift Kit) Long arm lift kit, TRX-4®, complete Long arm lift kit, TRX-4®, complete (includes blue powder coated links, blue-anodized shocks) Long arm lift kit, TRX-4®, complete (includes green powder coated links, green-anodized shocks) Long arm lift kit, TRX-4®, complete (includes red powder coated
4859 5150 8894 8167X 8298 8151 8217 5476X 1747P 3647 8347 1747R 1747G	CS 3x10 flathead (hex drive) E-clips, 1.5mm (24) Hardware kit, black stainless steel, TRX-4® Traxx® (contains all stainless steel hardware used on #8880 TRX-4® Traxx®) Hardware kit, stainless steel, beadlock rings (contains stainless steel hardware for 4 wheels) Hardware kit, stainless steel, TRX-4® (contains all stainless steel hardware used on TRX-4®) Hardware kit, stainless steel, TRX-4® High Lift Kit (contains all stainless steel hardware used on TRX-4® High Lift Kit) Hardware kit, TRX-4® (contains all hardware used on TRX-4®) Hex wrenches; 1.5mm, 2mm, 2.5mm, 3mm, 2.5 ball Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4) Nuts, 4mm flanged nylon locking (steel, serrated) (8) Nuts, 4mm flanged nylon locking, serrated (black) (10) Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)	8162 8147 8148 8150 8140 8140X 8140-GRN 8140R	Body, GTS shock, long (aluminum, red-anodized) (1) (for use with #8140R TRX-4® Long Arm Lift Kit) Body, GTS shock, long (silver aluminum) (1) (for use with #8140 TRX-4® Long Arm Lift Kit) Cable, T-lock (medium) (for use with TRX-4® Long Arm Lift Kit) Cable, T-lock, extra long (193mm) (for use with TRX-4® Long Arm Lift Kit) Driveshaft extension kit, center (includes internal splined, x-long (2), internal splined, long (1) and internal splined, medium (1)) (for use with TRX-4® Long Arm Lift Kit) Long arm lift kit, TRX-4®, complete Long arm lift kit, TRX-4®, complete (includes blue powder coated links, blue-anodized shocks) Long arm lift kit, TRX-4®, complete (includes green powder coated links, green-anodized shocks) Long arm lift kit, TRX-4®, complete (includes red powder coated links, red-anodized shocks) Rod ends, extended (standard (4), angled (4))/ hollow balls (8)
4859 5150 8894 8167X 8298 8151 8217 5476X 1747P 3647 8347 1747R 1747R 1747G	CS 3x10 flathead (hex drive) E-clips, 1.5mm (24) Hardware kit, black stainless steel, TRX-4® Traxx® (contains all stainless steel hardware used on #8880 TRX-4® Traxx®) Hardware kit, stainless steel, beadlock rings (contains stainless steel hardware for 4 wheels) Hardware kit, stainless steel, TRX-4® (contains all stainless steel hardware used on TRX-4®) Hardware kit, stainless steel, TRX-4® High Lift Kit (contains all stainless steel hardware used on TRX-4® High Lift Kit) Hardware kit, stainless steel, TRX-4® High Lift Kit) Hardware kit, TRX-4® (contains all hardware used on TRX-4®) Hex wrenches; 1.5mm, 2mm, 2.5mm, 3mm, 2.5 ball Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4) Nuts, 4mm flanged nylon locking, serrated (black) (10) Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4)	8162 8147 8148 8150 8140 8140X 8140-GRN 8140R	Body, GTS shock, long (aluminum, red-anodized) (1) (for use with #8140R TRX-4® Long Arm Lift Kit) Body, GTS shock, long (silver aluminum) (1) (for use with #8140 TRX-4® Long Arm Lift Kit) Cable, T-lock (medium) (for use with TRX-4® Long Arm Lift Kit) Cable, T-lock, extra long (193mm) (for use with TRX-4® Long Arm Lift Kit) Driveshaft extension kit, center (includes internal splined, x-long (2), internal splined, long (1) and internal splined, medium (1)) (for use with TRX-4® Long Arm Lift Kit) Long arm lift kit, TRX-4®, complete Long arm lift kit, TRX-4®, complete (includes blue powder coated links, blue-anodized shocks) Long arm lift kit, TRX-4®, complete (includes green powder coated links, green-anodized shocks) Long arm lift kit, TRX-4®, complete (includes red powder coated links, red-anodized shocks) Rod ends, extended (standard (4), angled (4))/ hollow balls (8) (for use with TRX-4® Long Arm Lift Kit)
4859 5150 8894 8167X 8298 8151 8217 5476X 1747P 3647 8347 1747R 1747R 1747G 1747T	CS 3x10 flathead (hex drive) E-clips, 1.5mm (24) Hardware kit, black stainless steel, TRX-4® Traxx® (contains all stainless steel hardware used on #8880 TRX-4® Traxx®) Hardware kit, stainless steel, beadlock rings (contains stainless steel hardware for 4 wheels) Hardware kit, stainless steel, TRX-4® (contains all stainless steel hardware used on TRX-4®) Hardware kit, stainless steel, TRX-4® High Lift Kit (contains all stainless steel hardware used on TRX-4® High Lift Kit) Hardware kit, TRX-4® (contains all hardware used on TRX-4®) Hex wrenches; 1.5mm, 2mm, 2.5mm, 3mm, 2.5 ball Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4) Nuts, 4mm flanged nylon locking, serrated (black) (10) Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)	8162 8147 8148 8150 8140 8140X 8140-GRN 8140R 8149 8141	Body, GTS shock, long (aluminum, red-anodized) (1) (for use with #8140R TRX-4® Long Arm Lift Kit) Body, GTS shock, long (silver aluminum) (1) (for use with #8140 TRX-4® Long Arm Lift Kit) Cable, T-lock (medium) (for use with TRX-4® Long Arm Lift Kit) Cable, T-lock, extra long (193mm) (for use with TRX-4® Long Arm Lift Kit) Driveshaft extension kit, center (includes internal splined, x-long (2), internal splined, long (1) and internal splined, medium (1)) (for use with TRX-4® Long Arm Lift Kit) Long arm lift kit, TRX-4®, complete Long arm lift kit, TRX-4®, complete (includes blue powder coated links, blue-anodized shocks) Long arm lift kit, TRX-4®, complete (includes green powder coated links, green-anodized shocks) Long arm lift kit, TRX-4®, complete (includes red powder coated links, red-anodized shocks) Rod ends, extended (standard (4), angled (4))/ hollow balls (8) (for use with TRX-4® Long Arm Lift Kit) Servo mount, steering (for use with TRX-4® Long Arm Lift Kit) Shock shaft, 3x57mm (GTS) (2) (includes bump stops) (for use with TRX-4® Long Arm Lift Kit)
4859 5150 8894 8167X 8298 8151 8217 5476X 1747P 3647 8347 1747R 1747R 1747G 1747T 1747A 1985	CS 3x10 flathead (hex drive) E-clips, 1.5mm (24) Hardware kit, black stainless steel, TRX-4® Traxx® (contains all stainless steel hardware used on #8880 TRX-4® Traxx®) Hardware kit, stainless steel, beadlock rings (contains stainless steel hardware for 4 wheels) Hardware kit, stainless steel, TRX-4® (contains all stainless steel hardware used on TRX-4®) Hardware kit, stainless steel, TRX-4® High Lift Kit (contains all stainless steel hardware used on TRX-4®) Hardware kit, TRX-4® (contains all hardware used on TRX-4®) Hardware kit, TRX-4® (contains all hardware used on TRX-4®) Hex wrenches; 1.5mm, 2mm, 2.5mm, 3mm, 2.5 ball Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4) Nuts, 4mm flanged nylon locking (steel, serrated) (8) Nuts, 4mm flanged nylon locking, serrated (black) (10) Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4) PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)	8162 8147 8148 8150 8140 8140X 8140-GRN 8140R 8149	Body, GTS shock, long (aluminum, red-anodized) (1) (for use with #8140R TRX-4® Long Arm Lift Kit) Body, GTS shock, long (silver aluminum) (1) (for use with #8140 TRX-4® Long Arm Lift Kit) Cable, T-lock (medium) (for use with TRX-4® Long Arm Lift Kit) Cable, T-lock, extra long (193mm) (for use with TRX-4® Long Arm Lift Kit) Driveshaft extension kit, center (includes internal splined, x-long (2), internal splined, long (1) and internal splined, medium (1)) (for use with TRX-4® Long Arm Lift Kit) Long arm lift kit, TRX-4®, complete Long arm lift kit, TRX-4®, complete (includes blue powder coated links, blue-anodized shocks) Long arm lift kit, TRX-4®, complete (includes green powder coated links, green-anodized shocks) Long arm lift kit, TRX-4®, complete (includes red powder coated links, red-anodized shocks) Rod ends, extended (standard (4), angled (4))/ hollow balls (8) (for use with TRX-4® Long Arm Lift Kit) Servo mount, steering (for use with TRX-4® Long Arm Lift Kit) Shock shaft, 3x57mm (GTS) (2) (includes bump stops) (for use with TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (blue-anodized) (assembled without
4859 5150 8894 8167X 8298 8151 8217 5476X 1747P 3647 8347 1747R 1747R 1747G 1747T 1747A 1985 8221 2523 3229	CS 3x10 flathead (hex drive) E-clips, 1.5mm (24) Hardware kit, black stainless steel, TRX-4® Traxx® (contains all stainless steel hardware used on #8880 TRX-4® Traxx®) Hardware kit, stainless steel, beadlock rings (contains stainless steel hardware for 4 wheels) Hardware kit, stainless steel, TRX-4® (contains all stainless steel hardware used on TRX-4®) Hardware kit, stainless steel, TRX-4® High Lift Kit (contains all stainless steel hardware used on TRX-4® High Lift Kit) Hardware kit, TRX-4® (contains all hardware used on TRX-4®) Hex wrenches; 1.5mm, 2mm, 2.5mm, 3mm, 2.5 ball Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4) Nuts, 4mm flanged nylon locking (steel, serrated) (8) Nuts, 4mm flanged nylon locking, serrated (black) (10) Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4) PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings) Screw pin, 3x10mm (6) Screws, 2.5x10 countersunk machine (hex drive) (6) Screws, 2.5x10mm cap-head machine (hex drive) (6)	8162 8147 8148 8150 8140 8140X 8140-GRN 8140-GRN 8141 8161	Body, GTS shock, long (aluminum, red-anodized) (1) (for use with #8140R TRX-4® Long Arm Lift Kit) Body, GTS shock, long (silver aluminum) (1) (for use with #8140 TRX-4® Long Arm Lift Kit) Cable, T-lock (medium) (for use with TRX-4® Long Arm Lift Kit) Cable, T-lock, extra long (193mm) (for use with TRX-4® Long Arm Lift Kit) Driveshaft extension kit, center (includes internal splined, x-long (2), internal splined, long (1) and internal splined, medium (1)) (for use with TRX-4® Long Arm Lift Kit) Long arm lift kit, TRX-4®, complete Long arm lift kit, TRX-4®, complete (includes blue powder coated links, blue-anodized shocks) Long arm lift kit, TRX-4®, complete (includes green powder coated links, green-anodized shocks) Long arm lift kit, TRX-4®, complete (includes red powder coated links, red-anodized shocks) Rod ends, extended (standard (4), angled (4))/ hollow balls (8) (for use with TRX-4® Long Arm Lift Kit) Servo mount, steering (for use with TRX-4® Long Arm Lift Kit) Shock shaft, 3x57mm (GTS) (2) (includes bump stops) (for use with TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (blue-anodized) (assembled without springs) (4) (for use with #8140X TRX-4® Long Arm Lift Kit)
4859 5150 8894 8167X 8298 8151 8217 5476X 1747P 3647 8347 1747R 1747G 1747T 1747A 1985 8221 2523 3229 3236	CS 3x10 flathead (hex drive) E-clips, 1.5mm (24) Hardware kit, black stainless steel, TRX-4® Traxx® (contains all stainless steel hardware used on #8880 TRX-4® Traxx®) Hardware kit, stainless steel, beadlock rings (contains stainless steel hardware for 4 wheels) Hardware kit, stainless steel, TRX-4® (contains all stainless steel hardware used on TRX-4®) Hardware kit, stainless steel, TRX-4® High Lift Kit (contains all stainless steel hardware used on TRX-4®) Hardware kit, stainless steel, TRX-4® High Lift Kit) Hardware kit, TRX-4® (contains all hardware used on TRX-4®) Hex wrenches; 1.5mm, 2mm, 2.5mm, 3mm, 2.5 ball Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4) Nuts, 4mm flanged nylon locking (steel, serrated) (8) Nuts, 4mm flanged nylon locking, serrated (black) (10) Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4) PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings) Screw pin, 3x10mm (6) Screws, 2.5x10 countersunk machine (hex drive) (6) Screws, 2.5x10mm cap-head machine (hex drive) (6)	8162 8147 8148 8150 8140 8140X 8140-GRN 8140R 8149 8141	Body, GTS shock, long (aluminum, red-anodized) (1) (for use with #8140R TRX-4® Long Arm Lift Kit) Body, GTS shock, long (silver aluminum) (1) (for use with #8140 TRX-4® Long Arm Lift Kit) Cable, T-lock (medium) (for use with TRX-4® Long Arm Lift Kit) Cable, T-lock, extra long (193mm) (for use with TRX-4® Long Arm Lift Kit) Driveshaft extension kit, center (includes internal splined, x-long (2), internal splined, long (1) and internal splined, medium (1)) (for use with TRX-4® Long Arm Lift Kit) Long arm lift kit, TRX-4®, complete Long arm lift kit, TRX-4®, complete (includes blue powder coated links, blue-anodized shocks) Long arm lift kit, TRX-4®, complete (includes green powder coated links, green-anodized shocks) Long arm lift kit, TRX-4®, complete (includes red powder coated links, red-anodized shocks) Rod ends, extended (standard (4), angled (4))/ hollow balls (8) (for use with TRX-4® Long Arm Lift Kit) Servo mount, steering (for use with TRX-4® Long Arm Lift Kit) Shock shaft, 3x57mm (GTS) (2) (includes bump stops) (for use with TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (blue-anodized) (assembled without springs) (4) (for use with #8140X TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (green-anodized) (assembled without
4859 5150 8894 8167X 8298 8151 8217 5476X 1747P 3647 8347 1747R 1747R 1747R 1747T 1747A 1985 8221 2523 3229 3236 2618	CS 3x10 flathead (hex drive) E-clips, 1.5mm (24) Hardware kit, black stainless steel, TRX-4® Traxx® (contains all stainless steel hardware used on #8880 TRX-4® Traxx®) Hardware kit, stainless steel, beadlock rings (contains stainless steel hardware for 4 wheels) Hardware kit, stainless steel, TRX-4® (contains all stainless steel hardware used on TRX-4®) Hardware kit, stainless steel, TRX-4® High Lift Kit (contains all stainless steel hardware used on TRX-4® High Lift Kit) Hardware kit, stainless steel, TRX-4® High Lift Kit) Hardware kit, TRX-4® (contains all hardware used on TRX-4®) Hex wrenches; 1.5mm, 2mm, 2.5mm, 3mm, 2.5 ball Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4) Nuts, 4mm flanged nylon locking (steel, serrated) (8) Nuts, 4mm flanged nylon locking, serrated (black) (10) Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4) PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings) Screw jn, 3x10mm (6) Screws, 2.5x10 countersunk machine (hex drive) (6) Screws, 2.5x10 countersunk machine (hex drive) (6) Screws, 2.5x10mm cap-head machine (6)	8162 8147 8148 8150 8140 8140X 8140-GRN 8140-GRN 8141 8161 8160X 8160-GRN	Body, GTS shock, long (aluminum, red-anodized) (1) (for use with #8140R TRX-4® Long Arm Lift Kit) Body, GTS shock, long (silver aluminum) (1) (for use with #8140 TRX-4® Long Arm Lift Kit) Cable, T-lock (medium) (for use with TRX-4® Long Arm Lift Kit) Cable, T-lock, extra long (193mm) (for use with TRX-4® Long Arm Lift Kit) Driveshaft extension kit, center (includes internal splined, x-long (2), internal splined, long (1) and internal splined, medium (1)) (for use with TRX-4® Long Arm Lift Kit) Long arm lift kit, TRX-4®, complete Long arm lift kit, TRX-4®, complete (includes blue powder coated links, blue-anodized shocks) Long arm lift kit, TRX-4®, complete (includes green powder coated links, green-anodized shocks) Long arm lift kit, TRX-4®, complete (includes red powder coated links, red-anodized shocks) Rod ends, extended (standard (4), angled (4))/ hollow balls (8) (for use with TRX-4® Long Arm Lift Kit) Servo mount, steering (for use with TRX-4® Long Arm Lift Kit) Shock shaft, 3x57mm (GTS) (2) (includes bump stops) (for use with TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (blue-anodized) (assembled without springs) (4) (for use with #8140X TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (green-anodized) (assembled without springs) (4) (for use with #8140X TRX-4® Long Arm Lift Kit)
4859 5150 8894 8167X 8298 8151 8217 5476X 1747P 3647 8347 1747R 1747R 1747G 1747T 1747A 1985 8221 2523 3229 3236 2618 3215	CS 3x10 flathead (hex drive) E-clips, 1.5mm (24) Hardware kit, black stainless steel, TRX-4® Traxx® (contains all stainless steel hardware used on #8880 TRX-4® Traxx®) Hardware kit, stainless steel, beadlock rings (contains stainless steel hardware for 4 wheels) Hardware kit, stainless steel, TRX-4® (contains all stainless steel hardware used on TRX-4®) Hardware kit, stainless steel, TRX-4® High Lift Kit (contains all stainless steel hardware used on TRX-4®) Hardware kit, TRX-4® (contains all hardware used on TRX-4®) Hex wrenches; 1.5mm, 2mm, 2.5mm, 3mm, 2.5 ball Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4) Nuts, 4mm flanged nylon locking (steel, serrated) (8) Nuts, 4mm flanged nylon locking, serrated (black) (10) Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4) PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings) Screw jn, 3x10mm (6) Screws, 2.5x10 countersunk machine (hex drive) (6) Screws, 2.5x10mm cap-head machine (hex drive) (6) Screws, 2.5x10mm cap-head machine (6) Screws, 2.5x16mm cap-head machine (hex drive) (6)	8162 8147 8148 8150 8140 8140X 8140-GRN 8140-GRN 8141 8161	Body, GTS shock, long (aluminum, red-anodized) (1) (for use with #8140R TRX-4® Long Arm Lift Kit) Body, GTS shock, long (silver aluminum) (1) (for use with #8140 TRX-4® Long Arm Lift Kit) Cable, T-lock (medium) (for use with TRX-4® Long Arm Lift Kit) Cable, T-lock, extra long (193mm) (for use with TRX-4® Long Arm Lift Kit) Driveshaft extension kit, center (includes internal splined, x-long (2), internal splined, long (1) and internal splined, medium (1)) (for use with TRX-4® Long Arm Lift Kit) Long arm lift kit, TRX-4®, complete Long arm lift kit, TRX-4®, complete (includes blue powder coated links, blue-anodized shocks) Long arm lift kit, TRX-4®, complete (includes green powder coated links, green-anodized shocks) Long arm lift kit, TRX-4®, complete (includes red powder coated links, red-anodized shocks) Rod ends, extended (standard (4), angled (4))/ hollow balls (8) (for use with TRX-4® Long Arm Lift Kit) Servo mount, steering (for use with TRX-4® Long Arm Lift Kit) Shock shaft, 3x57mm (GTS) (2) (includes bump stops) (for use with TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (blue-anodized) (assembled without springs) (4) (for use with #8140X TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (green-anodized) (assembled without springs) (4) (for use with #8140 TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (green-anodized) (assembled without
4859 5150 8894 8167X 8298 8151 8217 5476X 1747P 3647 8347 1747R 1747R 1747T 1747A 1985 8221 2523 3229 3229 3226 2618 3215 2524	CS 3x10 flathead (hex drive) E-clips, 1.5mm (24) Hardware kit, black stainless steel, TRX-4® Traxx® (contains all stainless steel hardware used on #8880 TRX-4® Traxx®) Hardware kit, stainless steel, beadlock rings (contains stainless steel hardware for 4 wheels) Hardware kit, stainless steel, TRX-4® (contains all stainless steel hardware used on TRX-4®) Hardware kit, stainless steel, TRX-4® High Lift Kit (contains all stainless steel hardware used on TRX-4®) Hardware kit, TRX-4® (contains all hardware used on TRX-4®) Hex wrenches; 1.5mm, 2mm, 2.5mm, 3mm, 2.5 ball Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4) Nuts, 4mm flanged nylon locking (steel, serrated) (8) Nuts, 4mm flanged, serrated (4mm) (blue-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4) PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings) Screw pin, 3x10mm (6) Screws, 2.5x10 countersunk machine (hex drive) (6) Screws, 2.5x12mm cap-head machine (hex drive) (6) Screws, 2.5x12mm cap-head machine (6) Screws, 2.5x16mm cap-head machine (6) Screws, 2.5x6mm cap-head machine (hex drive) (6) Screws, 2.5x8 countersunk machine (hex drive) (6)	8162 8147 8148 8150 8140 8140X 8140-GRN 8140-GRN 8149 8141 8161 8160X 8160-GRN 8160R	Body, GTS shock, long (aluminum, red-anodized) (1) (for use with #8140R TRX-4® Long Arm Lift Kit) Body, GTS shock, long (silver aluminum) (1) (for use with #8140 TRX-4® Long Arm Lift Kit) Cable, T-lock (medium) (for use with TRX-4® Long Arm Lift Kit) Cable, T-lock, extra long (193mm) (for use with TRX-4® Long Arm Lift Kit) Driveshaft extension kit, center (includes internal splined, x-long (2), internal splined, long (1) and internal splined, medium (1)) (for use with TRX-4® Long Arm Lift Kit) Long arm lift kit, TRX-4®, complete Long arm lift kit, TRX-4®, complete (includes blue powder coated links, blue-anodized shocks) Long arm lift kit, TRX-4®, complete (includes green powder coated links, green-anodized shocks) Long arm lift kit, TRX-4®, complete (includes red powder coated links, red-anodized shocks) Rod ends, extended (standard (4), angled (4))/ hollow balls (8) (for use with TRX-4® Long Arm Lift Kit) Servo mount, steering (for use with TRX-4® Long Arm Lift Kit) Shock shaft, 3x57mm (GTS) (2) (includes bump stops) (for use with TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (blue-anodized) (assembled without springs) (4) (for use with #8140X TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (red-anodized) (assembled without springs) (4) (for use with #8140X TRX-4® Long Arm Lift Kit)
4859 5150 8894 8167X 8298 8151 8217 5476X 1747P 3647 8347 1747R 1747G 1747G 1747A 1985 8221 2523 3229 3236 2618 3215 2524 2617	CS 3x10 flathead (hex drive) E-clips, 1.5mm (24) Hardware kit, black stainless steel, TRX-4® Traxx® (contains all stainless steel hardware used on #8880 TRX-4® Traxx®) Hardware kit, stainless steel, beadlock rings (contains stainless steel hardware for 4 wheels) Hardware kit, stainless steel, TRX-4® (contains all stainless steel hardware used on TRX-4®) Hardware kit, stainless steel, TRX-4® High Lift Kit (contains all stainless steel hardware used on TRX-4®) Hardware kit, TRX-4® (contains all hardware used on TRX-4®) Hex wrenches; 1.5mm, 2mm, 2.5mm, 3mm, 2.5 ball Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4) Nuts, 4mm flanged nylon locking (steel, serrated) (8) Nuts, 4mm flanged nylon locking, serrated (black) (10) Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4) PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings) Screw pin, 3x10mm (6) Screws, 2.5x10mm cap-head machine (hex drive) (6) Screws, 2.5x12mm cap-head machine (hex drive) (6) Screws, 2.5x16mm cap-head machine (hex drive) (6) Screws, 2.5x6mm cap-head machine (hex drive) (6) Screws, 2.5x8 countersunk machine (hex drive) (6) Screws, 2.5x8 countersunk machine (hex drive) (6)	8162 8147 8148 8150 8140 8140X 8140-GRN 8140-GRN 8141 8161 8160X 8160-GRN	Body, GTS shock, long (aluminum, red-anodized) (1) (for use with #8140R TRX-4® Long Arm Lift Kit) Body, GTS shock, long (silver aluminum) (1) (for use with #8140 TRX-4® Long Arm Lift Kit) Cable, T-lock (medium) (for use with TRX-4® Long Arm Lift Kit) Cable, T-lock, extra long (193mm) (for use with TRX-4® Long Arm Lift Kit) Driveshaft extension kit, center (includes internal splined, x-long (2), internal splined, long (1) and internal splined, medium (1)) (for use with TRX-4® Long Arm Lift Kit) Long arm lift kit, TRX-4®, complete Long arm lift kit, TRX-4®, complete (includes blue powder coated links, blue-anodized shocks) Long arm lift kit, TRX-4®, complete (includes green powder coated links, green-anodized shocks) Long arm lift kit, TRX-4®, complete (includes red powder coated links, red-anodized shocks) Rod ends, extended (standard (4), angled (4))/ hollow balls (8) (for use with TRX-4® Long Arm Lift Kit) Servo mount, steering (for use with TRX-4® Long Arm Lift Kit) Shock shaft, 3x57mm (GTS) (2) (includes bump stops) (for use with TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (blue-anodized) (assembled without springs) (4) (for use with #8140 TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (green-anodized) (assembled without springs) (4) (for use with #8140 TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (red-anodized) (assembled without springs) (4) (for use with #8140 TRX-4® Long Arm Lift Kit) Shocks, GTS, silver aluminum (assembled without springs) (4)
4859 5150 8894 8167X 8298 8151 8217 5476X 1747P 3647 8347 1747R 1747R 1747T 1747A 1985 8221 2523 3229 3229 3226 2618 3215 2524	CS 3x10 flathead (hex drive) E-clips, 1.5mm (24) Hardware kit, black stainless steel, TRX-4® Traxx® (contains all stainless steel hardware used on #8880 TRX-4® Traxx®) Hardware kit, stainless steel, beadlock rings (contains stainless steel hardware for 4 wheels) Hardware kit, stainless steel, TRX-4® (contains all stainless steel hardware used on TRX-4®) Hardware kit, stainless steel, TRX-4® High Lift Kit (contains all stainless steel hardware used on TRX-4®) Hardware kit, TRX-4® (contains all hardware used on TRX-4®) Hex wrenches; 1.5mm, 2mm, 2.5mm, 3mm, 2.5 ball Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4) Nuts, 4mm flanged nylon locking (steel, serrated) (8) Nuts, 4mm flanged, serrated (4mm) (blue-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4) PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings) Screw pin, 3x10mm (6) Screws, 2.5x10 countersunk machine (hex drive) (6) Screws, 2.5x12mm cap-head machine (hex drive) (6) Screws, 2.5x12mm cap-head machine (6) Screws, 2.5x16mm cap-head machine (6) Screws, 2.5x6mm cap-head machine (hex drive) (6) Screws, 2.5x8 countersunk machine (hex drive) (6)	8162 8147 8148 8150 8140 8140X 8140-GRN 8140-GRN 8149 8141 8161 8160X 8160-GRN 8160R	Body, GTS shock, long (aluminum, red-anodized) (1) (for use with #8140R TRX-4® Long Arm Lift Kit) Body, GTS shock, long (silver aluminum) (1) (for use with #8140 TRX-4® Long Arm Lift Kit) Cable, T-lock (medium) (for use with TRX-4® Long Arm Lift Kit) Cable, T-lock, extra long (193mm) (for use with TRX-4® Long Arm Lift Kit) Driveshaft extension kit, center (includes internal splined, x-long (2), internal splined, long (1) and internal splined, medium (1)) (for use with TRX-4® Long Arm Lift Kit) Long arm lift kit, TRX-4®, complete Long arm lift kit, TRX-4®, complete (includes blue powder coated links, blue-anodized shocks) Long arm lift kit, TRX-4®, complete (includes green powder coated links, green-anodized shocks) Long arm lift kit, TRX-4®, complete (includes red powder coated links, red-anodized shocks) Rod ends, extended (standard (4), angled (4))/ hollow balls (8) (for use with TRX-4® Long Arm Lift Kit) Servo mount, steering (for use with TRX-4® Long Arm Lift Kit) Shock shaft, 3x57mm (GTS) (2) (includes bump stops) (for use with TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (blue-anodized) (assembled without springs) (4) (for use with #8140X TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (red-anodized) (assembled without springs) (4) (for use with #8140X TRX-4® Long Arm Lift Kit)

Page 5	TRX-4® Equipped with Traxx®: TQ™ 2.4 GHz Radio	(Model 82	2034-4) Parts List
8154	Springs, shock, long (natural finish) (GTS) (0.39 rate, orange stripe) (for use with TRX-4® Long Arm Lift Kit)	2251	Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos)
8155	Springs, shock, long (natural finish) (GTS) (0.47 rate) (included	2271	Servo case/ gaskets (for 2270 waterproof servo)
8156	with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.54 rate, green	2063A 2063R	Servo case/gaskets (for 2065A waterproof sub-micro servo) Servo case/gaskets (for 2065R metal gear, waterproof, sub-micro
8157	stripe) (for use with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.62 rate, blue stripe) (for use with TRX-4® Long Arm Lift Kit)	2063X	servo) Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo)
8146X	Steering link, 5x117mm (1)/ drag link, 5x60mm (1)/ panhard link, 5x63mm (blue powder coated steel) (assembled with hollow	5669	Servo horn (with built-in spring and hardware) (for Summit locking differential)
	balls) (for use with #8140X TRX-4® Long Arm Lift Kit)	2075R	Servo, digital high-speed, metal gear (ball bearing), waterproof
8146R	Steering link, 5x117mm (1)/ drag link, 5x60mm (1)/ panhard link, 5x63mm (red powder coated steel) (assembled with hollow balls) (for use with #8140R TRX-4® Long Arm Lift Kit)	2250	Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn
8144X	Suspension link, front upper, 5x68mm (1) (blue powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit)	2255	recommended for optimal performance) Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal
8144R	Suspension link, front upper, 5x68mm (1) (red powder coated	2270	servo horn recommended for optimal performance) Servo, digital high-torque, metal gear (ball bearing), waterproof
	steel) (assembled with hollow balls) (for use with #8140R TRX-4®	2075X	Servo, digital high-torque, metal gear (ball bearing), waterproof
8144	Long Arm Lift Kit) Suspension link, front upper, 5x68mm (1) (steel) (assembled with	2065A	Servo, sub-micro, waterproof
0144	hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit)	2065R 3025	Servo, sub-micro, waterproof, metal gear XL-5HV 3s Electronic Speed Control, waterproof (low-voltage
8143	Suspension links, front lower (2) (5x104mm, steel) (assembled	3023	detection, fwd/rev/brake)
8143X	with hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit) Suspension links, front lower, blue (2) (5x104mm, powder coated	2261	Y-harness, BEC
01432	steel) (assembled with hollow balls) (for use with #8140X TRX-4®		Pro Scale® Winch & Accessories
	Long Arm Lift Kit)	8866	Bumper, front, winch, TRX-4® Sport (includes bumper mount, D-
8143R	Suspension links, front lower, red (2) (5x104mm, powder coated steel) (assembled with hollow balls) (for use with #8140R TRX-4®	1	Rings, fairlead, hardware) (fits TRX-4® Sport with 8855 winch)
	Long Arm Lift Kit)	8859	(191mm wide) Fairlead, winch
8145	Suspension links, rear lower (2) (5x115mm, steel) (assembled	8870X	Fairlead, winch, aluminum (blue-anodized) (use with front
8145X	with hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit)		bumpers #8865, 8866, 8867, 8869, or 9224)
01437	Suspension links, rear lower, blue (2) (5x115mm, powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4®	8870A	Fairlead, winch, aluminum (gray-anodized) (use with front bumpers #8865, 8866, 8867, 8869, or 9224)
	Long Arm Lift Kit)	8870G	Fairlead, winch, aluminum (green-anodized) (use with front
8145R	Suspension links, rear lower, red (2) (5x115mm, powder coated steel) (assembled with hollow balls) (for use with #8140R TRX-4®		bumpers #8865, 8866, 8867, 8869, or 9224)
	Long Arm Lift Kit)	8870T	Fairlead, winch, aluminum (orange-anodized) (use with front bumpers #8865, 8866, 8867, 8869, or 9224)
8142	Suspension links, rear upper (2) (5x115mm, steel) (assembled	8870R	Fairlead, winch, aluminum (red-anodized) (use with front
94.42D	with hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit)		bumpers #8865, 8866, 8867, 8869, or 9224)
8142R	Suspension links, rear upper, red (2) (5x115mm, powder coated steel) (assembled with hollow balls) (for use with #8140R TRX-4®	8862 8863	Gearmotor, winch
	Long Arm Lift Kit)	8858	Hook, winch (steel)/ line retainer/ washer Housings (front & rear), winch/ decal
8172	Tires & wheels, assembled (Method Race Wheels® 105 Beadlock	8864X	Line, winch (blue)
	2.2" black chrome beadlock wheels, Canyon Trail 5.3x2.2" tires, foam inserts) (1 left, 1 right)	8864	Line, winch (gray)
8181-BLUE	Tires & wheels, assembled, glued (TRX-4® Sport 2.2" gray, blue	8864R 8860	Line, winch (red) Spool shaft assembly, winch
8181-GRN	beadlock style wheels, Canyon Trail 5.3x2.2" tires) (2) Tires & wheels, assembled, glued (TRX-4® Sport 2.2" gray, green	9964	Spool, winch
OTOT-GRN	beadlock style wheels, Canyon Trail 5.3x2.2" tires) (2)	8855	Winch kit with wireless controller, TRX-4® and TRX-6®
8181-RED	Tires & wheels, assembled, glued (TRX-4® Sport 2.2" gray, red	8856	Winch, TRX-4® and TRX-6® (requires #8857 wireless remote)
0404	beadlock style wheels, Canyon Trail 5.3x2.2" tires) (2)	8857	Wireless remote, winch, TRX-4® and TRX-6®
8181	Tires & wheels, assembled, glued (TRX-4® Sport 2.2" wheels, Canyon Trail 5.3x2.2" tires) (2)	*****	Radio System, Batteries & Chargers
8170	Tires, Canyon Trail 5.3x2.2"/ foam inserts (2)	2823X 2820X	1400mah 11.1v 3-Cell 25C LiPo Battery 2200mah 7.4v 2-Cell 25C LiPo Battery
8171	Wheels, 2.2", Method Race Wheels® 105 Beadlock (black	2827X	3000mah 7.4v 2-Cell LiPo Battery
8171A	chrome, beadlock) (beadlock rings sold separately) Wheels, 2.2", Method Race Wheels® 105 Beadlock (charcoal	2849X	4000mah 11.1v 3-Cell 25C LiPo Battery
•	gray, beadlock) (beadlock rings sold separately)	2872X	5000mah 11.1v 3-Cell 25C LiPo Battery
8180	Wheels, TRX-4® Sport 2.2 (2)	2842X 2843X	5000mah 7.4v 2-Cell 25C LiPo Battery 5800mah 7.4v 2-Cell 25C LiPo Battery
8180-BLUE 8180-GRN	Wheels, TRX-4® Sport 2.2 (gray, blue beadlock style) (2) Wheels, TRX-4® Sport 2.2 (gray, green beadlock style) (2)	2869X	7600mah 7.4v 2-Cell 25C LiPo Battery
8180-RED	Wheels, TRX-4® Sport 2.2 (gray, green beadlock style) (2)	2914	AA 4PK
	Motors & Electronics	2976	AC to DC adapter
1926	Antenna caps, vinyl (2)/ antenna spool	2938X	Adapter, Traxxas® iD® LiPo battery (adapts Traxxas® iD® batteries to separate balance ports)
1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)	1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
2262	BEC, complete (12.6 volts (3s LiPo) maximum input voltage)	2943	Battery charge indicators, green (4), grey (4), blue (4)
2064A	(includes receiver box cover and seals) Gear set (for 2065A waterproof sub-micro servo)	6548	Battery door, TQ 2.4 transmitter (replacement for #6516, 6517 transmitter)
2064R	Gear set, metal (for 2065R waterproof sub-micro servo)	8222	Battery strap (for use with 2200mAh 2-cell and 1400mAh 3-cell
2072X	Gear set, metal (for 2070, 2075 servos)		LiPo batteries)
2252	Gear set, metal (for 2250, 2255 servos)	2923X 2940X	Battery, Power Cell, 3000mAh (NiMH, 7-C flat, 8.4V)
2272 2072R	Gear set, metal (for 2270 waterproof servo) Gear set, metal, high-speed (for 2070, 2075 servos)	2940X 2950X	Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C flat, 8.4V) Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C flat, 8.4V)
8290X	Motor mount plate, 6061-T6 aluminum (blue-anodized)	2960X	Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V)
8290A	Motor mount plate, 6061-T6 aluminum (charcoal gray-anodized)	2983	Battery/charger completer pack (includes #2969 2-amp NiMH
8290G	Motor mount plate, 6061-T6 aluminum (green-anodized)		peak detecting AC charger (1), #2923X 3000mAh 8.4V 7-cell NiMH iD® battery (1))
8290R 3975R	Motor mount plate, 6061-T6 aluminum (red-anodized) Motor, Titan 550, reverse rotation (21-turns/ 14 volts) (1)	2992	Battery/charger completer pack (includes #2970 iD® charger (1),
8290	Plate, motor/ upper spur gear cover	2004	#2843X 5800mAh 7.4V 2-cell 25C LiPo iD® battery (1))
2254	Servo case, aluminum (middle) (blue-anodized) (for 2250 servo)	2994	Battery/charger completer pack (includes #2970 iD® charger (1), #2849X 4000mAh 11.1v 3-Cell 25C LiPo iD® battery (1))
2253	Servo case, aluminum (middle) (red-anodized) (for 2255 servo)		· · · · · · · · · · · · · · · · · · ·

Page 6 TRX-4® Equipped with Traxx®: TQ™ 2.4 GHz Radio (Model 82034-4) Parts Lis	Page 6	TRX-4® Equipped with	Traxx®: TQ™	2.4 GHz Radio	(Model 82034-4)) Parts List
---	--------	----------------------	-------------	---------------	-----------------	--------------

(1), #2869X 7600mAh 7.4V 2-cell 25C LiPo iD® Battery (2)) Battery/charger completer pack (includes #2985 charger (1), #2827X 3000mAh 7.4V 2-cell 20C LiPo iD® Battery (1)) BEC, complete (12.6 volts (3s LiPo) maximum input voltage) (includes receiver box cover and seals) Charger, D/C, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH) Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery	82034-4 8120X	TRX-4® with Deep-Terrain Traxx®: 4WD Electric Truck with TQ™ 2.4GHz Radio System Seal® Details
BEC, complete (12.6 volts (3s LiPo) maximum input voltage) (includes receiver box cover and seals) Charger, D/C, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH)	8120X	Scale Details
(includes receiver box cover and seals) Charger, D/C, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH)	8120X	
	01201	
		Expedition rack, complete (includes traction boards, shovel, axe, jaci fire extinguisher, fuel cans, & mounting hardware) (fits #8111 or #8111R body)
Identification	8422-BLK	Fire extinguisher, black (2)
Charger, EZ-Peak Live Dual, 200W, NiMH/LiPo with iD Auto	8422	Fire extinguisher, red (2)
Battery Identification	8022T	Fuel canisters (black) (2)/ screw pin
Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery Identification	8022R	Fuel canisters (blue) (2)/ screw pin
Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto		Fuel canisters (green) (2)/ screw pin
Battery Identification		Fuel canisters (red) (2)/ screw pin Fuel canisters (white) (2)/ screw pin
	8022A	Fuel canisters (yellow) (2)/ screw pin
	8023	Jack (1)/ 2x8 BCS (1)
Cover plate, Traxxas® Link Bluetooth® module		Jack (black) (1)/ 2x8 BCS (1)
Data link, telemetry expander (connects #6550X telemetry		Shovel/ axe (black)/ accessory mount/ mounting hardware
expander 2.0 to the #6590 high-voltage power amplifier)		Shovel/ axe/ accessory mount/ mounting hardware Traction boards, blue/ mounting hardware
•		Traction boards, green/ mounting hardware
	8121A	Traction boards, yellow/ mounting hardware
	8121	Traction boards/ mounting hardware
Gear set, metal (for 2065R waterproof sub-micro servo)		Shock Oil
Gear set, metal (for 2070, 2075 servos)	5031	Oil, shock (20 wt, 200 cSt, 60cc) (silicone)
Gear set, metal (for 2250, 2255 servos)	5032	Oil, shock (30 wt, 350 cSt, 60cc) (silicone)
Gear set, metal (for 2270 waterproof servo)	5033	Oil, shock (40 wt, 500 cSt, 60cc) (silicone)
	5034	Oil, shock (50 wt, 600 cSt, 60cc) (silicone)
	5035	Oil, shock (60 wt, 700 cSt, 60cc) (silicone)
•	5036	Oil, shock (70 wt, 900 cSt, 60cc) (silicone)
Traxxas® iD® batteries)		Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone)
Mount, telemetry expander		Shock oil bottle (60cc) (for mixing shock oil)
Mount, temperature sensor (electric motors)/ wire tie/ thermal	5038X	Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, 8 80 wt premium shock oils with spinning carousel rack)
·	5038	Spinning carousel rack
· · · · · · · · · · · · · · · · · · ·		Shocks (GTR)
	7066	
grease)	7065	Body, GTR shock (molded composite) (2) Caps and spring retainers, GTR shock (upper cap (2)/ hollow balls
Sensor, auto-detectable, temperature		(4)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2)
· · · · · · · · · · · · · · · · · · ·	7028	Hollow balls (20)
		Piston, damper (2x0.5mm hole, red) (4)/ travel limiters (4)
	7062	Rebuild kit, GTR composite shocks (x-rings, bladders, pistons, e- clips, shock rod ends, hollow balls) (renews 2 shocks)
	7063	Shaft, GTR shock (2)
2250, 2255 servos)	7063T	Shaft, GTR shock (TiN-coated) (4)
	8885	Shock mounts (frame, left (2), frame, right (2))/ portal mounts (1 eac
• • • • • • • • • • • • • • • • • • • •		front (left & right), rear (left & right))
Servo case/gaskets (for 2065R metal gear, waterproof, sub-micro servo)	7061	Shocks, GTR composite, 1/16 E-Revo/Slash (assembled, without springs) (2)
• • • • • • • • • • • • • • • • • • • •	7061X	Shocks, GTR hard anodized, PTFE-coated bodies with TiN shaft
•	7145	(fully assembled, without springs) (4) Spring, shock (GTR) (1.76 rate, orange) (1 pair)
		Spring, shock (GTR) (1.76 rate, orange) (1 pair)
waterproof (#2262 external BEC and #8247X metal servo horn	7147	Spring, shock (GTR) (2.06 rate, tan) (1 pair)
recommended for optimal performance)	7148	Spring, shock (GTR) (2.22 rate, black) (1 pair)
		Shocks (GTS)
	8266A	Body, GTS shock (aluminum, blue-anodized) (1)
Servo, digital high-torque, metal gear (ball bearing), waterproof	8266G	Body, GTS shock (aluminum, green-anodized) (1)
Servo, digital high-torque, metal gear (ball bearing), waterproof	8266R	Body, GTS shock (aluminum, red-anodized) (1)
Servo, sub-micro, waterproof	8266	Body, GTS shock (aluminum, silver-anodized) (1)
Servo, sub-micro, waterproof, metal gear	8266X	Body, GTS shock (hard-anodized, PTFE-coated aluminum) (1)
	8264	Caps & spring retainers, GTS shocks (upper cap (2)/ hollow balls (4
	8274	bottom cap (2)/ upper retainer (2)/ lower retainer (2)) Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated)
Telemetry GPS module 2.0, TQi radio system (for use only with	5475	Multi-tool (plastic)
#6550X telemetry expander)	8261	Piston, damper (red) (4)/ e-clips (8)
	8262	Rebuild kit, TRX-4® shocks (x-rings, o-rings, pistons, bushings e clips, rod ends, and travel limiters)
	8263	Shock shaft, 3x47mm (GTS) (2)
Link Bluetooth® module, TSM® (4-ch transmitter, 5-ch micro	8263T	Shock shaft, 3x47mm (GTS) (titanium nitride-coated) (2)
receiver)	8260X	Shocks, GTS hard-anodized, PTFE-coated aluminum bodies wit
Transmitter, TQ 2.4GHz, 2-channel (transmitter only)		TiN shafts (assembled with spring retainers) (2)
Toronomitton TO: Toronomical links and the Colon Links at the Colon Li	0000	
Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 4-channel (transmitter only)	8260A	Shocks, GTS, blue-anodized (assembled with spring retainers)
Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 4- channel (transmitter only) Traxxas® Link Bluetooth® module		(2)
channel (transmitter only)	8260A 8260G	
	Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto Battery Identification Charger, EZ-Peak®, USB-C, 40W, NiMH/LiPo with iD® Auto Battery Identification Communication link, telemetry expander Cover plate, Traxxas® Link Bluetooth® module Data link, telemetry expander (connects #6550X telemetry expander 2.0 to the #6590 high-voltage power amplifier) EZ-Peak Live 12-amp NiMH/LiPo Fast Charger with iD® Auto Battery Identification and Bluetooth® Fuse, D/C charger, 5A (2) (for #2974, 2975, 2977) Gear set (for 2065A waterproof sub-micro servo) Gear set, metal (for 2065R waterproof sub-micro servo) Gear set, metal (for 2070, 2075 servos) Gear set, metal (for 2270 waterproof servo) Gear set, metal (for 2270 waterproof servo) Gear set, metal, high-speed (for 2070, 2075 servos) LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries) LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries) Mount, telemetry expander Mount, temperature sensor (electric motors)/ wire tie/ thermal pad Receiver, micro, TQ 2.4GHz (3-channel) Receiver, micro, TQ 2.4GHz (3-channel) Receiver, micro, TQ 2.4GHz (includes o-ring, seals, and silicone grease) Sensor, auto-detectable, temperature Sensor, auto-detectable, voltage Sensor, auto-detectable, voltage Sensor, auto-detectable, voltage Sensor, auto-detectable, voltage Sensor, emperature and voltage (long) Servo case, aluminum (middle) (blue-anodized) (for 2250 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo case/gaskets (for 2065A waterproof sub-micro servo) Servo case/gaskets (for 2065A waterproof sub-micro, sub-micro, waterproof, #2262 external BEC and #8247X metal servo horn recommended for optimal performance) Servo, digital high-torque, metal gear (ball bearing), waterproof Servo, digital high-torque, me	Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto Battery Identification Charger, EZ-Peak®, USB-C, 40W, NiMH/LiPo with iD® Auto Battery Identification Communication link, telemetry expander Cover plate, Traxxas® Link Bluetooth® module Data link, telemetry expander (connects #5550X telemetry expander 2.0 to the #5590 high-voltage power amplifier) EZ-Peak Live 12-amp NiMH/LiPo Fast Charger with iD® Auto Battery Identification and Bluetooth® Fuse, D/C charger, 5A (2) (for #2974, 2975, 2977) Gear set, fire fill for 2056S waterproof sub-micro servo) Gear set, metal (for 2056S waterproof sub-micro servo) Gear set, metal (for 2055S waterproof sub-micro servo) Gear set, metal (for 2270 waterproof servo) Gear set, metal, high-speed (for 2070, 2075 servos) Gear set, metal, high-speed (for 2070, 2075 servos) LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries) Mount, telpmetry expander Mount, temperature sensor (electric motors)/ wire tie/ thermal pad Receiver, micro, TQ 2.4GHz (3-channel) Seal kit, expander box (includes o-ring, seals, and silicone grease) Sensor, auto-detectable, voltage Sensor, case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo case/gaskets (for 2065A waterproof sub-micro servo) Servo case/gaskets (for 2065R metal gear, waterproof, sub-micro servo) Servo case/gaskets (for 2065R metal gear, waterproof, sub-micro servo) Servo case/gaskets (for 2065R metal gear, waterproof, sub-micro servo) Servo, digital high-torque, metal gear (ball bearing), waterproof Servo, digital high-t

	Slipper Clutch Components	8274	Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated)
3292	Input shaft/ output shaft (transmission)	5355	Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer
3286	Output shafts (transfer case), front & rear	8275	adjustment shims; 3.5mm (2), 1.17mm (2) Rod end set, complete (standard (10), angled 10-degrees (8), offs
3254	Rebuild kit, slipper clutch (steel disc (2)/ friction insert (2)/ 4.0mm NL	0273	(4))
	(1)/ spring washers (2))	8276	Rod ends (10)
249	Slipper eliminator plate	8277	Rod ends, angled 10-degrees (8)
	Springs	2742	Rod ends, long (6)/ hollow ball connectors (6)
041	Springs, shock (GTS) (front) (0.45 rate) (2)	8278	Rod ends, offset (4)
3040	Springs, shock (GTS) (rear) (0.54 rate) (2)	5529	Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow ball
042	Springs, shock (natural finish) (GTS) (0.22 rate, yellow stripe) (2)	00.40	captured (4)
3043	Springs, shock (natural finish) (GTS) (0.30 rate, white stripe) (2)	8243	Suspension link, front, 5x100mm (lower) (steel) (2)
8044	Springs, shock (natural finish) (GTS) (0.39 rate, orange stripe) (2)	8244	Suspension link, front, 5x63mm (upper) (steel) (2)
045	Springs, shock (natural finish) (GTS) (0.61 rate, blue stripe) (2)	8248 8245	Suspension link, rear, 5x109mm (upper or lower) (steel) (2)
	Spur Gears & Pinion Gears	0245	Suspension link, rear, 5x121mm (upper or lower) (steel) (2)
746	Gear, 10-T pinion (32-p) (steel) (fits 3mm shaft)/ set screw		Team Traxxas Items
747	Gear, 11-T pinion (32-p) (steel) (fits 3mm shaft)/ set screw	9916	Backpack, RC car carrier, 12" x 12" x 24" (fits TRX-4 & similar
942X	Gear, 12-T pinion (32-p), heavy duty (machined, hardened steel)	2514	Decal sheet, racing sponsors
	(fits 3mm shaft)/ set screw	9917	Duffel bag, medium, 30" x 12" x 12" (fits 1/10 Slash®, TRX-4®
943X	Gear, 13-T pinion (32-p), heavy duty (machined, hardened steel)	9950	similar) Official Team Traxxas® racing decal set(flag logo/ 6-color)
	(fits 3mm shaft)/ set screw	9909	Traxxas® racing banner, red & black (3x7 feet)
944X	Gear, 14-T pinion (32-p), heavy duty (machined, hardened steel)	3303	
04EV	(fits 3mm shaft)/ set screw		Tires & Wheels
945X	Gear, 15-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw	8169T	Beadlock rings, black (1.9") (aluminum) (4)/ 2x10 CS (48)
946X	Gear, 16-T pinion (32-p), heavy duty (machined, hardened steel)	8168T	Beadlock rings, black (2.2") (aluminum) (4)/ 2x10 CS (48)
J-10/	(fits 3mm shaft)/ set screw	8169X	Beadlock rings, blue (1.9") (aluminum) (4)/ 2x10 CS (48)
947X	Gear, 17-T pinion (32-p), heavy duty (machined, hardened steel)	8168X	Beadlock rings, blue (2.2") (aluminum) (4)/ 2x10 CS (48)
	(fits 3mm shaft)/ set screw	8168G	Beadlock rings, green (2.2") (aluminum) (4)/ 2x10 CS (48)
948X	Gear, 18-T pinion (32-p), heavy duty (machined, hardened steel)	8169R 8168R	Beadlock rings, red (1.9") (aluminum) (4)/ 2x10 CS (48)
	(fits 3mm shaft)/ set screw	8169	Beadlock rings, red (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (1.9") (aluminum) (4)/ 2x10 CS (48)
949X	Gear, 19-T pinion (32-p), heavy duty (machined, hardened steel)	8168	Beadlock rings, satin (1.9) (aluminum) (4)/ 2x10 CS (48)
0507	(fits 3mm shaft)/ set screw	8176	Center caps, wheel (chrome) (4)/ decal sheet (requires #8255
950X	Gear, 20-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw	00	extended thread stub axle)
951X	Gear, 21-T pinion (32-p), heavy duty (machined, hardened steel)	1747P	Nuts, 4mm flanged nylon locking (aluminum, pink anodized)
30 IX	(fits 3mm shaft)/ set screw	1747R	Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)
952X	Gear, 22-T pinion (32-p), heavy duty (machined, hardened steel)	1747G	Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4
	(fits 3mm shaft)/ set screw	1747T	Nuts, aluminum, flanged, serrated (4mm) (orange-anodized)
745	Gear, 9-T pinion (32-p) (steel) (fits 3mm shaft)/ set screw	1747A	Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)
052	Spur gear, 39-tooth (32-pitch)	8174	Tires & wheels, assembled (Method Race Wheels® 105 Bead
053	Spur gear, 45-tooth (32-pitch)		1.9" black chrome beadlock wheels, Canyon Trail 4.6x1.9" tir
	Steering Components	8182	foam inserts) (1 left, 1 right) Tires & wheels, assembled (Method Race Wheels® 105 Bead
232	Caster blocks (portal drive), left & right	0102	1.9" satin black chrome, blue beadlock style wheels, Canyon
232X	Caster blocks, 6061-T6 aluminum (blue-anodized), left and right		Trail 4.6x1.9" tires, foam inserts) (1 left, 1 right)
232A	Caster blocks, 6061-T6 aluminum (charcoal gray-anodized), left	8177	Tires & wheels, assembled, glued (1.9" chrome wheels, Cany
	and right		Trail 4.6x1.9" tires) (2)/ center caps (2)/ decal sheet (requires
232G			rian 4.0x1.3 thes) (2) center caps (2) decar sheet (requires
2020	Caster blocks, 6061-T6 aluminum (green-anodized), left and right		#8255A extended thread stub axle)
232R	Caster blocks, 6061-T6 aluminum (red-anodized), left and right		#8255A extended thread stub axle) Tires & wheels, assembled, glued (1.9" chrome wheels, Cany
232R 072X	Caster blocks, 6061-T6 aluminum (red-anodized), left and right Gear set, metal (for 2070, 2075 servos)		#8255A extended thread stub axle) Tires & wheels, assembled, glued (1.9" chrome wheels, Cany Trail 4.6x1.9" tires) (2)/ center caps (2)/ decal sheet (requires
232R 072X 072R	Caster blocks, 6061-T6 aluminum (red-anodized), left and right Gear set, metal (for 2070, 2075 servos) Gear set, metal, high-speed (for 2070, 2075 servos)	8166	#8255A extended thread stub axle) Tires & wheels, assembled, glued (1.9" chrome wheels, Cany Trail 4.6x1.9" tires) (2)/ center caps (2)/ decal sheet (requires #8255A extended thread stub axle)
232R 072X 072R 274	Caster blocks, 6061-T6 aluminum (red-anodized), left and right Gear set, metal (for 2070, 2075 servos) Gear set, metal, high-speed (for 2070, 2075 servos) Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated)		#8255A extended thread stub axle) Tires & wheels, assembled, glued (1.9" chrome wheels, Cany Trail 4.6x1.9" tires) (2)/ center caps (2)/ decal sheet (requires #8255A extended thread stub axle) Tires & wheels, assembled, glued (1.9" chrome wheels, Cany
232R 072X 072R 274	Caster blocks, 6061-T6 aluminum (red-anodized), left and right Gear set, metal (for 2070, 2075 servos) Gear set, metal, high-speed (for 2070, 2075 servos) Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated) Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer	8166	#8255A extended thread stub axle) Tires & wheels, assembled, glued (1.9" chrome wheels, Cany Trail 4.6x1.9" tires) (2)/ center caps (2)/ decal sheet (requires #8255A extended thread stub axle) Tires & wheels, assembled, glued (1.9" chrome wheels, Cany Trail 4.6x1.9" tires) (4)/ center caps (4)/ decal sheet (requires
232R 072X 072R 274 355	Caster blocks, 6061-T6 aluminum (red-anodized), left and right Gear set, metal (for 2070, 2075 servos) Gear set, metal, high-speed (for 2070, 2075 servos) Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated) Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2)	8166X	#8255A extended thread stub axle) Tires & wheels, assembled, glued (1.9" chrome wheels, Cany Trail 4.6x1.9" tires) (2)/ center caps (2)/ decal sheet (requires #8255A extended thread stub axle) Tires & wheels, assembled, glued (1.9" chrome wheels, Cany Trail 4.6x1.9" tires) (4)/ center caps (4)/ decal sheet (requires #8255A extended thread stub axle)
232R 072X 072R 274 355	Caster blocks, 6061-T6 aluminum (red-anodized), left and right Gear set, metal (for 2070, 2075 servos) Gear set, metal, high-speed (for 2070, 2075 servos) Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated) Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2) Rod end set, complete (standard (10), angled 10-degrees (8), offset	8166	#8255A extended thread stub axle) Tires & wheels, assembled, glued (1.9" chrome wheels, Cany Trail 4.6x1.9" tires) (2)/ center caps (2)/ decal sheet (requires #8255A extended thread stub axle) Tires & wheels, assembled, glued (1.9" chrome wheels, Cany Trail 4.6x1.9" tires) (4)/ center caps (4)/ decal sheet (requires #8255A extended thread stub axle)
232R 072X 072R 274 355	Caster blocks, 6061-T6 aluminum (red-anodized), left and right Gear set, metal (for 2070, 2075 servos) Gear set, metal, high-speed (for 2070, 2075 servos) Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated) Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2) Rod end set, complete (standard (10), angled 10-degrees (8), offset (4))	8166X	#8255A extended thread stub axle) Tires & wheels, assembled, glued (1.9" chrome wheels, Cany Trail 4.6x1.9" tires) (2)/ center caps (2)/ decal sheet (requires #8255A extended thread stub axle) Tires & wheels, assembled, glued (1.9" chrome wheels, Cany Trail 4.6x1.9" tires) (4)/ center caps (4)/ decal sheet (requires #8255A extended thread stub axle) Tires & wheels, assembled, glued (1.9" classic chrome wheel
232R 072X 072R 274 855 275	Caster blocks, 6061-T6 aluminum (red-anodized), left and right Gear set, metal (for 2070, 2075 servos) Gear set, metal, high-speed (for 2070, 2075 servos) Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated) Hollow ball, tall centered (2) tall offset hollow ball (2) bump steer adjustment shims; 3.5mm (2), 1.17mm (2) Rod end set, complete (standard (10), angled 10-degrees (8), offset (4)) Rod ends (10)	8166X	#8255A extended thread stub axle) Tires & wheels, assembled, glued (1.9" chrome wheels, Cany Trail 4.6x1.9" tires) (2)/ center caps (2)/ decal sheet (requires #8255A extended thread stub axle) Tires & wheels, assembled, glued (1.9" chrome wheels, Cany Trail 4.6x1.9" tires) (4)/ center caps (4)/ decal sheet (requires #8255A extended thread stub axle) Tires & wheels, assembled, glued (1.9" classic chrome whee Canyon Trail 4.6x1.9" tires) (4)/ center caps (4)/ decal sheet (requires #8255A extended thread stub axle) Tires & wheels, assembled, glued (Tactical 1.9" wheels, Cany
232R 072X 072R 274 355 275 276 277	Caster blocks, 6061-T6 aluminum (red-anodized), left and right Gear set, metal (for 2070, 2075 servos) Gear set, metal, high-speed (for 2070, 2075 servos) Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated) Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2) Rod end set, complete (standard (10), angled 10-degrees (8), offset (4)) Rod ends (10) Rod ends, angled 10-degrees (8)	8166X 8166X 8183X 8273	#8255A extended thread stub axle) Tires & wheels, assembled, glued (1.9" chrome wheels, Cany Trail 4.6x1.9" tires) (2)/ center caps (2)/ decal sheet (requires #8255A extended thread stub axle) Tires & wheels, assembled, glued (1.9" chrome wheels, Cany Trail 4.6x1.9" tires) (4)/ center caps (4)/ decal sheet (requires #8255A extended thread stub axle) Tires & wheels, assembled, glued (1.9" classic chrome whee Canyon Trail 4.6x1.9" tires) (4)/ center caps (4)/ decal sheet (requires #8255A extended thread stub axle) Tires & wheels, assembled, glued (Tactical 1.9" wheels, Cany Trail 4.6x1.9" tires) (2)
232R 072X 072R 274 855 275 276 277	Caster blocks, 6061-T6 aluminum (red-anodized), left and right Gear set, metal (for 2070, 2075 servos) Gear set, metal, high-speed (for 2070, 2075 servos) Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated) Hollow ball, tall centered (2) tall offset hollow ball (2) bump steer adjustment shims; 3.5mm (2), 1.17mm (2) Rod end set, complete (standard (10), angled 10-degrees (8), offset (4)) Rod ends (10)	8166X 8183X	#8255A extended thread stub axle) Tires & wheels, assembled, glued (1.9" chrome wheels, Cany Trail 4.6x1.9" tires) (2)/ center caps (2)/ decal sheet (requires #8255A extended thread stub axle) Tires & wheels, assembled, glued (1.9" chrome wheels, Cany Trail 4.6x1.9" tires) (4)/ center caps (4)/ decal sheet (requires #8255A extended thread stub axle) Tires & wheels, assembled, glued (1.9" classic chrome whee Canyon Trail 4.6x1.9" tires) (4)/ center caps (4)/ decal sheet (requires #8255A extended thread stub axle) Tires & wheels, assembled, glued (Tactical 1.9" wheels, Cany Trail 4.6x1.9" tires) (2) Tires & wheels, assembled, glued (TRX-4® 1.9" satin beadloo
232R 072X 072R 274 355 275 276 277 742 278	Caster blocks, 6061-T6 aluminum (red-anodized), left and right Gear set, metal (for 2070, 2075 servos) Gear set, metal, high-speed (for 2070, 2075 servos) Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated) Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2) Rod end set, complete (standard (10), angled 10-degrees (8), offset (4)) Rod ends (10) Rod ends, angled 10-degrees (8) Rod ends, long (6)/ hollow ball connectors (6)	8166X 8166X 8183X 8273 8272X	#8255A extended thread stub axle) Tires & wheels, assembled, glued (1.9" chrome wheels, Cany Trail 4.6x1.9" tires) (2)/ center caps (2)/ decal sheet (requires #8255A extended thread stub axle) Tires & wheels, assembled, glued (1.9" chrome wheels, Cany Trail 4.6x1.9" tires) (4)/ center caps (4)/ decal sheet (requires #8255A extended thread stub axle) Tires & wheels, assembled, glued (1.9" classic chrome whee Canyon Trail 4.6x1.9" tires) (4)/ center caps (4)/ decal sheet (requires #8255A extended thread stub axle) Tires & wheels, assembled, glued (Tactical 1.9" wheels, Cany Trail 4.6x1.9" tires) (2) Tires & wheels, assembled, glued (TRX-4® 1.9" satin beadlog wheels, Canyon Trail 4.6x1.9" tires) (2)
232R 072X 072R 274 355 275 276 277 742 278 247X	Caster blocks, 6061-T6 aluminum (red-anodized), left and right Gear set, metal (for 2070, 2075 servos) Gear set, metal, high-speed (for 2070, 2075 servos) Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated) Hollow ball, tall centered (2) tall offset hollow ball (2) bump steer adjustment shims; 3.5mm (2), 1.17mm (2) Rod end set, complete (standard (10), angled 10-degrees (8), offset (4)) Rod ends (10) Rod ends, angled 10-degrees (8) Rod ends, long (6)/ hollow ball connectors (6) Rod ends, offset (4) Servo horn, steering, metal/ 3x14 BCS (1) Servo, digital high-speed, metal gear (ball bearing), waterproof	8166X 8166X 8183X 8273 8272X 8272	#8255A extended thread stub axle) Tires & wheels, assembled, glued (1.9" chrome wheels, Cany Trail 4.6x1.9" tires) (2)/ center caps (2)/ decal sheet (requires #8255A extended thread stub axle) Tires & wheels, assembled, glued (1.9" chrome wheels, Cany Trail 4.6x1.9" tires) (4)/ center caps (4)/ decal sheet (requires #8255A extended thread stub axle) Tires & wheels, assembled, glued (1.9" classic chrome whee Canyon Trail 4.6x1.9" tires) (4)/ center caps (4)/ decal sheet (requires #8255A extended thread stub axle) Tires & wheels, assembled, glued (Tactical 1.9" wheels, Cany Trail 4.6x1.9" tires) (2) Tires & wheels, assembled, glued (TRX-4® 1.9" satin beadlook wheels, Canyon Trail 4.6x1.9" tires) (2) Tires & wheels, assembled, glued (TRX-4® 1.9" wheels, Canyon Trail 4.6x1.9" tires) (2)
232R 072X 072R 274 355 275 276 277 742 278 247X 075R	Caster blocks, 6061-T6 aluminum (red-anodized), left and right Gear set, metal (for 2070, 2075 servos) Gear set, metal, high-speed (for 2070, 2075 servos) Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated) Hollow ball, tall centered (2) tall offset hollow ball (2) bump steer adjustment shims; 3.5mm (2), 1.17mm (2) Rod end set, complete (standard (10), angled 10-degrees (8), offset (4)) Rod ends (10) Rod ends, angled 10-degrees (8) Rod ends, long (6)/ hollow ball connectors (6) Rod ends, offset (4) Servo horn, steering, metal/ 3x14 BCS (1) Servo, digital high-speed, metal gear (ball bearing), waterproof	8166X 8166X 8183X 8273 8272X 8272	#8255A extended thread stub axle) Tires & wheels, assembled, glued (1.9" chrome wheels, Cany Trail 4.6x1.9" tires) (2)/ center caps (2)/ decal sheet (requires #8255A extended thread stub axle) Tires & wheels, assembled, glued (1.9" chrome wheels, Cany Trail 4.6x1.9" tires) (4)/ center caps (4)/ decal sheet (requires #8255A extended thread stub axle) Tires & wheels, assembled, glued (1.9" classic chrome whee Canyon Trail 4.6x1.9" tires) (4)/ center caps (4)/ decal sheet (requires #8255A extended thread stub axle) Tires & wheels, assembled, glued (Tactical 1.9" wheels, Cany Trail 4.6x1.9" tires) (2) Tires & wheels, assembled, glued (TRX-4® 1.9" satin beadloo wheels, Canyon Trail 4.6x1.9" tires) (2) Tires & wheels, assembled, glued (TRX-4® 1.9" wheels, Cany Trail 4.6x1.9" tires) (2)
232R 072X 072R 274 355 275 276 277 742 278 247X 075R 250	Caster blocks, 6061-T6 aluminum (red-anodized), left and right Gear set, metal (for 2070, 2075 servos) Gear set, metal, high-speed (for 2070, 2075 servos) Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated) Hollow ball, tall centered (2) tall offset hollow ball (2) bump steer adjustment shims; 3.5mm (2), 1.17mm (2) Rod end set, complete (standard (10), angled 10-degrees (8), offset (4)) Rod ends (10) Rod ends, angled 10-degrees (8) Rod ends, long (6)/ hollow ball connectors (6) Rod ends, offset (4) Servo horn, steering, metal/ 3x14 BCS (1) Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof	8166X 8166X 8183X 8273 8272X 8272	#8255A extended thread stub axle) Tires & wheels, assembled, glued (1.9" chrome wheels, Cany Trail 4.6x1.9" tires) (2)/ center caps (2)/ decal sheet (requires #8255A extended thread stub axle) Tires & wheels, assembled, glued (1.9" chrome wheels, Cany Trail 4.6x1.9" tires) (4)/ center caps (4)/ decal sheet (requires #8255A extended thread stub axle) Tires & wheels, assembled, glued (1.9" classic chrome whee Canyon Trail 4.6x1.9" tires) (4)/ center caps (4)/ decal sheet (requires #8255A extended thread stub axle) Tires & wheels, assembled, glued (Tactical 1.9" wheels, Cany Trail 4.6x1.9" tires) (2) Tires & wheels, assembled, glued (TRX-4® 1.9" satin beadlook wheels, Canyon Trail 4.6x1.9" tires) (2) Tires & wheels, assembled, glued (TRX-4® 1.9" wheels, Cany Trail 4.6x1.9" tires) (2) Tires & wheels, assembled, glued (TRX-4® Sport 1.9" wheels
232R 072X 072R 274 355 275 276 277 742 278 247X 075R 250	Caster blocks, 6061-T6 aluminum (red-anodized), left and right Gear set, metal (for 2070, 2075 servos) Gear set, metal, high-speed (for 2070, 2075 servos) Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated) Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2) Rod end set, complete (standard (10), angled 10-degrees (8), offset (4)) Rod ends (10) Rod ends, angled 10-degrees (8) Rod ends, long (6)/ hollow ball connectors (6) Rod ends, offset (4) Servo hom, steering, metal/ 3x14 BCS (1) Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof	8166X 8166X 8183X 8273 8272X 8272	#8255A extended thread stub axle) Tires & wheels, assembled, glued (1.9" chrome wheels, Cany Trail 4.6x1.9" tires) (2)/ center caps (2)/ decal sheet (requires #8255A extended thread stub axle) Tires & wheels, assembled, glued (1.9" chrome wheels, Cany Trail 4.6x1.9" tires) (4)/ center caps (4)/ decal sheet (requires #8255A extended thread stub axle) Tires & wheels, assembled, glued (1.9" classic chrome whee Canyon Trail 4.6x1.9" tires) (4)/ center caps (4)/ decal sheet (requires #8255A extended thread stub axle) Tires & wheels, assembled, glued (Tactical 1.9" wheels, Cany Trail 4.6x1.9" tires) (2) Tires & wheels, assembled, glued (TRX-4® 1.9" satin beadlow wheels, Canyon Trail 4.6x1.9" tires) (2) Tires & wheels, assembled, glued (TRX-4® 1.9" wheels, Canyon Trail 4.6x1.9" tires) (2) Tires & wheels, assembled, glued (TRX-4® Sport 1.9" wheels Canyon Trail 4.6x1.9" tires) (2)
232R 072X 072R 274 3355 275 276 277 742 278 247X 075R 250	Caster blocks, 6061-T6 aluminum (red-anodized), left and right Gear set, metal (for 2070, 2075 servos) Gear set, metal, high-speed (for 2070, 2075 servos) Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated) Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2) Rod end set, complete (standard (10), angled 10-degrees (8), offset (4)) Rod ends (10) Rod ends, long (6)/ hollow ball connectors (6) Rod ends, long (6)/ hollow ball connectors (6) Rod ends, offset (4) Servo hom, steering, metal/ 3x14 BCS (1) Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof	8166X 8166X 8183X 8273 8272X 8272 8179	#8255A extended thread stub axle) Tires & wheels, assembled, glued (1.9" chrome wheels, Cany Trail 4.6x1.9" tires) (2)/ center caps (2)/ decal sheet (requires #8255A extended thread stub axle) Tires & wheels, assembled, glued (1.9" chrome wheels, Cany Trail 4.6x1.9" tires) (4)/ center caps (4)/ decal sheet (requires #8255A extended thread stub axle) Tires & wheels, assembled, glued (1.9" classic chrome whee Canyon Trail 4.6x1.9" tires) (4)/ center caps (4)/ decal sheet (requires #8255A extended thread stub axle) Tires & wheels, assembled, glued (Tactical 1.9" wheels, Cany Trail 4.6x1.9" tires) (2) Tires & wheels, assembled, glued (TRX-4® 1.9" satin beadlow wheels, Canyon Trail 4.6x1.9" tires) (2) Tires & wheels, assembled, glued (TRX-4® 1.9" wheels, Cany Trail 4.6x1.9" tires) (2) Tires & wheels, assembled, glued (TRX-4® Sport 1.9" wheels Canyon Trail 4.6x1.9" tires) (2)
232R 272X 274 355 275 276 277 742 278 247X 275R 250 255	Caster blocks, 6061-T6 aluminum (red-anodized), left and right Gear set, metal (for 2070, 2075 servos) Gear set, metal, high-speed (for 2070, 2075 servos) Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated) Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2) Rod end set, complete (standard (10), angled 10-degrees (8), offset (4)) Rod ends (10) Rod ends, angled 10-degrees (8) Rod ends, long (6)/ hollow ball connectors (6) Rod ends, offset (4) Servo hom, steering, metal/ 3x14 BCS (1) Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof	8166X 8166X 8183X 8273 8272X 8272 8179	#8255A extended thread stub axle) Tires & wheels, assembled, glued (1.9" chrome wheels, Cany Trail 4.6x1.9" tires) (2)/ center caps (2)/ decal sheet (requires #8255A extended thread stub axle) Tires & wheels, assembled, glued (1.9" chrome wheels, Cany Trail 4.6x1.9" tires) (4)/ center caps (4)/ decal sheet (requires #8255A extended thread stub axle) Tires & wheels, assembled, glued (1.9" classic chrome whee Canyon Trail 4.6x1.9" tires) (4)/ center caps (4)/ decal sheet (requires #8255A extended thread stub axle) Tires & wheels, assembled, glued (Tactical 1.9" wheels, Cany Trail 4.6x1.9" tires) (2) Tires & wheels, assembled, glued (TRX-4® 1.9" satin beadlow wheels, Canyon Trail 4.6x1.9" tires) (2) Tires & wheels, assembled, glued (TRX-4® Sport 1.9" wheels Canyon Trail 4.6x1.9" tires) (2) Tires & wheels, assembled, glued (TRX-4® Sport 1.9" wheels Canyon Trail 4.6x1.9" tires) (2) Tires & wheels, assembled, glued (TRX-4® Sport 2.2" gray, beadlock style wheels, Canyon Trail 5.3x2.2" tires) (2) Tires & wheels, assembled, glued (TRX-4® Sport 2.2" gray, beadlock style wheels, Canyon Trail 5.3x2.2" tires) (2) Tires & wheels, assembled, glued (TRX-4® Sport 2.2" gray, beadlock style wheels, Canyon Trail 5.3x2.2" tires) (2)
232R 272X 274 355 275 276 277 742 278 247X 275R 250 255	Caster blocks, 6061-T6 aluminum (red-anodized), left and right Gear set, metal (for 2070, 2075 servos) Gear set, metal, high-speed (for 2070, 2075 servos) Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated) Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2) Rod end set, complete (standard (10), angled 10-degrees (8), offset (4)) Rod ends, angled 10-degrees (8) Rod ends, long (6)/ hollow ball connectors (6) Rod ends, offset (4) Servo horn, steering, metal/ 3x14 BCS (1) Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof	8166 8166X 8183X 8273 8272X 8272 8179 8181-BLUE 8181-GRN	#8255A extended thread stub axle) Tires & wheels, assembled, glued (1.9" chrome wheels, Cany Trail 4.6x1.9" tires) (2)/ center caps (2)/ decal sheet (requires #8255A extended thread stub axle) Tires & wheels, assembled, glued (1.9" chrome wheels, Cany Trail 4.6x1.9" tires) (4)/ center caps (4)/ decal sheet (requires #8255A extended thread stub axle) Tires & wheels, assembled, glued (1.9" classic chrome whee Canyon Trail 4.6x1.9" tires) (4)/ center caps (4)/ decal sheet (requires #8255A extended thread stub axle) Tires & wheels, assembled, glued (Tactical 1.9" wheels, Cany Trail 4.6x1.9" tires) (2) Tires & wheels, assembled, glued (TRX-4® 1.9" satin beadlow wheels, Canyon Trail 4.6x1.9" tires) (2) Tires & wheels, assembled, glued (TRX-4® Sport 1.9" wheels Canyon Trail 4.6x1.9" tires) (2) Tires & wheels, assembled, glued (TRX-4® Sport 2.2" gray, beadlock style wheels, Canyon Trail 5.3x2.2" tires) (2) Tires & wheels, assembled, glued (TRX-4® Sport 2.2" gray, beadlock style wheels, Canyon Trail 5.3x2.2" tires) (2)
232R 272X 272X 274 355 275 276 277 742 278 247X 275 275 278 247X 250 255	Caster blocks, 6061-T6 aluminum (red-anodized), left and right Gear set, metal (for 2070, 2075 servos) Gear set, metal, high-speed (for 2070, 2075 servos) Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated) Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2) Rod end set, complete (standard (10), angled 10-degrees (8), offset (4)) Rod ends, (10) Rod ends, angled 10-degrees (8) Rod ends, long (6)/ hollow ball connectors (6) Rod ends, offset (4) Servo horn, steering, metal/ 3x14 BCS (1) Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, captured (4)	8166 8166X 8183X 8273 8272X 8272 8179 8181-BLUE	#8255A extended thread stub axle) Tires & wheels, assembled, glued (1.9" chrome wheels, Cany Trail 4.6x1.9" tires) (2)/ center caps (2)/ decal sheet (requires #8255A extended thread stub axle) Tires & wheels, assembled, glued (1.9" chrome wheels, Cany Trail 4.6x1.9" tires) (4)/ center caps (4)/ decal sheet (requires #8255A extended thread stub axle) Tires & wheels, assembled, glued (1.9" classic chrome whee Canyon Trail 4.6x1.9" tires) (4)/ center caps (4)/ decal sheet (requires #8255A extended thread stub axle) Tires & wheels, assembled, glued (Tactical 1.9" wheels, Cany Trail 4.6x1.9" tires) (2) Tires & wheels, assembled, glued (TRX-4® 1.9" satin beadlow wheels, Canyon Trail 4.6x1.9" tires) (2) Tires & wheels, assembled, glued (TRX-4® 1.9" wheels, Canyon Trail 4.6x1.9" tires) (2) Tires & wheels, assembled, glued (TRX-4® Sport 1.9" wheels Canyon Trail 4.6x1.9" tires) (2) Tires & wheels, assembled, glued (TRX-4® Sport 2.2" gray, beadlock style wheels, Canyon Trail 5.3x2.2" tires) (2) Tires & wheels, assembled, glued (TRX-4® Sport 2.2" gray, gbeadlock style wheels, Canyon Trail 5.3x2.2" tires) (2) Tires & wheels, assembled, glued (TRX-4® Sport 2.2" gray, gbeadlock style wheels, Canyon Trail 5.3x2.2" tires) (2) Tires & wheels, assembled, glued (TRX-4® Sport 2.2" gray, gbeadlock style wheels, Canyon Trail 5.3x2.2" tires) (2) Tires & wheels, assembled, glued (TRX-4® Sport 2.2" gray, gbeadlock style wheels, Canyon Trail 5.3x2.2" tires) (2)
232R 172X 172R 172R 174 1855 175 176 177 1742 177 178 179 179 179 179 179 179 179 179	Caster blocks, 6061-T6 aluminum (red-anodized), left and right Gear set, metal (for 2070, 2075 servos) Gear set, metal, high-speed (for 2070, 2075 servos) Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated) Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2) Rod end set, complete (standard (10), angled 10-degrees (8), offset (4)) Rod ends, (10) Rod ends, long (6)/ hollow ball connectors (6) Rod ends, offset (4) Servo horn, steering, metal/ 3x14 BCS (1) Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, captured (4) Steering link, 5x60mm (1)/ draglink, 5x117mm (1) (steel)	8166 8166X 8183X 8273 8272X 8272 8179 8181-BLUE 8181-GRN 8181-RED	#8255A extended thread stub axle) Tires & wheels, assembled, glued (1.9" chrome wheels, Cany Trail 4.6x1.9" tires) (2)/ center caps (2)/ decal sheet (requires #8255A extended thread stub axle) Tires & wheels, assembled, glued (1.9" chrome wheels, Cany Trail 4.6x1.9" tires) (4)/ center caps (4)/ decal sheet (requires #8255A extended thread stub axle) Tires & wheels, assembled, glued (1.9" classic chrome whee Canyon Trail 4.6x1.9" tires) (4)/ center caps (4)/ decal sheet (requires #8255A extended thread stub axle) Tires & wheels, assembled, glued (Tactical 1.9" wheels, Cany Trail 4.6x1.9" tires) (2) Tires & wheels, assembled, glued (TRX-4® 1.9" satin beadlow wheels, Canyon Trail 4.6x1.9" tires) (2) Tires & wheels, assembled, glued (TRX-4® 1.9" wheels, Canyon Trail 4.6x1.9" tires) (2) Tires & wheels, assembled, glued (TRX-4® Sport 1.9" wheels Canyon Trail 4.6x1.9" tires) (2) Tires & wheels, assembled, glued (TRX-4® Sport 2.2" gray, globadlock style wheels, Canyon Trail 5.3x2.2" tires) (2) Tires & wheels, assembled, glued (TRX-4® Sport 2.2" gray, globadlock style wheels, Canyon Trail 5.3x2.2" tires) (2) Tires & wheels, assembled, glued (TRX-4® Sport 2.2" gray, globadlock style wheels, Canyon Trail 5.3x2.2" tires) (2) Tires & wheels, assembled, glued (TRX-4® Sport 2.2" gray, globadlock style wheels, Canyon Trail 5.3x2.2" tires) (2)
232R 272X 272X 274 355 275 276 277 742 278 247X 275 250 255 275 278 247X 275 2278 247X 250 244 250 244 244 250 260 275 275 276 277 278 278 278 278 278 279 244 255 275 275 276 277 278 278 278 278 278 278 279 278 278 278 278 278 278 278 278	Caster blocks, 6061-T6 aluminum (red-anodized), left and right Gear set, metal (for 2070, 2075 servos) Gear set, metal, high-speed (for 2070, 2075 servos) Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated) Hollow ball, tall centered (2) tall offset hollow ball (2) bump steer adjustment shims; 3.5mm (2), 1.17mm (2) Rod end set, complete (standard (10), angled 10-degrees (8), offset (4)) Rod ends, (10) Rod ends, angled 10-degrees (8) Rod ends, long (6)/ hollow ball connectors (6) Rod ends, offset (4) Servo horn, steering, metal/ 3x14 BCS (1) Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, captured (4) Steering link, 5x60mm (1)/ draglink, 5x117mm (1) (steel) Suspension link, front, 5x100mm (lower) (steel) (2)	8166 8166X 8183X 8273 8272X 8272 8179 8181-BLUE 8181-GRN	#8255A extended thread stub axle) Tires & wheels, assembled, glued (1.9" chrome wheels, Cany Trail 4.6x1.9" tires) (2)/ center caps (2)/ decal sheet (requires #8255A extended thread stub axle) Tires & wheels, assembled, glued (1.9" chrome wheels, Cany Trail 4.6x1.9" tires) (4)/ center caps (4)/ decal sheet (requires #8255A extended thread stub axle) Tires & wheels, assembled, glued (1.9" classic chrome whee Canyon Trail 4.6x1.9" tires) (4)/ center caps (4)/ decal sheet (requires #8255A extended thread stub axle) Tires & wheels, assembled, glued (Tactical 1.9" wheels, Cany Trail 4.6x1.9" tires) (2) Tires & wheels, assembled, glued (TRX-4® 1.9" satin beadlow wheels, Canyon Trail 4.6x1.9" tires) (2) Tires & wheels, assembled, glued (TRX-4® 1.9" wheels, Cany Trail 4.6x1.9" tires) (2) Tires & wheels, assembled, glued (TRX-4® Sport 1.9" wheels Canyon Trail 4.6x1.9" tires) (2) Tires & wheels, assembled, glued (TRX-4® Sport 2.2" gray, to beadlock style wheels, Canyon Trail 5.3x2.2" tires) (2) Tires & wheels, assembled, glued (TRX-4® Sport 2.2" gray, go beadlock style wheels, Canyon Trail 5.3x2.2" tires) (2) Tires & wheels, assembled, glued (TRX-4® Sport 2.2" gray, robeadlock style wheels, Canyon Trail 5.3x2.2" tires) (2) Tires & wheels, assembled, glued (TRX-4® Sport 2.2" gray, robeadlock style wheels, Canyon Trail 5.3x2.2" tires) (2) Tires & wheels, assembled, glued (TRX-4® Sport 2.2" gray, robeadlock style wheels, Canyon Trail 5.3x2.2" tires) (2) Tires & wheels, assembled, glued (TRX-4® Sport 2.2" gray, robeadlock style wheels, Canyon Trail 5.3x2.2" tires) (2) Tires & wheels, assembled, glued (TRX-4® Sport 2.2" gray, robeadlock style wheels, Canyon Trail 5.3x2.2" tires) (2)
232R 072X 072X 072R 274 355 275 276 277 742 278 247X 075R 250 255 075X 529 246 243 244	Caster blocks, 6061-T6 aluminum (red-anodized), left and right Gear set, metal (for 2070, 2075 servos) Gear set, metal, high-speed (for 2070, 2075 servos) Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated) Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2) Rod end set, complete (standard (10), angled 10-degrees (8), offset (4)) Rod ends (10) Rod ends, long (6)/ hollow ball connectors (6) Rod ends, long (6)/ hollow ball connectors (6) Rod ends, offset (4) Servo horn, steering, metal/ 3x14 BCS (1) Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof	8166 8166X 8183X 8273 8272X 8272 8179 8181-BLUE 8181-GRN 8181-RED 8179X	#8255A extended thread stub axle) Tires & wheels, assembled, glued (1.9" chrome wheels, Cany Trail 4.6x1.9" tires) (2)/ center caps (2)/ decal sheet (requires #8255A extended thread stub axle) Tires & wheels, assembled, glued (1.9" chrome wheels, Cany Trail 4.6x1.9" tires) (4)/ center caps (4)/ decal sheet (requires #8255A extended thread stub axle) Tires & wheels, assembled, glued (1.9" classic chrome whee Canyon Trail 4.6x1.9" tires) (4)/ center caps (4)/ decal sheet (requires #8255A extended thread stub axle) Tires & wheels, assembled, glued (Tactical 1.9" wheels, Cany Trail 4.6x1.9" tires) (2) Tires & wheels, assembled, glued (TRX-4® 1.9" satin beadlow wheels, Canyon Trail 4.6x1.9" tires) (2) Tires & wheels, assembled, glued (TRX-4® Sport 1.9" wheels Canyon Trail 4.6x1.9" tires) (2) Tires & wheels, assembled, glued (TRX-4® Sport 2.2" gray, beadlock style wheels, Canyon Trail 5.3x2.2" tires) (2) Tires & wheels, assembled, glued (TRX-4® Sport 2.2" gray, gbeadlock style wheels, Canyon Trail 5.3x2.2" tires) (2) Tires & wheels, assembled, glued (TRX-4® Sport 2.2" gray, gbeadlock style wheels, Canyon Trail 5.3x2.2" tires) (2) Tires & wheels, assembled, glued (TRX-4® Sport 2.2" gray, gbeadlock style wheels, Canyon Trail 5.3x2.2" tires) (2) Tires & wheels, assembled, glued (TRX-4® Sport 2.2" gray, gbeadlock style wheels, Canyon Trail 5.3x2.2" tires) (2) Tires & wheels, assembled, glued (TRX-4® Sport 2.2" gray, gbeadlock style wheels, Canyon Trail 5.3x2.2" tires) (2) Tires & wheels, assembled, glued (TRX-4® Sport 2.2" gray, gbeadlock style wheels, Canyon Trail 5.3x2.2" tires) (2)
232R 072X 072X 072R 274 355 275 276 277 742 278 247X 075R 250 255 075X 529 246 243 244	Caster blocks, 6061-T6 aluminum (red-anodized), left and right Gear set, metal (for 2070, 2075 servos) Gear set, metal, high-speed (for 2070, 2075 servos) Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated) Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2) Rod end set, complete (standard (10), angled 10-degrees (8), offset (4)) Rod ends, angled 10-degrees (8) Rod ends, long (6)/ hollow ball connectors (6) Rod ends, offset (4) Servo hom, steering, metal/ 3x14 BCS (1) Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, captured (4) Steering link, 5x60mm (1)/ draglink, 5x117mm (1) (steel) Suspension link, front, 5x63mm (upper) (steel) (2) Suspension link, rear, 5x121mm (upper or lower) (steel) (2)	8166 8166X 8183X 8273 8272X 8272 8179 8181-BLUE 8181-GRN 8181-RED	#8255A extended thread stub axle) Tires & wheels, assembled, glued (1.9" chrome wheels, Cany Trail 4.6x1.9" tires) (2)/ center caps (2)/ decal sheet (requires #8255A extended thread stub axle) Tires & wheels, assembled, glued (1.9" chrome wheels, Cany Trail 4.6x1.9" tires) (4)/ center caps (4)/ decal sheet (requires #8255A extended thread stub axle) Tires & wheels, assembled, glued (1.9" classic chrome whee Canyon Trail 4.6x1.9" tires) (4)/ center caps (4)/ decal sheet (requires #8255A extended thread stub axle) Tires & wheels, assembled, glued (Tactical 1.9" wheels, Cany Trail 4.6x1.9" tires) (2) Tires & wheels, assembled, glued (TRX-4® 1.9" satin beadlor wheels, Canyon Trail 4.6x1.9" tires) (2) Tires & wheels, assembled, glued (TRX-4® 1.9" wheels, Cany Trail 4.6x1.9" tires) (2) Tires & wheels, assembled, glued (TRX-4® Sport 1.9" wheels Canyon Trail 4.6x1.9" tires) (2) Tires & wheels, assembled, glued (TRX-4® Sport 2.2" gray, beadlock style wheels, Canyon Trail 5.3x2.2" tires) (2) Tires & wheels, assembled, glued (TRX-4® Sport 2.2" gray, peadlock style wheels, Canyon Trail 5.3x2.2" tires) (2) Tires & wheels, assembled, glued (TRX-4® Sport 2.2" gray, peadlock style wheels, Canyon Trail 5.3x2.2" tires) (2) Tires & wheels, assembled, glued (TRX-4® Sport 2.2" gray, peadlock style wheels, Canyon Trail 5.3x2.2" tires) (2) Tires & wheels, assembled, glued (TRX-4® Sport, satin chroilack beadlock 1.9" wheels, Canyon Trail 4.6x1.9" tires) (2) Tires & wheels, assembled, glued (TRX-4® Sport, satin chroilack beadlock 1.9" wheels, Canyon Trail 4.6x1.9" tires) (2) Tires and wheels, assembled (Method 105 2.2™ black chrom
232R 072X 072R 274 355 275 276 277 742 278 247X 075R 250 255 075X 529 246 243 244 243	Caster blocks, 6061-T6 aluminum (red-anodized), left and right Gear set, metal (for 2070, 2075 servos) Gear set, metal, high-speed (for 2070, 2075 servos) Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated) Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2) Rod end set, complete (standard (10), angled 10-degrees (8), offset (4)) Rod ends, (10) Rod ends, long (6)/ hollow ball connectors (6) Rod ends, offset (4) Servo hom, steering, metal/ 3x14 BCS (1) Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Servo, digital high-torque (ball bearing), waterproof Servo, digital high-torque (ball bearing), waterproof Servo, digital hig	8166 8166X 8183X 8273 8272X 8272 8179 8181-BLUE 8181-GRN 8181-RED 8179X	#8255A extended thread stub axle) Tires & wheels, assembled, glued (1.9" chrome wheels, Cany Trail 4.6x1.9" tires) (2)/ center caps (2)/ decal sheet (requires #8255A extended thread stub axle) Tires & wheels, assembled, glued (1.9" chrome wheels, Cany Trail 4.6x1.9" tires) (4)/ center caps (4)/ decal sheet (requires #8255A extended thread stub axle) Tires & wheels, assembled, glued (1.9" classic chrome whee Canyon Trail 4.6x1.9" tires) (4)/ center caps (4)/ decal sheet (requires #8255A extended thread stub axle) Tires & wheels, assembled, glued (Tactical 1.9" wheels, Cany Trail 4.6x1.9" tires) (2) Tires & wheels, assembled, glued (TRX-4® 1.9" satin beadlow wheels, Canyon Trail 4.6x1.9" tires) (2) Tires & wheels, assembled, glued (TRX-4® 1.9" wheels, Cany Trail 4.6x1.9" tires) (2) Tires & wheels, assembled, glued (TRX-4® Sport 1.9" wheels Canyon Trail 4.6x1.9" tires) (2) Tires & wheels, assembled, glued (TRX-4® Sport 2.2" gray, beadlock style wheels, Canyon Trail 5.3x2.2" tires) (2) Tires & wheels, assembled, glued (TRX-4® Sport 2.2" gray, geadlock style wheels, Canyon Trail 5.3x2.2" tires) (2) Tires & wheels, assembled, glued (TRX-4® Sport 2.2" gray, geadlock style wheels, Canyon Trail 5.3x2.2" tires) (2) Tires & wheels, assembled, glued (TRX-4® Sport 2.2" gray, geadlock style wheels, Canyon Trail 5.3x2.2" tires) (2) Tires & wheels, assembled, glued (TRX-4® Sport 3.2" tires) (2) Tires & wheels, assembled, glued (TRX-4® Sport 3.2" tires) (2) Tires & wheels, assembled, glued (TRX-4® Sport 3.2" tires) (2) Tires & wheels, assembled, glued (TRX-4® Sport 3.2" tires) (2) Tires & wheels, assembled, glued (TRX-4® Sport 3.2" tires) (2) Tires & wheels, assembled, glued (TRX-4® Sport 3.2" tires) (2) Tires & wheels, assembled, glued (TRX-4® Sport 3.2" tires) (2) Tires & wheels, assembled, glued (TRX-4® Sport 3.2" tires) (2) Tires & wheels, assembled, glued (TRX-4® Sport 3.2" tires) (2)
232R 072X 072R 274 355 275 276 277 742 247X 075R 250 255 075X 529 246 243 244 245	Caster blocks, 6061-T6 aluminum (red-anodized), left and right Gear set, metal (for 2070, 2075 servos) Gear set, metal, high-speed (for 2070, 2075 servos) Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated) Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2) Rod end set, complete (standard (10), angled 10-degrees (8), offset (4)) Rod ends (10) Rod ends, long (6)/ hollow ball connectors (6) Rod ends, long (6)/ hollow ball connectors (6) Rod ends, offset (4) Servo hom, steering, metal/ 3x14 BCS (1) Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Servo, digital high-torque (d) Servo, digital h	8166 8166X 8183X 8273 8272X 8272 8179 8181-BLUE 8181-GRN 8181-RED 8179X 8172	#8255A extended thread stub axle) Tires & wheels, assembled, glued (1.9" chrome wheels, Cany Trail 4.6x1.9" tires) (2)/ center caps (2)/ decal sheet (requires #8255A extended thread stub axle) Tires & wheels, assembled, glued (1.9" chrome wheels, Cany Trail 4.6x1.9" tires) (4)/ center caps (4)/ decal sheet (requires #8255A extended thread stub axle) Tires & wheels, assembled, glued (1.9" classic chrome whee Canyon Trail 4.6x1.9" tires) (4)/ center caps (4)/ decal sheet (requires #8255A extended thread stub axle) Tires & wheels, assembled, glued (Tactical 1.9" wheels, Cany Trail 4.6x1.9" tires) (2) Tires & wheels, assembled, glued (TRX-4® 1.9" satin beadlow wheels, Canyon Trail 4.6x1.9" tires) (2) Tires & wheels, assembled, glued (TRX-4® 1.9" wheels, Canyon Trail 4.6x1.9" tires) (2) Tires & wheels, assembled, glued (TRX-4® Sport 1.9" wheels Canyon Trail 4.6x1.9" tires) (2) Tires & wheels, assembled, glued (TRX-4® Sport 2.2" gray, beadlock style wheels, Canyon Trail 5.3x2.2" tires) (2) Tires & wheels, assembled, glued (TRX-4® Sport 2.2" gray, gbeadlock style wheels, Canyon Trail 5.3x2.2" tires) (2) Tires & wheels, assembled, glued (TRX-4® Sport 2.2" gray, gbeadlock style wheels, Canyon Trail 5.3x2.2" tires) (2) Tires & wheels, assembled, glued (TRX-4® Sport 2.2" gray, gbeadlock style wheels, Canyon Trail 5.3x2.2" tires) (2) Tires & wheels, assembled, glued (TRX-4® Sport 3.2" tires) (2) Tires & wheels, assembled, glued (TRX-4® Sport 3.2" tires) (2) Tires & wheels, assembled, glued (TRX-4® Sport 3.2" tires) (2) Tires & wheels, assembled, glued (TRX-4® Sport 3.2" tires) (2) Tires & wheels, assembled, glued (TRX-4® Sport 3.2" tires) (2) Tires & wheels, assembled, glued (TRX-4® Sport 3.2" tires) (2) Tires & wheels, assembled, glued (TRX-4® Sport 3.2" tires) (2) Tires and wheels, Canyon Trail 5.3x2.2" tires, foam inserts) left, 1 right) (for use with TRX-4 Long Arm Lift Kit)
232R 072X 072R 274 355 275 276 277 742 278 247X 075R 250 255 075X 529 246 243 244 243 244	Caster blocks, 6061-T6 aluminum (red-anodized), left and right Gear set, metal (for 2070, 2075 servos) Gear set, metal, high-speed (for 2070, 2075 servos) Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated) Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2) Rod end set, complete (standard (10), angled 10-degrees (8), offset (4)) Rod ends (10) Rod ends, angled 10-degrees (8) Rod ends, long (6)/ hollow ball connectors (6) Rod ends, offset (4) Servo horn, steering, metal/ 3x14 BCS (1) Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, captured (4) Steering link, 5x60mm (1)/ draglink, 5x117mm (1) (steel) Suspension link, front, 5x63mm (upper) (steel) (2) Suspension link, front, 5x63mm (upper) (steel) (2) Suspension link, rear, 5x121mm (upper or lower) (steel) (2) Suspension link, rear, 5x121mm (upper or lower) (steel) (2)	8166 8166X 8183X 8273 8272X 8272 8179 8181-BLUE 8181-GRN 8181-RED 8179X	#8255A extended thread stub axle) Tires & wheels, assembled, glued (1.9" chrome wheels, Cany Trail 4.6x1.9" tires) (2)/ center caps (2)/ decal sheet (requires #8255A extended thread stub axle) Tires & wheels, assembled, glued (1.9" chrome wheels, Cany Trail 4.6x1.9" tires) (4)/ center caps (4)/ decal sheet (requires #8255A extended thread stub axle) Tires & wheels, assembled, glued (1.9" classic chrome whee Canyon Trail 4.6x1.9" tires) (4)/ center caps (4)/ decal sheet (requires #8255A extended thread stub axle) Tires & wheels, assembled, glued (Tactical 1.9" wheels, Cany Trail 4.6x1.9" tires) (2) Tires & wheels, assembled, glued (TRX-4® 1.9" satin beadlow wheels, Canyon Trail 4.6x1.9" tires) (2) Tires & wheels, assembled, glued (TRX-4® Sport 1.9" wheels Canyon Trail 4.6x1.9" tires) (2) Tires & wheels, assembled, glued (TRX-4® Sport 2.2" gray, beadlock style wheels, Canyon Trail 5.3x2.2" tires) (2) Tires & wheels, assembled, glued (TRX-4® Sport 2.2" gray, gbeadlock style wheels, Canyon Trail 5.3x2.2" tires) (2) Tires & wheels, assembled, glued (TRX-4® Sport 2.2" gray, gbeadlock style wheels, Canyon Trail 5.3x2.2" tires) (2) Tires & wheels, assembled, glued (TRX-4® Sport 2.2" gray, gbeadlock style wheels, Canyon Trail 5.3x2.2" tires) (2) Tires & wheels, assembled, glued (TRX-4® Sport 2.2" gray, gbeadlock style wheels, Canyon Trail 5.3x2.2" tires) (2) Tires & wheels, assembled, glued (TRX-4® Sport 2.2" gray, gbeadlock style wheels, Canyon Trail 5.3x2.2" tires) (2) Tires & wheels, assembled, glued (TRX-4® Sport 2.2" gray, gbeadlock style wheels, Canyon Trail 5.3x2.2" tires) (2) Tires & wheels, assembled, glued (TRX-4® Sport 2.2" gray, gbeadlock style wheels, Canyon Trail 5.3x2.2" tires) (2) Tires and wheels, assembled (Method 105 2.2™ black chrom beadlock wheels, Canyon Trail 5.3x2.2™ tires, foam inserts) left, 1 right) (for use with TRX-4 Long Arm Lift Kit) Tires and wheels, assembled, glued (TRX-4® Sport 2.2™ wheels
232R 072X 072R 274 355 275 276 277 742 278 247X 075R 250 255 075X 529 246 243 244 245	Caster blocks, 6061-T6 aluminum (red-anodized), left and right Gear set, metal (for 2070, 2075 servos) Gear set, metal, high-speed (for 2070, 2075 servos) Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated) Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2) Rod end set, complete (standard (10), angled 10-degrees (8), offset (4)) Rod ends, angled 10-degrees (8) Rod ends, long (6)/ hollow ball connectors (6) Rod ends, offset (4) Servo horn, steering, metal/ 3x14 BCS (1) Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Servo, digital high-torque (40) Steering link, 5x60mm (1)/ draglink, 5x117mm (1) (steel) Suspension link, front, 5x63mm (upper) (steel) (2)	8166 8166X 8183X 8273 8272X 8272 8179 8181-BLUE 8181-GRN 8181-RED 8179X 8172	#8255A extended thread stub axle) Tires & wheels, assembled, glued (1.9" chrome wheels, Cany Trail 4.6x1.9" tires) (2)/ center caps (2)/ decal sheet (requires #8255A extended thread stub axle) Tires & wheels, assembled, glued (1.9" chrome wheels, Cany Trail 4.6x1.9" tires) (4)/ center caps (4)/ decal sheet (requires #8255A extended thread stub axle) Tires & wheels, assembled, glued (1.9" classic chrome whee Canyon Trail 4.6x1.9" tires) (4)/ center caps (4)/ decal sheet (requires #8255A extended thread stub axle) Tires & wheels, assembled, glued (Tactical 1.9" wheels, Cany Trail 4.6x1.9" tires) (2) Tires & wheels, assembled, glued (TRX-4® 1.9" satin beadlow wheels, Canyon Trail 4.6x1.9" tires) (2) Tires & wheels, assembled, glued (TRX-4® Sport 1.9" wheels Canyon Trail 4.6x1.9" tires) (2) Tires & wheels, assembled, glued (TRX-4® Sport 2.2" gray, beadlock style wheels, Canyon Trail 5.3x2.2" tires) (2) Tires & wheels, assembled, glued (TRX-4® Sport 2.2" gray, gbeadlock style wheels, Canyon Trail 5.3x2.2" tires) (2) Tires & wheels, assembled, glued (TRX-4® Sport 2.2" gray, rebeadlock style wheels, Canyon Trail 5.3x2.2" tires) (2) Tires & wheels, assembled, glued (TRX-4® Sport 2.2" gray, rebeadlock style wheels, Canyon Trail 5.3x2.2" tires) (2) Tires & wheels, assembled, glued (TRX-4® Sport 2.2" gray, rebeadlock style wheels, Canyon Trail 5.3x2.2" tires) (2) Tires & wheels, assembled, glued (TRX-4® Sport 2.2" gray, rebeadlock style wheels, Canyon Trail 5.3x2.2" tires) (2) Tires & wheels, assembled, glued (TRX-4® Sport 5.2" black chrom beadlock wheels, Canyon Trail 5.3x2.2™ tires, foam inserts) left, 1 right) (for use with TRX-4 Long Arm Lift Kit) Tires and wheels, assembled, glued (TRX-4® Sport 5.2™ wheels, foam inserts) left, 1 right) (for use with TRX-4 Long Arm Lift Kit)
2232R 2072X 2072R 2072R 2274 3355 3276 3276 3277 2742 3278 3247X 2075R 2250 2255 2075X 32246 32243 32244 32243 32245	Caster blocks, 6061-T6 aluminum (red-anodized), left and right Gear set, metal (for 2070, 2075 servos) Gear set, metal, high-speed (for 2070, 2075 servos) Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated) Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2) Rod end set, complete (standard (10), angled 10-degrees (8), offset (4)) Rod ends (10) Rod ends, angled 10-degrees (8) Rod ends, long (6)/ hollow ball connectors (6) Rod ends, offset (4) Servo horn, steering, metal/ 3x14 BCS (1) Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, captured (4) Steering link, 5x60mm (1)/ draglink, 5x117mm (1) (steel) Suspension link, front, 5x63mm (upper) (steel) (2) Suspension link, front, 5x63mm (upper) (steel) (2) Suspension link, rear, 5x121mm (upper or lower) (steel) (2) Suspension link, rear, 5x121mm (upper or lower) (steel) (2)	8166 8166X 8183X 8273 8272X 8272 8179 8181-BLUE 8181-GRN 8181-RED 8179X 8172	#8255A extended thread stub axle) Tires & wheels, assembled, glued (1.9" chrome wheels, Cany Trail 4.6x1.9" tires) (2)/ center caps (2)/ decal sheet (requires #8255A extended thread stub axle) Tires & wheels, assembled, glued (1.9" chrome wheels, Cany Trail 4.6x1.9" tires) (4)/ center caps (4)/ decal sheet (requires #8255A extended thread stub axle) Tires & wheels, assembled, glued (1.9" classic chrome wheel Canyon Trail 4.6x1.9" tires) (4)/ center caps (4)/ decal sheet (requires #8255A extended thread stub axle) Tires & wheels, assembled, glued (Tactical 1.9" wheels, Cany Trail 4.6x1.9" tires) (2) Tires & wheels, assembled, glued (TRX-4® 1.9" satin beadloo wheels, Canyon Trail 4.6x1.9" tires) (2) Tires & wheels, assembled, glued (TRX-4® 1.9" wheels, Cany Trail 4.6x1.9" tires) (2) Tires & wheels, assembled, glued (TRX-4® Sport 1.9" wheels Canyon Trail 4.6x1.9" tires) (2) Tires & wheels, assembled, glued (TRX-4® Sport 2.2" gray, beadlock style wheels, Canyon Trail 5.3x2.2" tires) (2) Tires & wheels, assembled, glued (TRX-4® Sport 2.2" gray, re beadlock style wheels, Canyon Trail 5.3x2.2" tires) (2) Tires & wheels, assembled, glued (TRX-4® Sport 2.2" gray, re beadlock style wheels, Canyon Trail 5.3x2.2" tires) (2) Tires & wheels, assembled, glued (TRX-4® Sport 2.2" gray, re beadlock style wheels, Canyon Trail 5.3x2.2" tires) (2) Tires and wheels, assembled (Method 105 2.2™ black chrom- beadlock wheels, Canyon Trail 5.3x2.2™ tires, foam inserts) (1 left, 1 right) (for use with TRX-4 Long Arm Lift Kit) Tires and wheels, assembled, glued (TRX-4® Sport 2.2™ whe Canyon Trail 5.3x2.2™ tires) (2) (1)

Page 8 TRX-4® Equipped with Traxx®: TQ™ 2.4 GHz Radio (Model 82034-4) Parts List

Page 8	TRX-4® Equipped with Traxx®: TQ™ 2.4 GHz Radio	(Model 8	32034-4) Parts List
8269	Wheel hubs, 12mm hex (2)/ stub axle pins (2) (steel)	8715X	Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm,
8269X	Wheel hubs, 12mm hex, 6061-T6 aluminum (blue-anodized) (4)/		2.5mm, 3.0mm), 1/4" drive
22224	3x10 screw pin (4)	8714	Speed Bit Set, screwdriver, 3-piece straight (3mm slotted, #1
8269A	Wheel hubs, 12mm hex, 6061-T6 aluminum (charcoal gray- anodized) (4)/ 3x10 screw pin (4)	2748R	Phillips, and #2 Phillips bits), 1/4" drive Tool set (includes 1.5mm hex wrench / 2.0mm hex wrench /
8269G	Wheel hubs, 12mm hex, 6061-T6 aluminum (green-anodized) (4)/	21-1010	2.5mm hex wrench/ 4-way wrench/ 8mm & 4mm wrench/ U-joint
8269R	3x10 screw pin (4) Wheel hubs, 12mm hex, 6061-T6 aluminum (red-anodized) (4)/	3415	wrench) Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm,
	3x10 screw pin (4)		3.5mm, 4mm drivers/4mm. 5mm, 5.5mm, 7mm, and 8mm nut drivers/ 2mm, 3mm, and 4mm slotted screwdrivers/ #00 Phillips,
8175	Wheels, 1.9", chrome (2)/ center caps (2)/ decal sheet (requires #8255A extended thread stub axle)		#0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm
8173	Wheels, 1.9", Method Race Wheels® 105 Beadlock (black	5480X	wrenches/ driver handle)
8173A	chrome, beadlock) (beadlock rings sold separately) Wheels, 1.9", Method Race Wheels® 105 Beadlock (charcoal	346UA	Wheel wrench, splined, 17mm
01/3A	gray, beadlock) (beadlock rings sold separately)		TRX-4® Traxx®
8171	Wheels, Method 105 2.2" (black chrome, beadlock) (beadlock	8889 8890	Bearing retainers, inner (2)/ outer (2) Drive wheel (1)
0171 A	rings sold separately) (for use with TRX-4 Long Arm Lift Kit)	8885	Shock mounts (frame, left (2), frame, right (2))/ portal mounts (1 each,
8171A	Wheels, Method 105 2.2" (charcoal gray, beadlock) (beadlock rings sold separately) (for use with TRX-4 Long Arm Lift Kit)		front (left & right), rear (left & right))
8180	Wheels, TRX-4 Sport 2.2 (2) (for use with TRX-4 Long Arm Lift	8888	Spring (4)
	Kit)	8887 8886	Stub axle (1) Stub axle nut (4)
8271 8274¥	Wheels, TRX-4® 1.9 (2)	8891	Tension wheels (6)/ road wheels (4)
8271X 8178	Wheels, TRX-4® 1.9 (satin beadlock) (2) Wheels, TRX-4® Sport 1.9 (2)	8881	Traxx®, front, left (assembled) (requires #8887 stub axle, #7061 GTR
8180-BLUE	Wheels, TRX-4® Sport 2.2 (gray, blue beadlock style) (2)		shock, & #8895 rubber track)
8180-GRN	Wheels, TRX-4® Sport 2.2 (gray, green beadlock style) (2)	8882	Traxx®, front, right (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8895 rubber track)
8180-RED	Wheels, TRX-4® Sport 2.2 (gray, red beadlock style) (2)	8883	Traxx®, rear, left (assembled) (requires #8887 stub axle, #7061 GTR
8268	Wheels, TRX-4® Tactical 1.9 (2)	0000	shock, & #8896 rubber track)
	Transmission Components	8884	Traxx®, rear, right (assembled) (requires #8887 stub axle, #7061
8283	Cable, T-lock (front)	0000	GTR shock, & #8896 rubber track)
8284	Cable, T-lock (rear)	8880 8895	Traxx®, TRX-4® (4) (complete set, front & rear) Treads, All-Terrain, TRX-4® Traxx® (front, left or right) (rubber)
8289 8293X	Drive hub, 2-speed/ shift dog/ shift fork/ 2-speed linkage Gear set, transmission, metal (includes 18T, 30T input gears, 36T		(1)
0233A	output gear, 2x9.8 pins (5))	8896	Treads, All-Terrain, TRX-4® Traxx® (rear, left or right) (rubber)
8291	Gearbox housing (includes main housing, front housing, & cover)	0070	(1)
8285	Gears, transfer case (3)	8878 8879	Treads, Deep-Terrain, TRX-4® Traxx® (front, left or right) (rubber) (1) Treads, Deep-Terrain, TRX-4® Traxx® (rear, left or right) (rubber) (1)
5041 8292	Grease, premium high performance (20cc)	0019	Treads, Deep-Terrain, TIXX-4® Traxx® (rear, left of right) (rubber) (1)
8290X	Input shaft/ output shaft (transmission) Motor mount plate, 6061-T6 aluminum (blue-anodized)		
8290A	Motor mount plate, 6061-T6 aluminum (charcoal gray-anodized)		
8290G	Motor mount plate, 6061-T6 aluminum (green-anodized)		
8290R	Motor mount plate, 6061-T6 aluminum (red-anodized)		
8295	Output drive, transmission or differential (pin retainer (1)/ drive cup (1)/ drive ball (1)/ drive pin (1)/ 3x10 screw pin (1)/ cross pin (black)		
	(1) 3x6 BCS with threadlock (1))		If you have questions or need technical assistance, call Traxxas at:
8294	Output gear, high range, 24T (metal)		· . ·
8286	Output shafts (transfer case), front & rear		1-888-TRAXXAS
8290	Plate, motor/ upper spur gear cover		(1-888-872-9927) (U.S. residents only)
8249 8296	Slipper eliminator plate Transmission gears, single speed, metal		For orders, calls outside the U.S., and other information, call 972-549-3000,
8196	Two speed conversion kit		or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com
	Traxxas Tools		TRAXXAS.COM
3433X	Body reamer (aluminum handle)		
3433	Body reamer (plastic handle)		
3436	Cap, body reamer		
3432	Scissors, curved tip		
3431	Scissors, straight tip		
8712	Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight:		
	1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm,		
	and 8.0mm), 1/4" drive		
8720	Speed bit handle, large (overmolded)		
8721 8722	Speed bit handle, medium (one piece) Speed bit handle, premium (rubber overmold)		
8710	Speed Bit Master Set, hex and nut driver, 13-piece, includes		
	premium handle (medium), travel pouch, hex drivers (straight:		
	1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm,		
	3.0mm), and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive		
8711	8.0mm), 1/4" drive Speed Bit Master Set, hex driver, 7-piece straight and ball end,		
• •	includes premium handle (medium), travel pouch, hex drivers		
	(straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm,		
8719	2.5mm, 3.0mm), 1/4" drive		
0119	Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm,		
	5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive		
8716	Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4"		

Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4"

Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm,

Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive

3.0mm) 1/4" drive

8716 8716X

8715