

TRX-4® Ford® Bronco® (Model 92076-4) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

	Axie Components	5180A 5103A	Ball bearings, black rubber sealed (6x13x5mm) (2) Ball bearings, black rubber sealed (7x14x5mm) (2)
8241	Axle housing, front	3103A	, , , ,
8242	Axle housing, intermediate (TRX-6™) or rear (TRX-4®)		Body (Ford® Bronco)
8227	Axle mount set (complete) (front & rear) (for suspension links)	9215	Body cage (fits #9211 body)
8228	Axle shaft, front (left)/ drive pin/ cross pin	9211	Body, Ford Bronco (clear, requires painting)/ decals/ window masks (includes grille, side mirrors, door handles, fender flares,
8229 8060	Axle shaft, front (right)/ drive pin/ cross pin Axle shaft, front, heavy duty (left & right) (requires #8064 front		windshield wipers, spare tire mount, clipless mounting,
0000	portal drive input gear)		hardware) (requires #8080X inner fenders)
8062	Axle shaft, front, heavy duty (left & right)/ portal drive input gear,	9211X	Body, Ford Bronco, complete, Cyber Orange (painted) (includes
	front (machined) (2) (assembled)		grille, side mirrors, door handles, fender flares, windshield wipers,
8230	Axle shaft, rear (left)		spare tire mount, & clipless mounting) (requires #8080X inner
8231	Axle shaft, rear (right)	9211G	fenders) Body, Ford Bronco, complete, Iconic Silver (painted) (includes grille,
8063	Axle shaft, rear, heavy duty (left & right) (requires #8065 rear portal drive input gear)	32110	side mirrors, door handles, fender flares, windshield wipers, spare tire
8061	Axle shaft, rear, heavy duty (left & right)/ portal drive input gear,		mount, & clipless mounting) (requires #8080X inner fenders)
0001	rear (machined) (2) (assembled)	9211L	Body, Ford Bronco, complete, Oxford White (painted) (includes grille,
8233	Cross pin (2)/ drive pin (2) (to rebuild front axle shafts)		side mirrors, door handles, fender flares, windshield wipers, spare tire
8256	Portal drive axle mount, rear (left & right)	9211R	mount, & clipless mounting) (requires #8080X inner fenders) Body, Ford Bronco, complete, Rapid Red (painted) (includes grille,
8256X	Portal drive axle mount, rear, 6061-T6 aluminum (blue-anodized)	92111	side mirrors, door handles, fender flares, windshield wipers, spare tire
	(left and right)/ 2.5x16 CS (4)		mount, & clipless mounting) (requires #8080X inner fenders)
8256A	Portal drive axle mount, rear, 6061-T6 aluminum (charcoal gray-	9211T	Body, Ford Bronco, complete, Shadow Black (painted) (includes
8256G	anodized) (left and right)/ 2.5x16 CS (4) Portal drive axle mount, rear, 6061-T6 aluminum (green-		grille, side mirrors, door handles, fender flares, windshield wipers,
02300	anodized) (left and right)/ 2.5x16 CS (4)		spare tire mount, & clipless mounting) (requires #8080X inner
8256R	Portal drive axle mount, rear, 6061-T6 aluminum (red-anodized)	9211A	fenders) Body, Ford Bronco, complete, Velocity Blue (painted) (includes grille,
	(left and right)/ 2.5x16 CS (4)	9211A	side mirrors, door handles, fender flares, windshield wipers, spare tire
8252	Portal drive housing, inner, front (left & right)/ 2.5x4 BCS (6)		mount, & clipless mounting) (requires #8080X inner fenders)
8253	Portal drive housing, inner, rear (left or right) (2)	6593	Distribution block, Pro Scale® Advanced Lighting Control
8251	Portal drive housing, outer (front or rear) (2)		System
8064	Portal drive input gear, front (machined) (left or right) (requires	9218	Door handles, left & right/ trail sights, left & right/ trail sight retainers
8257	#8060 front axle shaft) Portal drive input gear, front/ drive pin/ cross pin	0204	(2)/ 2.6x8 BCS (4)/ 1.6x7 BCS (self-tapping) (5) (fits #9211 body)
8259	Portal drive input gear, rear	9291	Front light harness, Ford Bronco (requires #6592 lighting power module and #6593 distribution block)
8065	Portal drive input gear, rear (machined) (left or right) (requires	9220	Grille, Ford Bronco/ grille mount/ 2.6x8 BCS (6)/ 3x8 BCS (4) (fits
	#8063 rear axle)	0220	#9211 body)
8258	Portal drive output gear, front or rear	9222	Headlight assembly, complete (2)/ 2.6x8mm BCS (2) (fits #9211
8252X	Portal housings, inner (front), 6061-T6 aluminum (blue-anodized)		body)
8252A	(2)/ 3x12 BCS (2)	9216	Latch, body mount (2)/ 3x8 BCS (8)
0232A	Portal housings, inner (front), 6061-T6 aluminum (charcoal gray- anodized) (2)/ 3x12 BCS (2)	8036R	LED light set (contains headlights, tail lights, side marker lights, and distribution block) (fits #8010 or 9230 series bodies, requires
8252G	Portal housings, inner (front), 6061-T6 aluminum (green-		#8028 power supply)
	anodized) (2)/ 3x12 BCS (2)	6592	Power module, Pro Scale® Advanced Lighting Control System
8252R	Portal housings, inner (front), 6061-T6 aluminum (red-anodized)		(includes mount, communication cables, hardware)
00501	(2)/ 3x12 BCS (2)	6591	Pro Scale® Advanced Lighting Control System (includes power
8253X	Portal housings, inner (rear), 6061-T6 aluminum (blue-anodized) (2)/ 2.5x10 CS (2)	0200	module & distribution block)
8253A	Portal housings, inner (rear), 6061-T6 aluminum (charcoal gray-	9290	Pro Scale® LED light set, Ford Bronco, complete with power module (includes headlights, tail lights, & distribution block) (fits
020071	anodized) (2)/ 2.5x10 CS (2)		#9211 body)
8253G	Portal housings, inner (rear), 6061-T6 aluminum (green-	9292	Rear light harness, Ford Bronco (requires #6592 lighting power
	anodized) (2)/ 2.5x10 CS (2)		module and #6593 distribution block)
8253R	Portal housings, inner (rear), 6061-T6 aluminum (red-anodized)	6594	Receiver communication cable, Pro Scale® Advanced Lighting
0054V	(2)/ 2.5x10 CS (2)	0047	Control System
8251X	Portal housings, outer, 6061-T6 aluminum (blue-anodized) (2)/ 2.5x10 CS (12)	9217	Side mirrors, black (left & right)/ windshield wipers (2)/ cowl/ 2.5x8 BCS (3)/ 2.5x10 CS (2)/ 1.6x5 BCS (2) (fits #9211 body)
8251A	Portal housings, outer, 6061-T6 aluminum (charcoal gray-	9219	Spare tire mount/ mounting bracket/ 3x8 BCS (3)/ 3x12 BCS (4) (fits
020 171	anodized) (2)/ 2.5x10 CS (12)	3213	#9211 body)
8251G	Portal housings, outer, 6061-T6 aluminum (green-anodized) (2)/	9221	Tail light assembly, complete (2)/ 3x8mm BCS (4) (fits #9211 body)
	2.5x10 CS (12)		Body (Land Rover® Defender®)
8251R	Portal housings, outer, 6061-T6 aluminum (red-anodized) (2)/	20114	_
8255	2.5x10 CS (12) Stub evilo (nortal drive) (2)	8011A	Body, Land Rover Defender, adventure orange (complete with ExoCage, inner fenders, fuel canisters, and jack)
	Stub axle (portal drive) (2) Stub axle (portal drive) (2)	8011T	Body, Land Rover Defender, blue (painted)/ decals
8255A 8267	Stub axle, extended thread (portal drive) (2) Weight, portal housing, brass (2) (34 grams)/ 2.5x8 CS (6)	8011P	Body, Land Rover Defender, complete (clear, trimmed, requires
0201	(requires #8251X, 8251R, 8251A, or 8251G outer portal housing)		painting) (includes grille, side mirrors, door handles, windshield
	Bearings & Bushings		wipers, ExoCage, spare tire mount, decals, window masks)
E1104		8011X	Body, Land Rover Defender, graphite silver (painted)/ decals
5119A	Ball bearings, black rubber sealed (10x15x4mm) (2)	8011R	Body, Land Rover Defender, red (painted)/ decals
5120A 5102A	Ball bearings, black rubber sealed (12x18x4mm) (2)	8012 6593	Decals, Land Rover Defender
5102A 5104A	Ball bearings, black rubber sealed (15x21x4mm) (2) Ball bearings, black rubber sealed (4x10x4mm) (2)	6593	Distribution block, Pro Scale® Advanced Lighting Control System
5104A 5115A	Ball bearings, black rubber sealed (4x10x4mm) (2) Ball bearings, black rubber sealed (5x10x4mm) (2)	8016	ExoCage (complete with assembly hardware; #8015 roof basket
5116A	Ball bearings, black rubber sealed (5x10x4mm) (2)		sold separately) (fits #8011 series bodies)
5114A	Ball bearings, black rubber sealed (5x8x2.5mm) (2)	8019	Fender brace, inner, front & rear
5117A	Ball bearings, black rubber sealed (6x12x4mm) (2)	8017	Fender flares, front & rear (2 each) (fits #8011 or #8211 series
	• • •	0045	bodies)
		8018	Fenders, inner, front & rear (2 each)/ rock light covers (8)

Page 2	TRX-4® Ford® Bronco®: TQi™ Traxxas Link™ Enab	led 2.4GI	lz Radio (Model 92076-4) Parts List
8013	Grille, Land Rover Defender/ grille mount (3)/ headlight housing	8240X	Servo mount, 2-speed/ servo mount, T-Lock/ wire clips
8027	(2)/ lens (2)/ headlight mount (2) (fits #8011 series bodies) LED headlight/tail light kit (fits #8011 series bodies, requires	8239 8226	Servo mount, steering/ chassis crossmember Tray, battery
8095	#8028 power supply)		Differential Components
0033	LED light set, complete with power supply (contains headlights, tail lights, roof light bar, rock lights & distribution block) (fits	8281	Carrier, differential/ differential slider/ T-Lock fork
	#8011 series bodies)	8280A	Differential cover, front or rear (black)
8025	LED lightbar (Rigid), TRX-4® (requires #8028 power supply)	8280X	Differential cover, front or rear (chrome plated)
8029	LED lightbar kit (Rigid)/power supply, TRX-4® Mirrors, side (left & right)/ snorkel/ mounting hardware (fits	8280-GRN 8280	Differential cover, front or rear (green) Differential cover, front or rear (grey)
8020	#8011 series bodies)	8280R	Differential cover, front or rear (grey)
6592	Power module, Pro Scale® Advanced Lighting Control System	8282	Gear set, differential (output gears (2), spider gears (4), spider gear
	(includes mount, communication cables, hardware)		shaft (2))
6591	Pro Scale® Advanced Lighting Control System (includes power module & distribution block)	8295	Output drive, transmission or differential (pin retainer (1)/ drive cup (1)/ drive ball (1)/ drive pin (1)/ 3x10 screw pin (1)/ cross pin (black)
6594	Receiver communication cable, Pro Scale® Advanced Lighting		(1) 3x6 BCS with threadlock (1))
	Control System	8279	Ring gear, differential/ pinion gear, differential
8015	Roof basket (requires #8216 ExoCage) (fits #8011 series bodies)	8279R	Ring gear, differential/ pinion gear, differential (machined)
8021 8014	Spare tire mount/ mounting bracket/ screw pins (2) Tail light housing (2)/ lens (2)/ decals (left & right) (fits #8011	8287	Ring gear, differential/ pinion gear, differential (overdrive, machined)
0014	series bodies)	8288	Ring gear, differential/ pinion gear, differential (underdrive,
	Body Accessories		machined)
1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)	8297	Spool/ differential housing plug/ e-clip/ 2.5x8mm BCS (with
8115	Body posts, front & rear		threadlock) (4)
2514	Decal sheet, racing sponsors	0050	Driveline Components
8081	Fender extensions (4)/ 3x8 flathead screws (24) (requires #8080	8250	Half shafts, center (internal splined, front (2) & internal splined, rear (2)/ external splined (2)/ pin retainer (4)) (plastic parts only)
9227	narrow inner fenders) Fender flares, front & rear (2 each)/ flare mounts (4)/ 2x8 CS (24) (fits	8255	Stub axle (portal drive) (2)
3221	#9211 body)	8255A	Stub axle, extended thread (portal drive) (2)
8080	Fenders, inner (narrow), front & rear (2 each)/ rock light covers	8269	Wheel hubs, 12mm hex (2)/ stub axle pins (2) (steel)
	(8)/ battery plate/ body mount/ 3x8 flat-head screws (4)/ 2.5x6 CS (10)	8269X	Wheel hubs, 12mm hex, 6061-T6 aluminum (blue-anodized) (4)/ 3x10 screw pin (4)
8080X	Fenders, inner (narrow), front & rear (2 each)/ rock light covers (8)/	8269A	Wheel hubs, 12mm hex, 6061-T6 aluminum (charcoal gray-
	battery plate/ body mount/ 3x8 flat-head screws (4)/ 2.5x6 CS (10)		anodized) (4)/ 3x10 screw pin (4)
0070	(for clipless body mounting)	8269G	Wheel hubs, 12mm hex, 6061-T6 aluminum (green-anodized) (4)/
8072	Fenders, inner, front & rear (2 each)/ rock light covers (8)/ battery plate/ 3x8 flathead screws (4)	8269R	3x10 screw pin (4) Wheel hubs, 12mm hex, 6061-T6 aluminum (red-anodized) (4)/
9950	Official Team Traxxas® racing decal set(flag logo/ 6-color)		3x10 screw pin (4)
	Bumpers & Skidplates		Hardware
8234	Bumper D-Rings, grey (front or rear)/ 2.0x12 CS (4)	1552	3x8mm Hex Cap Screws (6)/ Washers (6)/ Wrench (1)
8234R	Bumper D-rings, red (front or rear)/ 2.0x12 CS (4)	4859	CS 3x10 flathead (hex drive)
9223 8067	Bumper mount, front/ skidplate/ 3x12mm BCS (7) Bumper mounts, front & rear	8167X	Hardware kit, stainless steel, beadlock rings (contains stainless steel hardware for 4 wheels)
8237	Bumper mounts, front & rear/ screw pins (4)	8298	Hardware kit, stainless steel, TRX-4® (contains all stainless steel
8069	Bumper, front (chrome)/ bumper mount/ 3x10 BCS (2)		hardware used on TRX-4®)
8235	Bumper, front/ winch/ 2.6x8 BCS (1)	8151	Hardware kit, stainless steel, TRX-4® High Lift Kit (contains all
9224	Bumper, front/ winch/ winch mount (assembled)	5476X	stainless steel hardware used on TRX-4® High Lift Kit) Hex wrenches; 1.5mm, 2mm, 2.5mm, 3mm, 2.5 ball
9225 8236	Bumper, rear Bumper, rear	1747P	Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4)
8068	Bumper, rear (chrome)/ bumper mount/ 3x10 BCS (2)	3647	Nuts, 4mm flanged nylon locking (steel, serrated) (8)
8066	Push bar, bumper (chrome) (fits #8069 bumper)	8347	Nuts, 4mm flanged nylon locking, serrated (black) (10)
8238	Skidplate/ lower gear cover	1747R	Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)
	Chassis & Attachments	1747G 1747T	Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4)
8327	Battery hold-down/ battery clip/ hold-down post/screw pin (for 256mm	1747A	Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)
	wheelbase)	1985	PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)
8223	Battery plate/ battery strap/ 3x8 flathead screws (4) (requires #8072 inner fenders)	8221	Screw pin, 3x10mm (6)
8215	Body mounts & posts, front & rear (complete set)	2523 3229	Screws, 2.5x10 countersunk machine (hex drive) (6) Screws, 2.5x10mm cap-head machine (hex drive) (6)
8224	Box, receiver (sealed)/ wire cover/ foam pads/ silicone grease/ 3x8	3236	Screws, 2.5x12mm cap-head machine (filex drive) (b)
9050	BCS (5)/ 2.5x8 CS (2) Chassis conversion kit TRY 4® (long to short wheelbook)	2618	Screws, 2.5x16mm cap-head machine (6)
8058	Chassis conversion kit, TRX-4® (long to short wheelbase) (includes rear upper & lower suspension links, front & rear inner	3215	Screws, 2.5x6mm cap-head machine (hex drive) (6)
	fenders, short female half shaft, battery tray, 3x8mm FCS (4))	2524	Screws, 2.5x8 countersunk machine (hex drive) (6)
8057	Chassis conversion kit, TRX-4® (short to long wheelbase)	2617 3965	Screws, 2.5x8mm button-head machine (hex drive) (6) Screws, 2.5x8mm cap-head machine (6)
	(includes rear upper & lower suspension links, front & rear	8299	Screws, 2.6x12mm button-head, self-tapping (hex drive) (6)
8220	shock towers, long female half shaft) Chassis rails, 448mm (steel) (left & right)	8167	Screws, 2x10mm cap-head, self-tapping (hex drive) (10)
8080	Fenders, inner (narrow), front & rear (2 each)/ rock light covers	2564	Screws, 2x8mm cap-head machine (hex drive) (6)
	(8)/ battery plate/ body mount/ 3x8 flat-head screws (4)/ 2.5x6 CS	2577	Screws, 3x10mm button-head machine (hex drive) (6)
2020	(10) Fonders inner (narrow) front & rear (2 each)/ rock light covers (8)/	2578 2579	Screws, 3x12mm button-head machine (hex drive) (6) Screws, 3x15mm button-head machine (hex drive) (6)
8080X	Fenders, inner (narrow), front & rear (2 each)/ rock light covers (8)/ battery plate/ body mount/ 3x8 flat-head screws (4)/ 2.5x6 CS (10)	2579	Screws, 3x23mm button-head machine (hex drive) (6)
	(for clipless body mounting)	2581	Screws, 3x25mm button-head machine (hex drive) (6)
8072	Fenders, inner, front & rear (2 each)/ rock light covers (8)/ battery	2616	Screws, 3x27mm button-head machine (hex drive) (6)
8218	plate/ 3x8 flathead screws (4)	2582	Screws, 3x30mm button-head machine (hex drive) (6)
8218 8224X	Floor pans, left & right Receiver box cover (for use only with #8224 receiver box &	2575 3932	Screws, 3x6mm button-head machine (hex drive) (6) Screws, 3x6mm flat-head machine (hex drive) (6)
	#2260 BEC)/ foam pads/ seals/ silicone grease	2576	Screws, 3x8mm button-head machine (hex drive) (6)
8219	Rock sliders, left & right	3931	Screws, 3x8mm flat-head machine (hex drive) (6)
8219 8225			

Page 3 TRX-4® Ford® Bronco®: TQi™ Traxxas Link™ Enabled 2.4GHz Radio (Model 92076-4) Parts List

	LED Light Accessories	8143	Suspension links, front lower (2) (5x104mm, steel) (assembled
8031	3-in-1 wire harness, LED light kit	8143X	with hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit) Suspension links, front lower, blue (2) (5x104mm, powder coated
8089	4-in-2 wire harness, LED light kit	01437	steel) (assembled with hollow balls) (for use with #8140X TRX-4®
6593	Distribution block, Pro Scale® Advanced Lighting Control		Long Arm Lift Kit)
9291	System Front light harness, Ford Bronco (requires #6592 lighting power module and #6593 distribution block)	8143R	Suspension links, front lower, red (2) (5x104mm, powder coated steel) (assembled with hollow balls) (for use with #8140R TRX-4®
8036R	LED light set (contains headlights, tail lights, side marker lights, and distribution block) (fits #8010 or 9230 series bodies, requires	8145	Long Arm Lift Kit) Suspension links, rear lower (2) (5x115mm, steel) (assembled with hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit)
8028	#8028 power supply) LED lights, power supply (regulated, 3V, 0.5-amp)/ 3-in-1 wire	8145X	Suspension links, rear lower, blue (2) (5x115mm, powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4®
8026X	harness LED rock light kit, TRX-4®/TRX-6™ (requires #8028 power supply	8145R	Long Arm Lift Kit) Suspension links, rear lower, red (2) (5x115mm, powder coated
6592	and #8018, #8072, or #8080 inner fenders) Power module, Pro Scale® Advanced Lighting Control System	014310	steel) (assembled with hollow balls) (for use with #8140R TRX-4® Long Arm Lift Kit)
6591	(includes mount, communication cables, hardware) Pro Scale® Advanced Lighting Control System (includes power	8142	Suspension links, rear upper (2) (5x115mm, steel) (assembled with hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit)
9290	module & distribution block) Pro Scale® LED light set, Ford Bronco, complete with power	8142X	Suspension links, rear upper, blue (2) (5x115mm, powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4®
	module (includes headlights, tail lights, & distribution block) (fits #9211 body)	8142R	Long Arm Lift Kit) Suspension links, rear upper, red (2) (5x115mm, powder coated
9292	Rear light harness, Ford Bronco (requires #6592 lighting power module and #6593 distribution block)		steel) (assembled with hollow balls) (for use with #8140R TRX-4® Long Arm Lift Kit)
6594	Receiver communication cable, Pro Scale® Advanced Lighting Control System	8172	Tires & wheels, assembled (Method Race Wheels® 105 Beadlock 2.2" black chrome beadlock wheels, Canyon Trail 5.3x2.2" tires,
	Long Arm Lift Kit		foam inserts) (1 left, 1 right)
8162X	Body, GTS shock, long (aluminum, blue-anodized) (1) (for use	8181-BLUE	Tires & wheels, assembled, glued (TRX-4® Sport 2.2" gray, blue beadlock style wheels, Canyon Trail 5.3x2.2" tires) (2)
	#8140X TRX-4® Long Arm Lift Kit)	8181-GRN	Tires & wheels, assembled, glued (TRX-4® Sport 2.2" gray, green
8162R	Body, GTS shock, long (aluminum, red-anodized) (1) (for use with #8140R TRX-4® Long Arm Lift Kit)		beadlock style wheels, Canyon Trail 5.3x2.2" tires) (2)
8162	Body, GTS shock, long (silver aluminum) (1) (for use with #8140	8181-RED	Tires & wheels, assembled, glued (TRX-4® Sport 2.2" gray, red beadlock style wheels, Canyon Trail 5.3x2.2" tires) (2)
	TRX-4® Long Arm Lift Kit)	8181	Tires & wheels, assembled, glued (TRX-4® Sport 2.2" wheels,
8147 8148	Cable, T-lock (medium) (for use with TRX-4® Long Arm Lift Kit) Cable, T-lock, extra long (193mm) (for use with TRX-4® Long		Canyon Trail 5.3x2.2" tires) (2)
0140	Arm Lift Kit)	8170	Tires, Canyon Trail 5.3x2.2"/ foam inserts (2)
8150	Driveshaft extension kit, center (includes internal splined, x-long	8171	Wheels, 2.2", Method Race Wheels® 105 Beadlock (black chrome, beadlock) (beadlock rings sold separately)
	(2), internal splined, long (1) and internal splined, medium (1))	8171A	Wheels, 2.2", Method Race Wheels® 105 Beadlock (charcoal
8140	(for use with TRX-4® Long Arm Lift Kit) Long arm lift kit, TRX-4®, complete		gray, beadlock) (beadlock rings sold separately)
8140X	Long arm lift kit, TRX-4®, complete (includes blue powder	8180 9190 BLUE	Wheels, TRX-4® Sport 2.2 (2) : Wheels, TRX-4® Sport 2.2 (gray, blue beadlock style) (2)
	coated links, blue-anodized shocks)		Wheels, TRX-4® Sport 2.2 (gray, green beadlock style) (2)
8140-GRN	Long arm lift kit, TRX-4®, complete (includes green powder		
		8180-RED	Wheels, TRX-4® Sport 2.2 (gray, red beadlock style) (2)
8140R	coated links, green-anodized shocks) Long arm lift kit, TRX-4®, complete (includes red powder coated	8180-RED	Wheels, TRX-4® Sport 2.2 (gray, red beadlock style) (2) Motors & Electronics
	coated links, green-anodized shocks) Long arm lift kit, TRX-4®, complete (includes red powder coated links, red-anodized shocks)	1926	Motors & Electronics Antenna caps, vinyl (2)/ antenna spool
8140R 8149	coated links, green-anodized shocks) Long arm lift kit, TRX-4®, complete (includes red powder coated	1926 1726	Motors & Electronics Antenna caps, vinyl (2)/ antenna spool Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
8149 8141	coated links, green-anodized shocks) Long arm lift kit, TRX-4®, complete (includes red powder coated links, red-anodized shocks) Rod ends, extended (standard (4), angled (4))/ hollow balls (8) (for use with TRX-4® Long Arm Lift Kit) Servo mount, steering (for use with TRX-4® Long Arm Lift Kit)	1926	Motors & Electronics Antenna caps, vinyl (2)/ antenna spool
8149	coated links, green-anodized shocks) Long arm lift kit, TRX-4®, complete (includes red powder coated links, red-anodized shocks) Rod ends, extended (standard (4), angled (4))/ hollow balls (8) (for use with TRX-4® Long Arm Lift Kit) Servo mount, steering (for use with TRX-4® Long Arm Lift Kit) Shock shaft, 3x57mm (GTS) (2) (includes bump stops) (for use	1926 1726	MOTORS & ECCTIONICS Antenna caps, vinyl (2)/ antenna spool Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) BEC, complete (12.6 volts (3s LiPo) maximum input voltage)
8149 8141 8161	coated links, green-anodized shocks) Long arm lift kit, TRX-4®, complete (includes red powder coated links, red-anodized shocks) Rod ends, extended (standard (4), angled (4))/ hollow balls (8) (for use with TRX-4® Long Arm Lift Kit) Servo mount, steering (for use with TRX-4® Long Arm Lift Kit) Shock shaft, 3x57mm (GTS) (2) (includes bump stops) (for use with TRX-4® Long Arm Lift Kit)	1926 1726 2262 2064A 2064 R	Antenna caps, vinyl (2)/ antenna spool Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) BEC, complete (12.6 volts (3s LiPo) maximum input voltage) (includes receiver box cover and seals) Gear set (for 2065A waterproof sub-micro servo) Gear set, metal (for 2065R waterproof sub-micro servo)
8149 8141	coated links, green-anodized shocks) Long arm lift kit, TRX-4®, complete (includes red powder coated links, red-anodized shocks) Rod ends, extended (standard (4), angled (4))/ hollow balls (8) (for use with TRX-4® Long Arm Lift Kit) Servo mount, steering (for use with TRX-4® Long Arm Lift Kit) Shock shaft, 3x57mm (GTS) (2) (includes bump stops) (for use	1926 1726 2262 2064A 2064R 2072X	Antenna caps, vinyl (2)/ antenna spool Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) BEC, complete (12.6 volts (3s LiPo) maximum input voltage) (includes receiver box cover and seals) Gear set (for 2065A waterproof sub-micro servo) Gear set, metal (for 2065R waterproof sub-micro servo) Gear set, metal (for 2070, 2075 servos)
8149 8141 8161 8160X	coated links, green-anodized shocks) Long arm lift kit, TRX-4®, complete (includes red powder coated links, red-anodized shocks) Rod ends, extended (standard (4), angled (4))/ hollow balls (8) (for use with TRX-4® Long Arm Lift Kit) Servo mount, steering (for use with TRX-4® Long Arm Lift Kit) Shock shaft, 3x57mm (GTS) (2) (includes bump stops) (for use with TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (blue-anodized) (assembled without springs) (4) (for use with #8140X TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (green-anodized) (assembled without	1926 1726 2262 2064A 2064R 2072X 2252	Antenna caps, vinyl (2)/ antenna spool Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) BEC, complete (12.6 volts (3s LiPo) maximum input voltage) (includes receiver box cover and seals) Gear set (for 2065A waterproof sub-micro servo) Gear set, metal (for 2065R waterproof sub-micro servo)
8149 8141 8161 8160X 8160-GRN	coated links, green-anodized shocks) Long arm lift kit, TRX-4®, complete (includes red powder coated links, red-anodized shocks) Rod ends, extended (standard (4), angled (4))/ hollow balls (8) (for use with TRX-4® Long Arm Lift Kit) Servo mount, steering (for use with TRX-4® Long Arm Lift Kit) Shock shaft, 3x57mm (GTS) (2) (includes bump stops) (for use with TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (blue-anodized) (assembled without springs) (4) (for use with #8140X TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (green-anodized) (assembled without springs) (4) (for use with #8140 TRX-4® Long Arm Lift Kit)	1926 1726 2262 2064A 2064R 2072X	Antenna caps, vinyl (2)/ antenna spool Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) BEC, complete (12.6 volts (3s LiPo) maximum input voltage) (includes receiver box cover and seals) Gear set (for 2065A waterproof sub-micro servo) Gear set, metal (for 2065R waterproof sub-micro servo) Gear set, metal (for 2070, 2075 servos) Gear set, metal (for 2250, 2255 servos)
8149 8141 8161 8160X	coated links, green-anodized shocks) Long arm lift kit, TRX-4®, complete (includes red powder coated links, red-anodized shocks) Rod ends, extended (standard (4), angled (4))/ hollow balls (8) (for use with TRX-4® Long Arm Lift Kit) Servo mount, steering (for use with TRX-4® Long Arm Lift Kit) Shock shaft, 3x57mm (GTS) (2) (includes bump stops) (for use with TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (blue-anodized) (assembled without springs) (4) (for use with #8140X TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (green-anodized) (assembled without springs) (4) (for use with #8140 TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (red-anodized) (assembled without	1926 1726 2262 2064A 2064R 2072X 2252 2272 2072R 8290X	Antenna caps, vinyl (2)/ antenna spool Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) BEC, complete (12.6 volts (3s LiPo) maximum input voltage) (includes receiver box cover and seals) Gear set (for 2065A waterproof sub-micro servo) Gear set, metal (for 2065R waterproof sub-micro servo) Gear set, metal (for 2070, 2075 servos) Gear set, metal (for 2250, 2255 servos) Gear set, metal (for 2270 waterproof servo) Gear set, metal, high-speed (for 2070, 2075 servos) Motor mount plate, 6061-T6 aluminum (blue-anodized)
8149 8141 8161 8160X 8160-GRN	coated links, green-anodized shocks) Long arm lift kit, TRX-4®, complete (includes red powder coated links, red-anodized shocks) Rod ends, extended (standard (4), angled (4))/ hollow balls (8) (for use with TRX-4® Long Arm Lift Kit) Servo mount, steering (for use with TRX-4® Long Arm Lift Kit) Shock shaft, 3x57mm (GTS) (2) (includes bump stops) (for use with TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (blue-anodized) (assembled without springs) (4) (for use with #8140X TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (green-anodized) (assembled without springs) (4) (for use with #8140 TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (red-anodized) (assembled without springs) (4) (for use with #8140R TRX-4® Long Arm Lift Kit) Shocks, GTS, silver aluminum (assembled without springs) (4)	1926 1726 2262 2064A 2064R 2072X 2252 2272 2072R 8290X 8290A	Antenna caps, vinyl (2)/ antenna spool Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) BEC, complete (12.6 volts (3s LiPo) maximum input voltage) (includes receiver box cover and seals) Gear set (for 2065A waterproof sub-micro servo) Gear set, metal (for 2065R waterproof sub-micro servo) Gear set, metal (for 2070, 2075 servos) Gear set, metal (for 2250, 2255 servos) Gear set, metal (for 2270 waterproof servo) Gear set, metal, high-speed (for 2070, 2075 servos) Motor mount plate, 6061-T6 aluminum (blue-anodized) Motor mount plate, 6061-T6 aluminum (charcoal gray-anodized)
8149 8141 8161 8160X 8160-GRN 8160R	coated links, green-anodized shocks) Long arm lift kit, TRX-4®, complete (includes red powder coated links, red-anodized shocks) Rod ends, extended (standard (4), angled (4))/ hollow balls (8) (for use with TRX-4® Long Arm Lift Kit) Servo mount, steering (for use with TRX-4® Long Arm Lift Kit) Shock shaft, 3x57mm (GTS) (2) (includes bump stops) (for use with TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (blue-anodized) (assembled without springs) (4) (for use with #8140X TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (green-anodized) (assembled without springs) (4) (for use with #8140 TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (red-anodized) (assembled without springs) (4) (for use with #8140R TRX-4® Long Arm Lift Kit) Shocks, GTS, silver aluminum (assembled without springs) (4) (for use with #8140 TRX-4® Long Arm Lift Kit)	1926 1726 2262 2064A 2064R 2072X 2252 2272 2072R 8290X 8290A 8290G	Antenna caps, vinyl (2)/ antenna spool Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) BEC, complete (12.6 volts (3s LiPo) maximum input voltage) (includes receiver box cover and seals) Gear set (for 2065A waterproof sub-micro servo) Gear set, metal (for 2065R waterproof sub-micro servo) Gear set, metal (for 2070, 2075 servos) Gear set, metal (for 2250, 2255 servos) Gear set, metal (for 2270 waterproof servo) Gear set, metal, high-speed (for 2070, 2075 servos) Motor mount plate, 6061-T6 aluminum (blue-anodized) Motor mount plate, 6061-T6 aluminum (charcoal gray-anodized) Motor mount plate, 6061-T6 aluminum (green-anodized)
8149 8141 8161 8160X 8160-GRN 8160R	coated links, green-anodized shocks) Long arm lift kit, TRX-4®, complete (includes red powder coated links, red-anodized shocks) Rod ends, extended (standard (4), angled (4))/ hollow balls (8) (for use with TRX-4® Long Arm Lift Kit) Servo mount, steering (for use with TRX-4® Long Arm Lift Kit) Shock shaft, 3x57mm (GTS) (2) (includes bump stops) (for use with TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (blue-anodized) (assembled without springs) (4) (for use with #8140X TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (green-anodized) (assembled without springs) (4) (for use with #8140 TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (red-anodized) (assembled without springs) (4) (for use with #8140 TRX-4® Long Arm Lift Kit) Shocks, GTS, silver aluminum (assembled without springs) (4) (for use with #8140 TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.29 rate, white	1926 1726 2262 2064A 2064R 2072X 2252 2272 2072R 8290X 8290A	Antenna caps, vinyl (2)/ antenna spool Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) BEC, complete (12.6 volts (3s LiPo) maximum input voltage) (includes receiver box cover and seals) Gear set (for 2065A waterproof sub-micro servo) Gear set, metal (for 2065R waterproof sub-micro servo) Gear set, metal (for 2070, 2075 servos) Gear set, metal (for 2250, 2255 servos) Gear set, metal (for 2270 waterproof servo) Gear set, metal, high-speed (for 2070, 2075 servos) Motor mount plate, 6061-T6 aluminum (blue-anodized) Motor mount plate, 6061-T6 aluminum (charcoal gray-anodized)
8149 8141 8161 8160X 8160-GRN 8160R	coated links, green-anodized shocks) Long arm lift kit, TRX-4®, complete (includes red powder coated links, red-anodized shocks) Rod ends, extended (standard (4), angled (4))/ hollow balls (8) (for use with TRX-4® Long Arm Lift Kit) Servo mount, steering (for use with TRX-4® Long Arm Lift Kit) Shock shaft, 3x57mm (GTS) (2) (includes bump stops) (for use with TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (blue-anodized) (assembled without springs) (4) (for use with #8140X TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (green-anodized) (assembled without springs) (4) (for use with #8140 TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (red-anodized) (assembled without springs) (4) (for use with #8140R TRX-4® Long Arm Lift Kit) Shocks, GTS, silver aluminum (assembled without springs) (4) (for use with #8140 TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.29 rate, white stripe) (for use with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.39 rate, orange	1926 1726 2262 2064A 2064R 2072X 2252 2272 2072R 8290X 8290A 8290G 8290R	Antenna caps, vinyl (2)/ antenna spool Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) BEC, complete (12.6 volts (3s LiPo) maximum input voltage) (includes receiver box cover and seals) Gear set (for 2065A waterproof sub-micro servo) Gear set, metal (for 2065R waterproof sub-micro servo) Gear set, metal (for 2070, 2075 servos) Gear set, metal (for 2270, 2255 servos) Gear set, metal (for 2270 waterproof servo) Gear set, metal, high-speed (for 2070, 2075 servos) Motor mount plate, 6061-T6 aluminum (blue-anodized) Motor mount plate, 6061-T6 aluminum (green-anodized)
8149 8141 8161 8160X 8160-GRN 8160R 8160	coated links, green-anodized shocks) Long arm lift kit, TRX-4®, complete (includes red powder coated links, red-anodized shocks) Rod ends, extended (standard (4), angled (4))/ hollow balls (8) (for use with TRX-4® Long Arm Lift Kit) Servo mount, steering (for use with TRX-4® Long Arm Lift Kit) Shock shaft, 3x57mm (GTS) (2) (includes bump stops) (for use with TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (blue-anodized) (assembled without springs) (4) (for use with #8140X TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (green-anodized) (assembled without springs) (4) (for use with #8140X TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (red-anodized) (assembled without springs) (4) (for use with #8140 TRX-4® Long Arm Lift Kit) Shocks, GTS, silver aluminum (assembled without springs) (4) (for use with #8140 TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.29 rate, white stripe) (for use with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.39 rate, orange stripe) (for use with TRX-4® Long Arm Lift Kit)	1926 1726 2262 2064A 2064R 2072X 2252 2272 2072R 8290X 8290A 8290G 8290R 3975R 8290	Antenna caps, vinyl (2)/ antenna spool Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) BEC, complete (12.6 volts (3s LiPo) maximum input voltage) (includes receiver box cover and seals) Gear set (for 2065A waterproof sub-micro servo) Gear set, metal (for 2055R waterproof sub-micro servo) Gear set, metal (for 2070, 2075 servos) Gear set, metal (for 2250, 2255 servos) Gear set, metal (for 2270 waterproof servo) Gear set, metal, high-speed (for 2070, 2075 servos) Motor mount plate, 6061-T6 aluminum (blue-anodized) Motor mount plate, 6061-T6 aluminum (green-anodized) Motor mount plate, 6061-T6 aluminum (green-anodized) Motor, Titan 550, reverse rotation (21-turns/ 14 volts) (1) Plate, motor/ upper spur gear cover
8149 8141 8161 8160X 8160-GRN 8160R 8160 8153	coated links, green-anodized shocks) Long arm lift kit, TRX-4®, complete (includes red powder coated links, red-anodized shocks) Rod ends, extended (standard (4), angled (4))/ hollow balls (8) (for use with TRX-4® Long Arm Lift Kit) Servo mount, steering (for use with TRX-4® Long Arm Lift Kit) Shock shaft, 3x57mm (GTS) (2) (includes bump stops) (for use with TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (blue-anodized) (assembled without springs) (4) (for use with #8140X TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (green-anodized) (assembled without springs) (4) (for use with #8140 TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (red-anodized) (assembled without springs) (4) (for use with #8140 TRX-4® Long Arm Lift Kit) Shocks, GTS, silver aluminum (assembled without springs) (4) (for use with #8140 TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.29 rate, white stripe) (for use with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.39 rate, orange stripe) (for use with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.47 rate) (included with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.54 rate, green	1926 1726 2262 2064A 2064R 2072X 2252 2272 2072R 8290X 8290A 8290G 8290R 3975R 8290 2254 2253	Antenna caps, vinyl (2)/ antenna spool Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) BEC, complete (12.6 volts (3s LiPo) maximum input voltage) (includes receiver box cover and seals) Gear set (for 2065A waterproof sub-micro servo) Gear set, metal (for 2065R waterproof sub-micro servo) Gear set, metal (for 2070, 2075 servos) Gear set, metal (for 2250, 2255 servos) Gear set, metal (for 2270 waterproof servo) Gear set, metal, high-speed (for 2070, 2075 servos) Motor mount plate, 6061-T6 aluminum (blue-anodized) Motor mount plate, 6061-T6 aluminum (green-anodized) Motor mount plate, 6061-T6 aluminum (red-anodized) Motor mount plate, 6061-T6 aluminum (red-anodized) Motor, Titan 550, reverse rotation (21-turns/ 14 volts) (1) Plate, motor/ upper spur gear cover Servo case, aluminum (middle) (blue-anodized) (for 2255 servo) Servo case, aluminum (middle) (red-anodized) (for 2255 servo)
8149 8141 8161 8160X 8160-GRN 8160R 8160 8153 8154	coated links, green-anodized shocks) Long arm lift kit, TRX-4®, complete (includes red powder coated links, red-anodized shocks) Rod ends, extended (standard (4), angled (4))/ hollow balls (8) (for use with TRX-4® Long Arm Lift Kit) Servo mount, steering (for use with TRX-4® Long Arm Lift Kit) Shock shaft, 3x57mm (GTS) (2) (includes bump stops) (for use with TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (blue-anodized) (assembled without springs) (4) (for use with #8140X TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (green-anodized) (assembled without springs) (4) (for use with #8140 TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (red-anodized) (assembled without springs) (4) (for use with #8140 TRX-4® Long Arm Lift Kit) Shocks, GTS, silver aluminum (assembled without springs) (4) (for use with #8140 TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.29 rate, white stripe) (for use with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.39 rate, orange stripe) (for use with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.47 rate) (included with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.54 rate, green stripe) (for use with TRX-4® Long Arm Lift Kit)	1926 1776 2262 2064A 2064R 2072X 2252 2272 2072R 8290X 8290A 8290G 8290R 3975R 8290 2254 2253 2251	Antenna caps, vinyl (2)/ antenna spool Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) BEC, complete (12.6 volts (3s LiPo) maximum input voltage) (includes receiver box cover and seals) Gear set (for 2065A waterproof sub-micro servo) Gear set, metal (for 2065R waterproof sub-micro servo) Gear set, metal (for 2070, 2075 servos) Gear set, metal (for 2250, 2255 servos) Gear set, metal (for 2270 waterproof servo) Gear set, metal, high-speed (for 2070, 2075 servos) Motor mount plate, 6061-T6 aluminum (blue-anodized) Motor mount plate, 6061-T6 aluminum (green-anodized) Motor mount plate, 6061-T6 aluminum (green-anodized) Motor, Titan 550, reverse rotation (21-turns/ 14 volts) (1) Plate, motor/ upper spur gear cover Servo case, aluminum (middle) (blue-anodized) (for 2250 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos)
8149 8141 8161 8160X 8160-GRN 8160R 8160 8153 8154 8155	coated links, green-anodized shocks) Long arm lift kit, TRX-4®, complete (includes red powder coated links, red-anodized shocks) Rod ends, extended (standard (4), angled (4))/ hollow balls (8) (for use with TRX-4® Long Arm Lift Kit) Servo mount, steering (for use with TRX-4® Long Arm Lift Kit) Shock shaft, 3x57mm (GTS) (2) (includes bump stops) (for use with TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (blue-anodized) (assembled without springs) (4) (for use with #8140X TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (green-anodized) (assembled without springs) (4) (for use with #8140 TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (red-anodized) (assembled without springs) (4) (for use with #8140 TRX-4® Long Arm Lift Kit) Shocks, GTS, silver aluminum (assembled without springs) (4) (for use with #8140 TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.29 rate, white stripe) (for use with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.39 rate, orange stripe) (for use with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.54 rate, green stripe) (for use with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.54 rate, green stripe) (for use with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.52 rate, blue stripe) (for use with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.62 rate, blue stripe) (for use with TRX-4® Long Arm Lift Kit)	1926 1726 2262 2064A 2064R 2072X 2252 2272 2072R 8290X 8290A 8290G 8290R 3975R 8290 2254 2253 2251	Antenna caps, vinyl (2)/ antenna spool Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) BEC, complete (12.6 volts (3s LiPo) maximum input voltage) (includes receiver box cover and seals) Gear set (for 2065A waterproof sub-micro servo) Gear set, metal (for 2070, 2075 servos) Gear set, metal (for 2270, 2075 servos) Gear set, metal (for 2270 waterproof servo) Gear set, metal (for 2270 waterproof servo) Gear set, metal, high-speed (for 2070, 2075 servos) Motor mount plate, 6061-T6 aluminum (blue-anodized) Motor mount plate, 6061-T6 aluminum (charcoal gray-anodized) Motor mount plate, 6061-T6 aluminum (green-anodized) Motor mount plate, 6061-T6 aluminum (red-anodized) Motor, Titan 550, reverse rotation (21-turns/ 14 volts) (1) Plate, motor/ upper spur gear cover Servo case, aluminum (middle) (blue-anodized) (for 2250 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo case/gaskets (for 2270 waterproof sub-micro servo) Servo case/gaskets (for 2065A waterproof sub-micro servo)
8149 8141 8161 8160X 8160-GRN 8160R 8160 8153 8154 8155 8156 8157	coated links, green-anodized shocks) Long arm lift kit, TRX-4®, complete (includes red powder coated links, red-anodized shocks) Rod ends, extended (standard (4), angled (4))/ hollow balls (8) (for use with TRX-4® Long Arm Lift Kit) Servo mount, steering (for use with TRX-4® Long Arm Lift Kit) Shock shaft, 3x57mm (GTS) (2) (includes bump stops) (for use with TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (blue-anodized) (assembled without springs) (4) (for use with #8140X TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (green-anodized) (assembled without springs) (4) (for use with #8140 TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (red-anodized) (assembled without springs) (4) (for use with #8140 TRX-4® Long Arm Lift Kit) Shocks, GTS, silver aluminum (assembled without springs) (4) (for use with #8140 TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.29 rate, white stripe) (for use with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.39 rate, orange stripe) (for use with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.47 rate) (included with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.54 rate, green stripe) (for use with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.50 rate, blue stripe) (for use with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.62 rate, blue stripe) (for use with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.62 rate, blue stripe) (for use with TRX-4® Long Arm Lift Kit)	1926 1726 2262 2064A 2064R 2072X 2252 2272 2072R 8290X 8290A 8290G 8290G 8290R 3975R 8290 2254 2253 2251	Antenna caps, vinyl (2)/ antenna spool Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) BEC, complete (12.6 volts (3s LiPo) maximum input voltage) (includes receiver box cover and seals) Gear set (for 2065A waterproof sub-micro servo) Gear set, metal (for 2065R waterproof sub-micro servo) Gear set, metal (for 2070, 2075 servos) Gear set, metal (for 2250, 2255 servos) Gear set, metal (for 2270 waterproof servo) Gear set, metal, high-speed (for 2070, 2075 servos) Motor mount plate, 6061-T6 aluminum (blue-anodized) Motor mount plate, 6061-T6 aluminum (green-anodized) Motor mount plate, 6061-T6 aluminum (red-anodized) Motor mount plate, 6061-T6 aluminum (red-anodized) Motor, Titan 550, reverse rotation (21-turns/ 14 volts) (1) Plate, motor/ upper spur gear cover Servo case, aluminum (middle) (blue-anodized) (for 2250 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo case/gaskets (for 2270 waterproof sub-micro servo) Servo case/gaskets (for 2065A waterproof sub-micro servo) Servo case/gaskets (for 2065R metal gear, waterproof, sub-micro servo)
8149 8141 8161 8160X 8160-GRN 8160R 8153 8154 8155 8156 8157	coated links, green-anodized shocks) Long arm lift kit, TRX-4®, complete (includes red powder coated links, red-anodized shocks) Rod ends, extended (standard (4), angled (4))/ hollow balls (8) (for use with TRX-4® Long Arm Lift Kit) Servo mount, steering (for use with TRX-4® Long Arm Lift Kit) Shock shaft, 3x57mm (GTS) (2) (includes bump stops) (for use with TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (blue-anodized) (assembled without springs) (4) (for use with #8140X TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (green-anodized) (assembled without springs) (4) (for use with #8140 TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (red-anodized) (assembled without springs) (4) (for use with #8140 TRX-4® Long Arm Lift Kit) Shocks, GTS, silver aluminum (assembled without springs) (4) (for use with #8140 TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.29 rate, white stripe) (for use with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.39 rate, orange stripe) (for use with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.54 rate, green stripe) (for use with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.54 rate, green stripe) (for use with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.54 rate, green stripe) (for use with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.62 rate, blue stripe) (for use with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.62 rate, blue stripe) (for use with TRX-4® Long Arm Lift Kit)	1926 1726 2262 2064A 2064R 2072X 2252 2272 2072R 8290X 8290A 8290G 8290R 3975R 8290 2254 2253 2251 2271 2063A 2063R 2063X	Antenna caps, vinyl (2)/ antenna spool Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) BEC, complete (12.6 volts (3s LiPo) maximum input voltage) (includes receiver box cover and seals) Gear set (for 2065A waterproof sub-micro servo) Gear set, metal (for 2070, 2075 servos) Gear set, metal (for 2270, 2075 servos) Gear set, metal (for 2270 waterproof servo) Gear set, metal (for 2270 waterproof servo) Gear set, metal, high-speed (for 2070, 2075 servos) Motor mount plate, 6061-T6 aluminum (blue-anodized) Motor mount plate, 6061-T6 aluminum (green-anodized) Motor mount plate, 6061-T6 aluminum (red-anodized) Motor, Titan 550, reverse rotation (21-turns/ 14 volts) (1) Plate, motor/ upper spur gear cover Servo case, aluminum (middle) (blue-anodized) (for 2250 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo case/gaskets (for 2065A waterproof sub-micro servo) Servo case/gaskets (for 2065A metal gear, waterproof, sub-micro servo) Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo) Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo) Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo) Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo) Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo) Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo)
8149 8141 8161 8160X 8160-GRN 8160R 8160 8153 8154 8155 8156 8157	coated links, green-anodized shocks) Long arm lift kit, TRX-4®, complete (includes red powder coated links, red-anodized shocks) Rod ends, extended (standard (4), angled (4))/ hollow balls (8) (for use with TRX-4® Long Arm Lift Kit) Servo mount, steering (for use with TRX-4® Long Arm Lift Kit) Shock shaft, 3x57mm (GTS) (2) (includes bump stops) (for use with TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (blue-anodized) (assembled without springs) (4) (for use with #8140X TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (green-anodized) (assembled without springs) (4) (for use with #8140 TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (red-anodized) (assembled without springs) (4) (for use with #8140 TRX-4® Long Arm Lift Kit) Shocks, GTS, silver aluminum (assembled without springs) (4) (for use with #8140 TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.29 rate, white stripe) (for use with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.39 rate, orange stripe) (for use with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.47 rate) (included with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.54 rate, green stripe) (for use with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.50 rate, blue stripe) (for use with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.50 rate, blue stripe) (for use with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.59 rate, blue stripe) (for use with TRX-4® Long Arm Lift Kit) Steering link, 5x117mm (1)/ drag link, 5x60mm (1)/ panhard link, 5x63mm (blue powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit) Suspension link, front upper, 5x68mm (1) (blue powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit)	1926 1726 2262 2064A 2064R 2072X 2252 2272 2072R 8290X 8290G 8290R 3975R 8290 2254 2253 2251 2271 2063A 2063R	Antenna caps, vinyl (2)/ antenna spool Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) BEC, complete (12.6 volts (3s LiPo) maximum input voltage) (includes receiver box cover and seals) Gear set (for 2065A waterproof sub-micro servo) Gear set, metal (for 2070, 2075 servos) Gear set, metal (for 2250, 2255 servos) Gear set, metal (for 2270 waterproof servo) Gear set, metal (for 2270 waterproof servo) Gear set, metal, high-speed (for 2070, 2075 servos) Motor mount plate, 6061-T6 aluminum (blue-anodized) Motor mount plate, 6061-T6 aluminum (green-anodized) Motor mount plate, 6061-T6 aluminum (green-anodized) Motor, Titan 550, reverse rotation (21-turns/ 14 volts) (1) Plate, motor/ upper spur gear cover Servo case, aluminum (middle) (blue-anodized) (for 2250 servo) Servo case, aluminum (middle) (red-anodized) (for 2255 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo case/gaskets (for 2065A waterproof sub-micro servo) Servo case/gaskets (for 2065R metal gear, waterproof, sub-micro servo) Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo) Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo) Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo) Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo) Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo) Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo) Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn
8149 8141 81601 8160X 8160-GRN 81600 8153 8154 8155 8156 8157 8146X	coated links, green-anodized shocks) Long arm lift kit, TRX-4®, complete (includes red powder coated links, red-anodized shocks) Rod ends, extended (standard (4), angled (4))/ hollow balls (8) (for use with TRX-4® Long Arm Lift Kit) Servo mount, steering (for use with TRX-4® Long Arm Lift Kit) Shock shaft, 3x57mm (GTS) (2) (includes bump stops) (for use with TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (blue-anodized) (assembled without springs) (4) (for use with #8140X TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (green-anodized) (assembled without springs) (4) (for use with #8140 TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (red-anodized) (assembled without springs) (4) (for use with #8140 TRX-4® Long Arm Lift Kit) Shocks, GTS, silver aluminum (assembled without springs) (4) (for use with #8140 TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.29 rate, white stripe) (for use with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.39 rate, orange stripe) (for use with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.47 rate) (included with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.54 rate, green stripe) (for use with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.52 rate, blue stripe) (for use with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.62 rate, blue stripe) (for use with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.62 rate, blue stripe) (for use with TRX-4® Long Arm Lift Kit) Steering link, 5x117mm (1)/ drag link, 5x60mm (1)/ panhard link, 5x63mm (blue powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit) Suspension link, front upper, 5x68mm (1) (blue powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit)	1926 1726 2262 2064A 2064R 2072X 2252 2272 2072R 8290X 8290A 8290G 8290R 3975R 8290 2254 2253 2251 2271 2063A 2063R 2063X 5669	Antenna caps, vinyl (2)/ antenna spool Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) BEC, complete (12.6 volts (3s LiPo) maximum input voltage) (includes receiver box cover and seals) Gear set (for 2065A waterproof sub-micro servo) Gear set, metal (for 2070, 2075 servos) Gear set, metal (for 2270, 2075 servos) Gear set, metal (for 2270 waterproof servo) Gear set, metal (for 2270 waterproof servo) Gear set, metal, high-speed (for 2070, 2075 servos) Motor mount plate, 6061-T6 aluminum (blue-anodized) Motor mount plate, 6061-T6 aluminum (green-anodized) Motor mount plate, 6061-T6 aluminum (green-anodized) Motor mount plate, 6061-T6 aluminum (red-anodized) Motor, Titan 550, reverse rotation (21-turns/ 14 volts) (1) Plate, motor/ upper spur gear cover Servo case, aluminum (middle) (blue-anodized) (for 2250 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo case/gaskets (for 2065A waterproof servo) Servo case/gaskets (for 2065A waterproof sub-micro servo) Servo case/gaskets (for 2065A metal gear, waterproof, sub-micro servo) Servo case/gaskets (for 2065A metal gear, waterproof, sub-micro servo) Servo case/gaskets (for 2065A metal gear, waterproof, sub-micro servo) Servo case/gaskets (for 2065A metal gear, waterproof, sub-micro servo) Servo case/gaskets (for 2065A metal gear, waterproof, sub-micro servo) Servo case/gaskets (for 2065A metal gear, waterproof, sub-micro servo) Servo case/gaskets (for 2065A metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance) Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance)
8149 8141 8161 8160X 8160-GRN 8160G 8153 8154 8155 8156 8157 8146X 8146X	coated links, green-anodized shocks) Long arm lift kit, TRX-4®, complete (includes red powder coated links, red-anodized shocks) Rod ends, extended (standard (4), angled (4))/ hollow balls (8) (for use with TRX-4® Long Arm Lift Kit) Servo mount, steering (for use with TRX-4® Long Arm Lift Kit) Shock shaft, 3x57mm (GTS) (2) (includes bump stops) (for use with TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (blue-anodized) (assembled without springs) (4) (for use with #8140X TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (green-anodized) (assembled without springs) (4) (for use with #8140 TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (red-anodized) (assembled without springs) (4) (for use with #8140 TRX-4® Long Arm Lift Kit) Shocks, GTS, silver aluminum (assembled without springs) (4) (for use with #8140 TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.29 rate, white stripe) (for use with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.39 rate, orange stripe) (for use with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.47 rate) (included with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.54 rate, green stripe) (for use with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.54 rate, green stripe) (for use with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.62 rate, blue stripe) (for use with TRX-4® Long Arm Lift Kit) Steering link, 5x117mm (1)/ drag link, 5x60mm (1)/ panhard link, 5x63mm (blue powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit) Suspension link, front upper, 5x68mm (1) (blue powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit)	1926 1726 2262 2064A 2064R 2072X 2252 2272 2072R 8290X 8290A 8290G 8290R 3975R 8290 2254 2253 2251 2271 2063A 2063R 2063X 5669	Antenna caps, vinyl (2)/ antenna spool Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) BEC, complete (12.6 volts (3s LiPo) maximum input voltage) (includes receiver box cover and seals) Gear set (for 2065A waterproof sub-micro servo) Gear set, metal (for 2070, 2075 servos) Gear set, metal (for 2270, 2075 servos) Gear set, metal (for 2270 waterproof servo) Gear set, metal (for 2270 waterproof servo) Gear set, metal (for 2270 waterproof servo) Gear set, metal, high-speed (for 2070, 2075 servos) Motor mount plate, 6061-T6 aluminum (blue-anodized) Motor mount plate, 6061-T6 aluminum (green-anodized) Motor mount plate, 6061-T6 aluminum (red-anodized) Motor, Titan 550, reverse rotation (21-turns/ 14 volts) (1) Plate, motor/ upper spur gear cover Servo case, aluminum (middle) (blue-anodized) (for 2250 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo case/gaskets (for 2065A waterproof sub-micro servo) Servo case/gaskets (for 2065A metal gear, waterproof, sub-micro servo) Servo case/gaskets (for 2065A metal gear, waterproof, sub-micro servo) Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo) Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo) Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo) Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo) Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo) Servo case/gaskets (for 2065X metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance) Servo, digital high-torque 400 brushless, metal gear (ball

Page 4 T	ΓRX-4® Ford® ∣	Bronco®: TQi™	Traxxas Link™	Enabled 2.4GHz Ra	lio (Model 92076-4	l) Parts List
----------	----------------	---------------	---------------	-------------------	--------------------	---------------

2065R 3025	Servo, sub-micro, waterproof, metal gear	2968X	LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries)
	XL-5HV 3s Electronic Speed Control, waterproof (low-voltage detection, fwd/rev/brake)	2968	LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries)
2261	Y-harness, BEC	6561	Mount, telemetry expander
	Pro Scale® Winch & Accessories	6535	Mount, temperature sensor (electric motors)/ wire tie/ thermal
8859	Fairlead, winch		pad
8870X	Fairlead, winch, aluminum (blue-anodized) (use with front bumpers #8865, 8866, 8867, 8869, or 9224)	6533	Receiver, micro, TQi 2.4GHz with telemetry & TSM® (5-channel)
8870A	Fairlead, winch, aluminum (gray-anodized) (use with front	6552	Seal kit, expander box (includes o-ring, seals, and silicone grease)
	bumpers #8865, 8866, 8867, 8869, or 9224)	6526	Sensor, auto-detectable, temperature
8870G	Fairlead, winch, aluminum (green-anodized) (use with front	6527	Sensor, auto-detectable, voltage
8870T	bumpers #8865, 8866, 8867, 8869, or 9224) Fairlead, winch, aluminum (orange-anodized) (use with front	6521	Sensor, temperature and voltage (long)
00/01	bumpers #8865, 8866, 8867, 8869, or 9224)	2254	Servo case, aluminum (middle) (blue-anodized) (for 2250 servo)
8870R	Fairlead, winch, aluminum (red-anodized) (use with front	2253 2251	Servo case, aluminum (middle) (red-anodized) (for 2255 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for
0000	bumpers #8865, 8866, 8867, 8869, or 9224)		2250, 2255 servos)
8862 8863	Gearmotor, winch Hook, winch (steel)/ line retainer/ washer	2271	Servo case/ gaskets (for 2270 waterproof servo)
8858	Housings (front & rear), winch/ decal	2063A	Servo case/gaskets (for 2065A waterproof sub-micro servo)
8864X	Line, winch (blue)	2063R	Servo case/gaskets (for 2065R metal gear, waterproof, sub-micro servo)
8864	Line, winch (gray)	2063X	Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro
8864R	Line, winch (red)		servo)
8860	Spool shaft assembly, winch	2075R	Servo, digital high-speed, metal gear (ball bearing), waterproof
8861 8855	Spool, winch Winch kit with wireless controller, TRX-4® and TRX-6®	2250	Servo, digital high-torque 330 coreless, metal gear (ball bearing),
8856	Winch, TRX-4® and TRX-6® (requires #8857 wireless remote)		waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance)
8857	Wireless remote, winch, TRX-4® and TRX-6®	2255	Servo, digital high-torque 400 brushless, metal gear (ball
	Radio System, Batteries & Chargers		bearing), waterproof (#2262 external BEC and #8247 metal servo
2823X	1400mah 11.1v 3-Cell 25C LiPo Battery		horn recommended for optimal performance)
2820X	2200mah 7.4v 2-Cell 25C LiPo Battery	2075X	Servo, digital high-torque, metal gear (ball bearing), waterproof
2849X	4000mah 11.1v 3-Cell 25C LiPo Battery	2270	Servo, digital high-torque, metal gear (ball bearing), waterproof
2872X	5000mah 11.1v 3-Cell 25C LiPo Battery	2065A 2065R	Servo, sub-micro, waterproof Servo, sub-micro, waterproof, metal gear
2842X	5000mah 7.4v 2-Cell 25C LiPo Battery	6553X	Telemetry Expander 2.0 and GPS module 2.0, TQi radio system
2843X	5800mah 7.4v 2-Cell 25C LiPo Battery	6550X	Telemetry expander 2.0, TQi radio system (for use only with
2869X 2914	7600mah 7.4v 2-Cell 25C LiPo Battery Battery, Power Cell AA Alkaline (4)		#6551X GPS module)
2976	AC to DC adapter	6551X	Telemetry GPS module 2.0, TQi radio system (for use only with
2938X	Adapter, Traxxas® iD® LiPo battery (adapts Traxxas® iD®	6530	#6550X telemetry expander) Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 4-
	batteries to separate balance ports)	0000	channel (transmitter only)
1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)	6511	Traxxas® Link Bluetooth® module
2943 6548	Battery charge indicators, green (4), grey (4), blue (4)	2261	Y-harness, BEC
0346	Battery door, TQ 2.4 transmitter (replacement for #6516, 6517 transmitter)		Ready-To-Race Model
8222	Battery strap (for use with 2200mAh 2-cell and 1400mAh 3-cell	92076-4	TRX-4® Scale and Trail® Crawler with Ford® Bronco Body: 4WD Electric Truck with TQi™ Traxxas Link™ Enabled 2.4GHz Radio
2923X	LiPo batteries) Battery, Power Cell, 3000mAh (NiMH, 7-C flat, 8.4V)		System
2940X	Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C flat, 8.4V)		Scale Details
2950X	Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C flat, 8.4V)	8422-BI K	Fire extinguisher, black (2)
2960X	Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V)	8422	Fire extinguisher, red (2)
2983	Battery/charger completer pack (includes #2969 2-amp NiMH	8022T	Fuel canisters (black) (2)/ screw pin
	peak detecting AC charger (1), #2923X 3000mAh 8.4V 7-cell NiMH iD® battery (1))	8022R	Fuel canisters (blue) (2)/ screw pin
2992	Battery/charger completer pack (includes #2970 iD® charger (1),	8022-GRN	Fuel canisters (green) (2)/ screw pin
	#2843X 5800mAh 7.4V 2-cell 25C LiPo iD® battery (1))	8022	Fuel conisters (red) (2)/ screw pin
2994	Battery/charger completer pack (includes #2970 iD® charger (1),	8022X 8022A	Fuel canisters (white) (2)/ screw pin Fuel canisters (yellow) (2)/ screw pin
2991	#2849X 4000mAh 11.1v 3-Cell 25C LiPo iD® battery (1)) Battery/charger completer pack (includes #2972 Dual iD charger	8023	Jack (1)/ 2x8 BCS (1)
2331	(1), #2869X 7600mAh 7.4V 2-cell 25C LiPo iD® Battery (2))	8023T	Jack (black) (1)/ 2x8 BCS (1)
2262	BEC, complete (12.6 volts (3s LiPo) maximum input voltage)		Shock Oil
	(includes receiver box cover and seals)	5031	Oil, shock (20 wt, 200 cSt, 60cc) (silicone)
2975 2972	Charger, D/C, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH) Charger, E7-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery	5032	Oil, shock (30 wt, 350 cSt, 60cc) (silicone)
2312	Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery Identification	5033	Oil, shock (40 wt, 500 cSt, 60cc) (silicone)
2973	Charger, EZ-Peak Live Dual, 200W, NiMH/LiPo with iD Auto	5034	Oil, shock (50 wt, 600 cSt, 60cc) (silicone)
		5035	Oil, shock (60 wt, 700 cSt, 60cc) (silicone)
	Battery Identification	5036	Oil shock (70 wt 900 cSt 60cc) (silicono)
2970	Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery	5036 5037	Oil, shock (70 wt, 900 cSt, 60cc) (silicone) Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone)
2970 2971			
2971	Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery Identification Charger, EZ-Peak® Live, 100W, NiMH/LiPo with iD® Auto Battery Identification	5037	Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone) Shock oil bottle (60cc) (for mixing shock oil) Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, &
	Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery Identification Charger, EZ-Peak® Live, 100W, NiMH/LiPo with iD® Auto Battery Identification Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto	5037 5029 5038X	Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone) Shock oil bottle (60cc) (for mixing shock oil) Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & 80 wt premium shock oils with spinning carousel rack)
2971 2981	Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery Identification Charger, EZ-Peak® Live, 100W, NiMH/LiPo with iD® Auto Battery Identification Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto Battery Identification	5037 5029	Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone) Shock oil bottle (60cc) (for mixing shock oil) Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & 80 wt premium shock oils with spinning carousel rack) Spinning carousel rack
2971 2981 6525	Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery Identification Charger, EZ-Peak® Live, 100W, NiMH/LiPo with iD® Auto Battery Identification Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto Battery Identification Communication link, telemetry expander	5037 5029 5038X 5038	Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone) Shock oil bottle (60cc) (for mixing shock oil) Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & 80 wt premium shock oils with spinning carousel rack) Spinning carousel rack Since (STS)
2971 2981	Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery Identification Charger, EZ-Peak® Live, 100W, NiMH/LiPo with iD® Auto Battery Identification Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto Battery Identification	5037 5029 5038X 5038 8266A	Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone) Shock oil bottle (60cc) (for mixing shock oil) Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & 80 wt premium shock oils with spinning carousel rack) Spinning carousel rack Since(s (GTS) Body, GTS shock (aluminum, blue-anodized) (1)
2971 2981 6525 6512	Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery Identification Charger, EZ-Peak® Live, 100W, NiMH/LiPo with iD® Auto Battery Identification Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto Battery Identification Communication link, telemetry expander Cover plate, Traxxas® Link Bluetooth® module	5037 5029 5038X 5038 8266A 8266G	Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone) Shock oil bottle (60cc) (for mixing shock oil) Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & 80 wt premium shock oils with spinning carousel rack) Spinning carousel rack SIDE (STS) Body, GTS shock (aluminum, blue-anodized) (1) Body, GTS shock (aluminum, green-anodized) (1)
2971 2981 6525 6512 2978 2064A 2064R	Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery Identification Charger, EZ-Peak® Live, 100W, NiMH/LiPo with iD® Auto Battery Identification Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto Battery Identification Communication link, telemetry expander Cover plate, Traxxas® Link Bluetooth® module Fuse, D/C charger, 5A (2) (for #2974, 2975, 2977) Gear set (for 2065A waterproof sub-micro servo) Gear set, metal (for 2065R waterproof sub-micro servo)	5037 5029 5038X 5038 8266A 8266G 8266R	Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone) Shock oil bottle (60cc) (for mixing shock oil) Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & 80 wt premium shock oils with spinning carousel rack) Spinning carousel rack SIDC (SITS) Body, GTS shock (aluminum, blue-anodized) (1) Body, GTS shock (aluminum, red-anodized) (1)
2971 2981 6525 6512 2978 2064A 2064R 2072X	Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery Identification Charger, EZ-Peak® Live, 100W, NiMH/LiPo with iD® Auto Battery Identification Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto Battery Identification Communication link, telemetry expander Cover plate, Traxxas® Link Bluetooth® module Fuse, D/C charger, 5A (2) (for #2974, 2975, 2977) Gear set (for 2065A waterproof sub-micro servo) Gear set, metal (for 2065R waterproof sub-micro servo) Gear set, metal (for 2070, 2075 servos)	5037 5029 5038X 5038 8266A 8266G	Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone) Shock oil bottle (60cc) (for mixing shock oil) Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & 80 wt premium shock oils with spinning carousel rack) Spinning carousel rack SIDE (STS) Body, GTS shock (aluminum, blue-anodized) (1) Body, GTS shock (aluminum, green-anodized) (1)
2971 2981 6525 6512 2978 2064A 2064R 2072X 2252	Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery Identification Charger, EZ-Peak® Live, 100W, NiMH/LiPo with iD® Auto Battery Identification Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto Battery Identification Communication link, telemetry expander Cover plate, Traxxas® Link Bluetooth® module Fuse, D/C charger, 5A (2) (for #2974, 2975, 2977) Gear set (for 2065A waterproof sub-micro servo) Gear set, metal (for 2056R waterproof sub-micro servo) Gear set, metal (for 2070, 2075 servos) Gear set, metal (for 2250, 2255 servos)	5037 5029 5038X 5038 8266A 8266G 8266R 8266	Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone) Shock oil bottle (60cc) (for mixing shock oil) Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & 80 wt premium shock oils with spinning carousel rack) Spinning carousel rack Since (Silicate) Body, GTS shock (aluminum, blue-anodized) (1) Body, GTS shock (aluminum, green-anodized) (1) Body, GTS shock (aluminum, silver-anodized) (1) Body, GTS shock (aluminum, silver-anodized) (1) Body, GTS shock (hard-anodized, PTFE-coated aluminum) (1) Caps & spring retainers, GTS shocks (upper cap (2)/ hollow balls (4)/
2971 2981 6525 6512 2978 2064A 2064R 2072X	Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery Identification Charger, EZ-Peak® Live, 100W, NiMH/LiPo with iD® Auto Battery Identification Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto Battery Identification Communication link, telemetry expander Cover plate, Traxxas® Link Bluetooth® module Fuse, D/C charger, 5A (2) (for #2974, 2975, 2977) Gear set (for 2065A waterproof sub-micro servo) Gear set, metal (for 2065R waterproof sub-micro servo) Gear set, metal (for 2070, 2075 servos)	5037 5029 5038X 5038 8266A 8266G 8266R 8266R 8266	Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone) Shock oil bottle (60cc) (for mixing shock oil) Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & 80 wt premium shock oils with spinning carousel rack) Spinning carousel rack SIDCIS (STS) Body, GTS shock (aluminum, blue-anodized) (1) Body, GTS shock (aluminum, red-anodized) (1) Body, GTS shock (aluminum, silver-anodized) (1) Body, GTS shock (aluminum, silver-anodized) (1) Body, GTS shock (hard-anodized, PTFE-coated aluminum) (1)

Page 5	TRX-4® Ford® Bronco®: TQi™ Traxxas Link™ Enab	led 2.4GF	Iz Radio (Model 92076-4) Parts List
8261	Piston, damper (red) (4)/ e-clips (8)	5529	Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls,
8262	Rebuild kit, TRX-4® shocks (x-rings, o-rings, pistons, bushings, e		captured (4)
	clips, rod ends, and travel limiters)	8246	Steering link, 5x60mm (1)/ draglink, 5x117mm (1) (steel)
8263	Shock shaft, 3x47mm (GTS) (2)	8243	Suspension link, front, 5x100mm (lower) (steel) (2)
8263T	Shock shaft, 3x47mm (GTS) (titanium nitride-coated) (2)	8244	Suspension link, front, 5x63mm (upper) (steel) (2)
8260X	Shocks, GTS hard-anodized, PTFE-coated aluminum bodies with	8248	Suspension link, rear, 5x109mm (upper or lower) (steel) (2)
00004	TiN shafts (assembled with spring retainers) (2)	8245	Suspension link, rear, 5x121mm (upper or lower) (steel) (2)
8260A	Shocks, GTS, blue-anodized (assembled with spring retainers) (2)		Suspension Linkage
8260G	Shocks, GTS, green-anodized (assembled with spring retainers)	8274	Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated)
	(2)	5355	Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer
8260R	Shocks, GTS, red-anodized (assembled with spring retainers) (2)		adjustment shims; 3.5mm (2), 1.17mm (2)
8260	Shocks, GTS, silver aluminum (assembled with spring retainers) (2)	8275	Rod end set, complete (standard (10), angled 10-degrees (8), offset
	Slipper Clutch Components	9976	(4)) Pad anda (10)
8292	Input shaft/ output shaft (transmission)	8276 8277	Rod ends (10) Rod ends, angled 10-degrees (8)
8286	Output shafts (transfer case), front & rear	2742	Rod ends, long (6)/ hollow ball connectors (6)
8254	Rebuild kit, slipper clutch (steel disc (2)/ friction insert (2)/ 4.0mm NL	8278	Rod ends, offset (4)
	(1)/ spring washers (2))	5529	Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls,
8249	Slipper eliminator plate		captured (4)
	Springs	8243	Suspension link, front, 5x100mm (lower) (steel) (2)
8041	Springs, shock (GTS) (front) (0.45 rate) (2)	8244	Suspension link, front, 5x63mm (upper) (steel) (2)
8040	Springs, shock (GTS) (rear) (0.54 rate) (2)	8248	Suspension link, rear, 5x109mm (upper or lower) (steel) (2)
8042	Springs, shock (natural finish) (GTS) (0.22 rate, yellow stripe) (2)	8245	Suspension link, rear, 5x121mm (upper or lower) (steel) (2)
8043	Springs, shock (natural finish) (GTS) (0.30 rate, white stripe) (2)		Team Traxxas Items
8044	Springs, shock (natural finish) (GTS) (0.39 rate, orange stripe) (2)	2514	Decal sheet, racing sponsors
8045	Springs, shock (natural finish) (GTS) (0.61 rate, blue stripe) (2)	9950	Official Team Traxxas® racing decal set(flag logo/ 6-color)
	Spur Gears & Pinion Gears	9909	Traxxas® racing banner, red & black (3x7 feet)
6746	Gear, 10-T pinion (32-p) (steel) (fits 3mm shaft)/ set screw		Tires & Wheels
6747	Gear, 11-T pinion (32-p) (steel) (fits 3mm shaft)/ set screw	8169T	Beadlock rings, black (1.9") (aluminum) (4)/ 2x10 CS (48)
3942X	Gear, 12-T pinion (32-p), heavy duty (machined, hardened steel)	8168T	Beadlock rings, black (2.2") (aluminum) (4)/ 2x10 CS (48)
	(fits 3mm shaft)/ set screw	8169X	Beadlock rings, blue (1.9") (aluminum) (4)/ 2x10 CS (48)
3943X	Gear, 13-T pinion (32-p), heavy duty (machined, hardened steel)	8168X	Beadlock rings, blue (2.2") (aluminum) (4)/ 2x10 CS (48)
2044V	(fits 3mm shaft)/ set screw	8169G	Beadlock rings, green (1.9") (aluminum) (4)/ 2x10 CS (48)
3944X	Gear, 14-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw	8168G	Beadlock rings, green (2.2") (aluminum) (4)/ 2x10 CS (48)
3945X	Gear, 15-T pinion (32-p), heavy duty (machined, hardened steel)	8169R	Beadlock rings, red (1.9") (aluminum) (4)/ 2x10 CS (48)
00.021	(fits 3mm shaft)/ set screw	8168R	Beadlock rings, red (2.2") (aluminum) (4)/ 2x10 CS (48)
3946X	Gear, 16-T pinion (32-p), heavy duty (machined, hardened steel)	8169 8168	Beadlock rings, satin (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (2.2") (aluminum)(4)/ 2x10 CS (48)
	(fits 3mm shaft)/ set screw	8176	Center caps, wheel (chrome) (4)/ decal sheet (requires #8255A
3947X	Gear, 17-T pinion (32-p), heavy duty (machined, hardened steel)	0110	extended thread stub axle)
20.40V	(fits 3mm shaft)/ set screw	1747P	Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4)
3948X	Gear, 18-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw	1747R	Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)
3949X	Gear, 19-T pinion (32-p), heavy duty (machined, hardened steel)	1747G	Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)
55-157	(fits 3mm shaft)/ set screw	1747T	Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4)
3950X	Gear, 20-T pinion (32-p), heavy duty (machined, hardened steel)	1747A	Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)
	(fits 3mm shaft)/ set screw	8174	Tires & wheels, assembled (Method Race Wheels® 105 Beadlock 1.9" black chrome beadlock wheels, Canyon Trail 4.6x1.9" tires,
3951X	Gear, 21-T pinion (32-p), heavy duty (machined, hardened steel)		foam inserts) (1 left, 1 right)
22.501	(fits 3mm shaft)/ set screw	8182	Tires & wheels, assembled (Method Race Wheels® 105 Beadlock
3952X	Gear, 22-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw		1.9" satin black chrome, blue beadlock style wheels, Canyon
6745	Gear, 9-T pinion (32-p) (steel) (fits 3mm shaft)/ set screw		Trail 4.6x1.9" tires, foam inserts) (1 left, 1 right)
8279	Ring gear, differential/ pinion gear, differential	8177	Tires & wheels, assembled, glued (1.9" chrome wheels, Canyon
8052	Spur gear, 39-tooth (32-pitch)		Trail 4.6x1.9" tires) (2)/ center caps (2)/ decal sheet (requires
8053	Spur gear, 45-tooth (32-pitch)	8166	#8255A extended thread stub axle) Tires & wheels, assembled, glued (1.9" chrome wheels, Canyon
	Steering Components	0100	Trail 4.6x1.9" tires) (2)/ center caps (2)/ decal sheet (requires
8232	Caster blocks (portal drive), left & right		#8255A extended thread stub axle)
8232X	Caster blocks, 6061-T6 aluminum (blue-anodized), left and right	8166X	Tires & wheels, assembled, glued (1.9" chrome wheels, Canyon
8232A	Caster blocks, 6061-T6 aluminum (charcoal gray-anodized), left		Trail 4.6x1.9" tires) (4)/ center caps (4)/ decal sheet (requires
02027	and right		#8255A extended thread stub axle)
8232G	Caster blocks, 6061-T6 aluminum (green-anodized), left and right	8183X	Tires & wheels, assembled, glued (1.9" classic chrome wheels,
8232R	Caster blocks, 6061-T6 aluminum (red-anodized), left and right		Canyon Trail 4.6x1.9" tires) (4)/ center caps (4)/ decal sheet (requires #8255A extended thread stub axle)
2072X	Gear set, metal (for 2070, 2075 servos)	8273	Tires & wheels, assembled, glued (Tactical 1.9" wheels, Canyon
2072R	Gear set, metal, high-speed (for 2070, 2075 servos)		Trail 4.6x1.9" tires) (2)
8274	Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated)	8272X	Tires & wheels, assembled, glued (TRX-4® 1.9" satin beadlock
5355	Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer		wheels, Canyon Trail 4.6x1.9" tires) (2)
8275	adjustment shims; 3.5mm (2), 1.17mm (2) Rod end set, complete (standard (10), angled 10-degrees (8), offset	8272	Tires & wheels, assembled, glued (TRX-4® 1.9" wheels, Canyon
0270	(4))	0070	Trail 4.6x1.9" tires) (2)
8276	Rod ends (10)	9272	Tires & wheels, assembled, glued (TRX-4® Bronco 1.9" wheels, Canyon Trail 4.6x1.9" tires) (2)
8277	Rod ends, angled 10-degrees (8)	8181-BLUF	Tires & wheels, assembled, glued (TRX-4® Sport 2.2" gray, blue
2742	Rod ends, long (6)/ hollow ball connectors (6)	5202	beadlock style wheels, Canyon Trail 5.3x2.2" tires) (2)
8278	Rod ends, offset (4)	8181-GRN	Tires & wheels, assembled, glued (TRX-4® Sport 2.2" gray, green
8247X	Servo horn, steering, metal/ 3x14 BCS (1)		beadlock style wheels, Canyon Trail 5.3x2.2" tires) (2)
2075R	Servo, digital high-speed, metal gear (ball bearing), waterproof	8181-RED	Tires & wheels, assembled, glued (TRX-4® Sport 2.2" gray, red
2250	Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof	2172	beadlock style wheels, Canyon Trail 5.3x2.2" tires) (2)
2255	Servo, digital high-torque 400 brushless, metal gear (ball	8172	Tires and wheels, assembled (Method 105 2.2™ black chrome beadlock wheels, Canyon Trail 5.3x2.2™ tires, foam inserts) (1
	bearing), waterproof		left, 1 right) (for use with TRX-4 Long Arm Lift Kit)
2075X	Servo, digital high-torque, metal gear (ball bearing), waterproof		·

Page 6 T	TRX-4® Ford® Bronco®:	TQi™ Traxxas Link™	Enabled 2.4GHz Radio	(Model 92076-4) Parts List
----------	-----------------------	--------------------	-----------------------------	----------------------------

_			,
8181	Tires and wheels, assembled, glued (TRX-4® Sport 2.2™ wheels, Canyon Trail 5.3x2.2™ tires) (2) (for use with TRX-4 Long Arm	8716X	Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm) 1/4" drive
	Lift Kit)	8715	Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm,
8270	Tires, Canyon Trail 4.6x1.9" (S1 compound)/ foam inserts (2)		2.5mm), 1/4" drive
8170	Tires, Canyon Trail 5.3x2.2™/ foam inserts (2) (for use with TRX-	8715X	Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm,
	4 Long-Arm Lift Kit)		2.5mm, 3.0mm), 1/4" drive
	Wheel hubs, 12mm hex (2)/ stub axle pins (2) (steel)	8714	Speed Bit Set, screwdriver, 3-piece straight (3mm slotted, #1
8269X	Wheel hubs, 12mm hex, 6061-T6 aluminum (blue-anodized) (4)/		Phillips, and #2 Phillips bits), 1/4" drive
	3x10 screw pin (4)	2748R	Tool set (includes 1.5mm hex wrench / 2.0mm hex wrench /
8269A	Wheel hubs, 12mm hex, 6061-T6 aluminum (charcoal gray- anodized) (4)/ 3x10 screw pin (4)		2.5mm hex wrench/ 4-way wrench/ 8mm & 4mm wrench/ U-joint wrench)
8269G	Wheel hubs, 12mm hex, 6061-T6 aluminum (green-anodized) (4)/	3415	Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm,
	3x10 screw pin (4)		3.5mm, 4mm drivers/4mm. 5mm, 5.5mm, 7mm, and 8mm nut
8269R	Wheel hubs, 12mm hex, 6061-T6 aluminum (red-anodized) (4)/		drivers/ 2mm, 3mm, and 4mm slotted screwdrivers/ #00 Phillips,
	3x10 screw pin (4)		#0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm
8175	Wheels, 1.9", chrome (2)/ center caps (2)/ decal sheet (requires		wrenches/ driver handle)
	#8255A extended thread stub axle)		TRX-4® Traxx®
8173	Wheels, 1.9", Method Race Wheels® 105 Beadlock (black	8889	Bearing retainers, inner (2)/ outer (2)
04704	chrome, beadlock) (beadlock rings sold separately)	8890	Drive wheel (1)
8173A	Wheels, 1.9", Method Race Wheels® 105 Beadlock (charcoal gray, beadlock) (beadlock rings sold separately)	8885	Shock mounts (frame, left (2), frame, right (2))/ portal mounts (1
8171	Wheels, Method 105 2.2" (black chrome, beadlock) (beadlock		each, front (left & right), rear (left & right))
	rings sold separately) (for use with TRX-4 Long Arm Lift Kit)	8888	Spring (4)
	Wheels, Method 105 2.2" (charcoal gray, beadlock) (beadlock	8887	Stub axle (1)
OII IA	rings sold separately) (for use with TRX-4 Long Arm Lift Kit)	8886	Stub axle nut (4)
8271	Wheels, TRX-4® 1.9 (2)	8891	Tension wheels (6)/ road wheels (4)
	Wheels, TRX-4® 1.9 (satin beadlock) (2)	8881	Traxx®, front, left (assembled) (requires #8887 stub axle, #7061
8180	Wheels, TRX-4® Sport 2.2 (2)		GTR shock, & #8895 rubber track)
	Wheels, TRX-4® Sport 2.2 (gray, blue beadlock style) (2)	8882	Traxx®, front, right (assembled) (requires #8887 stub axle, #7061
	Wheels, TRX-4® Sport 2.2 (gray, green beadlock style) (2)		GTR shock, & #8895 rubber track)
	Wheels, TRX-4® Sport 2.2 (gray, red beadlock style) (2)	8883	Traxx®, rear, left (assembled) (requires #8887 stub axle, #7061
8268	Wheels, TRX-4® Tactical 1.9 (2)	0004	GTR shock, & #8896 rubber track)
	Transmission Components	8884	Traxx®, rear, right (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8896 rubber track)
8283	Cable, T-lock (front)	8880	Traxx®, TRX-4® (4) (complete set, front & rear)
8284	Cable, T-lock (rear)	8895	Treads, All-Terrain, TRX-4® Traxx® (front, left or right) (rubber)
8289	Drive hub, 2-speed/ shift dog/ shift fork/ 2-speed linkage		(1)
8293X	Gear set, transmission, metal (includes 18T, 30T input gears, 36T	8896	Treads, All-Terrain, TRX-4® Traxx® (rear, left or right) (rubber)
	output gear, 2x9.8 pins (5))		(1)
8291	Gearbox housing (includes main housing, front housing, & cover)		
8285	Gears, transfer case (3)		
5041	Grease, premium high performance (20cc)		
8292	Input shaft/ output shaft (transmission)		
8290X	Motor mount plate, 6061-T6 aluminum (blue-anodized)		
	Motor mount plate, 6061-T6 aluminum (charcoal gray-anodized)		
	Motor mount plate, 6061-T6 aluminum (green-anodized)		If you have questions or need technical assistance, call Trayyou at
0200B	Mater marret plate COC4 TC aluminum (red anadicad)		If you have questions or need technical assistance, call Traxxas at:

If you have questions or need technical assistance, call Traxxas at:

1-888-TRAXXAS

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

TRAXXAS.COM

0200	Output Sharts (transfer case), from a real
8290	Plate, motor/ upper spur gear cover
8249	Slipper eliminator plate
8296	Transmission gears, single speed, metal
	Traxxas Tools
3433X	Body reamer (aluminum handle)
3433	Body reamer (plastic handle)
3436	Cap, body reamer
3432	Scissors, curved tip
3431	Scissors, straight tip
8712	Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive
8720	Speed bit handle, large (overmolded)
8721	Speed bit handle, medium (one piece)
8722	Speed bit handle, premium (rubber overmold)
8710	Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
8711	Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive
8719	Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive

Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4"

Motor mount plate, 6061-T6 aluminum (red-anodized)

Output gear, high range, 24T (metal)

Output shafts (transfer case), front & rear

Output drive, transmission or differential (pin retainer (1)/ drive cup (1)/ drive ball (1)/ drive pin (1)/ 3x10 screw pin (1)/ cross pin (black) (1) 3x6 BCS with threadlock (1))

8290R

8295

8294

8286

8716