

TRX-4® 1972 Chevrolet® Blazer® High Trail Edition™ (Model 92086-4) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

	Axie Components	5114A	Ball bearings, black rubber sealed (5x8x2.5mm) (2)
8241	Axle housing, front	5117A 5180A	Ball bearings, black rubber sealed (6x12x4mm) (2)
8242	Axle housing, intermediate (TRX-6™) or rear (TRX-4®)	5100A 5103A	Ball bearings, black rubber sealed (6x13x5mm) (2) Ball bearings, black rubber sealed (7x14x5mm) (2)
8227	Axle mount set (complete) (front & rear) (for suspension links)	3103A	
8228	Axle shaft, front (left)/ drive pin/ cross pin		Body (1969 Chevrolet® Blazer)
8229	Axle shaft, front (right)/ drive pin/ cross pin	9131	Body, Chevrolet Blazer (1969) (clear, requires painting)/ decals/
8060	Axle shaft, front, heavy duty (left & right) (requires #8064 front portal drive input gear)		window masks (includes grille, side mirrors, door handles, windshield wipers, clipless mounting, hardware) (requires #8072X inner fenders)
8062	Axle shaft, front, heavy duty (left & right)/ portal drive input gear, front (machined) (2) (assembled)	9131-BLK	Body, Chevrolet Blazer (1969), complete, black (painted)
8230	Axle shaft, rear (left)		(includes grille, side mirrors, door handles, windshield wipers,
8231	Axle shaft, rear (right)		front & rear bumpers, clipless mounting) (requires #8072X
8063	Axle shaft, rear, heavy duty (left & right) (requires #8065 rear	9125	inner fenders) Bumper pads/ bumper guards (chrome)/ 2.5x12 BCS (4)/ 2.7mm
8061	portal drive input gear) Axle shaft, rear, heavy duty (left & right)/ portal drive input	3123	drill bit (fits #9126 or #9127 front bumpers)
0001	gear, rear (machined) (2) (assembled)	9127	Bumper, front (chrome)/ bumper mount/ 3x10 BCS (2)
8147	Cable, T-lock (medium) (for use with TRX-4® Long Arm Lift Kit)	9124	Bumper, rear (chrome)/ bumper mount/ 3x10 BCS (2)
8148	Cable, T-lock, extra long (193mm) (for use with TRX-4® Long Arm Lift Kit)	9113 6593	Decal sheets, Chevrolet Blazer (1969 - 1972) Distribution block, Pro Scale® Advanced Lighting Control
8233	Cross pin (2)/ drive pin (2) (to rebuild front axle shafts)	0445	System Door handles left wight and year/ retainers (2)/ windshield
8256	Portal drive axle mount, rear (left & right)	9115	Door handles, left, right, and rear/ retainers (3)/ windshield wipers, left & right/ retainer (1)/ fuel cap/ fuel flange/ fuel cap
8256X	Portal drive axle mount, rear, 6061-T6 aluminum (blue-		mount/ 1.6x5 BCS (self-tapping) (7)/ 2.6x8 BCS (1)
8256A	anodized) (left and right)/ 2.5x16 CS (4) Portal drive axle mount, rear, 6061-T6 aluminum (charcoal	9123	Grille, Chevrolet Blazer (1969 - 1970)/ grille retainers (5)/
0230A	gray-anodized) (left and right)/ 2.5x16 CS (4)		headlight housing (2)/ headlight lens (2)/ turn signal lens (2)/
8256G	Portal drive axle mount, rear, 6061-T6 aluminum (green-		hood emblem/ hood emblem mount/ 2.6x8 BCS (5)/ 2.5x6 BCS
	anodized) (left and right)/ 2.5x16 CS (4)	8091	(4)/ 1.6x5 BCS (self-tapping) (2) (fits #9112 body) Installation kit, Pro Scale® Advanced Lighting Control System,
8256R	Portal drive axle mount, rear, 6061-T6 aluminum (red-anodized)	0001	TRX-4® Chevrolet Blazer (1969 & 1972) (includes mount,
8252	(left and right)/ 2.5x16 CS (4) Portal drive housing, inner, front (left & right)/ 2.5x4 BCS (6)		reverse lights and turn signal harnesses, hardware)
8253	Portal drive housing, inner, rear (left or right) (2)	9114-BLK	Interior, Chevrolet Blazer (1969 -1972) (black) (includes rollbar,
8251	Portal drive housing, outer (front or rear) (2)		gauge bezel, steering wheel and column, shifter, armrest, decals) (fits #9111, 9112, 9130, or 9131 series bodies) (#9111 or
8064	Portal drive input gear, front (machined) (left or right) (requires		9112 series bodies require #9128 body cage for installation)
	#8060 front axle shaft)	9114-BLUE	Interior, Chevrolet Blazer (1969 -1972) (blue) (includes rollbar,
8257	Portal drive input gear, front/ drive pin/ cross pin		gauge bezel, steering wheel and column, shifter, armrest,
8259 8065	Portal drive input gear, rear Portal drive input gear, rear (machined) (left or right) (requires		decals) (fits #9111, 9112, 9130, or 9131 series bodies) (#9111 or
0003	#8063 rear axle)	9114	9112 series bodies require #9128 body cage for installation) Interior, Chevrolet Blazer (1969 -1972) (clear, requires painting)
8258	Portal drive output gear, front or rear	3114	(includes rollbar, gauge bezel, steering wheel and column,
8252X	Portal housings, inner (front), 6061-T6 aluminum (blue- anodized) (2)/ 3x12 BCS (2)		shifter, armrest, decals) (fits #9111, 9112, 9130, or 9131 series bodies) (#9111 or 9112 series bodies require #9128 body cage
8252A	Portal housings, inner (front), 6061-T6 aluminum (charcoal		for installation)
8252G	gray-anodized) (2)/ 3x12 BCS (2) Portal housings, inner (front), 6061-T6 aluminum (green-	8090	LED light set, complete with power supply (contains headlights, tail lights, side marker lights, & distribution block)
02020	anodized) (2)/ 3x12 BCS (2)		(fits #9111 or 9112 body)
8252R	Portal housings, inner (front), 6061-T6 aluminum (red- anodized) (2)/ 3x12 BCS (2)	9116	Marker light housing (4)/ marker light mount (4)/ marker light lens (red (2), amber (2))/ reverse lens (left & right)/ 1.6x5 BCS
8253X	Portal housings, inner (rear), 6061-T6 aluminum (blue-		(self-tapping) (8)
	anodized) (2)/ 2.5x10 CS (2)	9121	Mirrors, side, chrome (left & right)/ o-rings (4)/ body clips (4)
8253A	Portal housings, inner (rear), 6061-T6 aluminum (charcoal gray-anodized) (2)/ 2.5x10 CS (2)	6592	(fits #9112 body) Power module, Pro Scale® Advanced Lighting Control System
8253G	Portal housings, inner (rear), 6061-T6 aluminum (green-		(includes mount, communication cables, hardware)
	anodized) (2)/ 2.5x10 CS (2)	6591	Pro Scale® Advanced Lighting Control System (includes
8253R	Portal housings, inner (rear), 6061-T6 aluminum (red-anodized)		power module & distribution block)
9251V	(2)/ 2.5x10 CS (2) Portal housings, outer 6061 T6 aluminum (blue apodized) (2)/	8090X	Pro Scale® LED light set, TRX-4® Chevrolet Blazer (1969 & 1972), complete with power module (contains headlights, tail
8251X	Portal housings, outer, 6061-T6 aluminum (blue-anodized) (2)/ 2.5x10 CS (12)		lights, side marker lights, & distribution block) (fits #9111 or
8251A	Portal housings, outer, 6061-T6 aluminum (charcoal gray-		9112 body)
	anodized) (2)/ 2.5x10 CS (12)	6594	Receiver communication cable, Pro Scale® Advanced Lighting
8251G	Portal housings, outer, 6061-T6 aluminum (green-anodized) (2)/ 2.5x10 CS (12)	9122	Control System Tail light housing, black (2)/ lens (2)/ retainers (left & right)/
8251R	Portal housings, outer, 6061-T6 aluminum (red-anodized) (2)/		2.6x8 BCS (self-tapping) (4)
00554	2.5x10 CS (12)		Body (1972 Chevrolet® Blazer)
8255A 8267	Stub axle, extended thread (portal drive) (2)	9128	Body cage/ body mounts (front & rear)/ body mount latch (2)/
0207	Weight, portal housing, brass (2) (34 grams)/ 2.5x8 CS (6) (requires #8251X, 8251R, 8251A, or 8251G outer portal		3x8mm BCS (15) (fits #9111 or 9112 bodies)
	housing)	9130	Body, Chevrolet Blazer (1972) (clear, requires painting)/ decals/
	Bearings & Bushings		window masks (includes grille, side mirrors, door handles, windshield wipers, clipless mounting, hardware) (requires
8214	Ball bearing kit, stainless steel, TRX-4® (complete)	1	#8072X inner fenders)
8265	Ball bearing kit, TRX-4® (complete)	9130-BLWT	Body, Chevrolet Blazer (1972), complete, blue & white (painted)
5119A	Ball bearings, black rubber sealed (10x15x4mm) (2)		(includes grille, side mirrors, door handles, windshield wipers,
5120A	Ball bearings, black rubber sealed (12x18x4mm) (2)		front & rear bumpers, clipless mounting) (requires #8072X inner fenders)
5104A	Ball bearings, black rubber sealed (4x10x4mm) (2)		
5115A	Ball bearings, black rubber sealed (5x10x4mm) (2)		
5116A	Ball bearings, black rubber sealed (5x11x4mm) (2)		

Page 2	TRX-4® 1972 Chevrolet® Blazer® High	Trail Edition™: TQi™ Traxxas Link™	M Enabled 2.4GHz Radio (Model 92086-4) Parts List
--------	-------------------------------------	------------------------------------	---

9130-BLUE	Body, Chevrolet Blazer (1972), complete, blue (painted) (includes grille, side mirrors, door handles, windshield wipers, front & rear bumpers, clipless mounting) (requires #8072X inner fenders)	8038	LED light set, complete with power supply (contains headlights, tail lights, side marker lights, & distribution block) (fits #8130 series bodies)
9130-RED	Body, Chevrolet Blazer (1972), complete, red (painted) (includes grille, side mirrors, door handles, windshield wipers, front & rear bumpers, clipless mounting) (requires #8072X inner fenders)	8133X 8133	Mirrors, side (folding) (fits #8130 series bodies) Mirrors, side, chrome (left & right)/ o-rings (4)/ body clips (4)
9125	Bumper pads/ bumper guards (chrome)/ 2.5x12 BCS (4)/ 2.7mm drill bit (fits #9126 or #9127 front bumpers)	6592	(fits #8130 series bodies) Power module, Pro Scale® Advanced Lighting Control System (includes mount, communication cables, hardware)
9126	Bumper, front (chrome)/ bumper mount/ lens (left and right) (2)/ lens mount (left and right) (2)/ 3x10 BCS (2)/ 2.6x6 BCS (4)	6591	Pro Scale® Advanced Lighting Control System (includes power module & distribution block)
9124	Bumper, rear (chrome)/ bumper mount/ 3x10 BCS (2)	8038X	Pro Scale® LED light set, TRX-4® Chevrolet Blazer or K10
9113	Decal sheets, Chevrolet Blazer (1969 - 1972)		Truck (1979), complete with power module (contains
6593	Distribution block, Pro Scale® Advanced Lighting Control System		headlights, tail lights, side marker lights, & distribution block) (fits #8130 or 9212 series bodies)
9115	Door handles, left, right, and rear/ retainers (3)/ windshield wipers, left & right/ retainer (1)/ fuel cap/ fuel flange/ fuel cap mount/ 1.6x5	6594	Receiver communication cable, Pro Scale® Advanced Lighting Control System
	BCS (self-tapping) (7)/ 2.6x8 BCS (1)	8135	Tail lights, left & right (assembled)/ tail light retainers, left &
9120	Grille, Chevrolet Blazer (1972)/ grille retainers (5)/ headlight housing (2)/ lens (2)/ 2.6x8 BCS (5)/ 2.5x6 BCS (4) (fits #9111		right/ side marker lights (assembled) (2)/ side marker retainers (2)/ mounting tape (2)/ 1.6x5 BCS (self-tapping) (4)/ 2.6x8 BCS (2)/ fits #8120 or 8212 series bedies)
8091	body)		(2) (fits #8130 or 9212 series bodies)
0091	Installation kit, Pro Scale® Advanced Lighting Control System, TRX-4® Chevrolet Blazer (1969 & 1972) (includes mount,		Body (1979 Ford® Bronco®)
	reverse lights and turn signal harnesses, hardware)	8010X	Body, Ford Bronco, complete (black) (includes front and rear
9114-BLK	Interior, Chevrolet Blazer (1969 -1972) (black) (includes rollbar,		bumpers, push bar, rear body mount, grille, side mirrors, door
****	gauge bezel, steering wheel and column, shifter, armrest,		handles, windshield wipers, spare tire mount, red and sunset
	decals) (fits #9111, 9112, 9130, or 9131 series bodies) (#9111 or		decals) (requires #8072 inner fenders)
	9112 series bodies require #9128 body cage for installation)	8078R	Decal sheet, Bronco, red (fits #8010 body)
9114-BLUE	Interior, Chevrolet Blazer (1969 -1972) (blue) (includes rollbar,	6593	Distribution block, Pro Scale® Advanced Lighting Control
	gauge bezel, steering wheel and column, shifter, armrest,		System
	decals) (fits #9111, 9112, 9130, or 9131 series bodies) (#9111 or	8075	Door handles, left & right/ windshield wipers, left & right/
	9112 series bodies require #9128 body cage for installation)		retainers (3)/ 1.6x5 BCS (self-tapping) (4) (fits #8010 or 9230
9114	Interior, Chevrolet Blazer (1969 -1972) (clear, requires painting)	9070	series bodies)
	(includes rollbar, gauge bezel, steering wheel and column,	8070	Grille, Ford Bronco or F-150/ grille retainers (6)/ headlight housing (2)/ lens (2)/ 2.6x8 BCS (6)/ 2.5x6 BCS (2) (fits #8010 or
	shifter, armrest, decals) (fits #9111, 9112, 9130, or 9131 series		9230 series bodies)
	bodies) (#9111 or 9112 series bodies require #9128 body cage for installation)	8032	Installation kit, Pro Scale® Advanced Lighting Control System,
8090	LED light set, complete with power supply (contains	0002	TRX-4® Ford Bronco (1979) or Chevrolet K10 Truck (1979)
0030	headlights, tail lights, side marker lights, & distribution block)		(includes mount, reverse lights harness, hardware)
	(fits #9111 or 9112 body)	8037	LED lights, high/low switch (for #8035 or #8036 LED light kits)
9116	Marker light housing (4)/ marker light mount (4)/ marker light lens	8073	Mirrors, side, black (left & right)/ retainers (2)/ body clips (4)
	(red (2), amber (2))/ reverse lens (left & right)/ 1.6x5 BCS (self-		(fits #8010 or 9230 series bodies)
	tapping) (8)	8073X	Mirrors, side, chrome (left & right)/ retainers (2)/ body clips (4)
9118	Mirrors, side, chrome (left & right)/ o-rings (4)/ body clips (4) (fits		(fits #8010 or 9230 series bodies)
	#9111 body)	6592	Power module, Pro Scale® Advanced Lighting Control System
6592	Power module, Pro Scale® Advanced Lighting Control System	6591	(includes mount, communication cables, hardware) Pro Scale® Advanced Lighting Control System (includes
6591	(includes mount, communication cables, hardware) Pro Scale® Advanced Lighting Control System (includes	0591	power module & distribution block)
0391	power module & distribution block)	8035R	Pro Scale® LED light set, TRX-4® Ford Bronco (1979) or Ford
8090X	Pro Scale® LED light set, TRX-4® Chevrolet Blazer (1969 &		F-150 (1979), complete with power module (contains
	1972), complete with power module (contains headlights, tail		headlights, tail lights, side marker lights, & distribution block)
	lights, side marker lights, & distribution block) (fits #9111 or		(fits #8010 or 9230 series bodies)
	9112 body)	6594	Receiver communication cable, Pro Scale® Advanced Lighting
6594	Receiver communication cable, Pro Scale® Advanced Lighting	8076	Control System Side trim, left & right (chrome)/ retainers/ LED lens/ 2.6x8 BCS
9117	Control System Side trim, Chevrolet Blazer (1972), left & right/ rear trim, upper &	0076	(24) (fits #8010 series bodies)
9117	lower/ retainers, left, right & rear/ 2.6x8 BCS (23)/ 1.6x5 BCS (self-	8074	Spare tire mount/ mounting bracket/ spare tire cover/ mounting
	tapping) (5) (fits #9111 body)		hardware
9119	Tail light housing, chrome (2)/ lens (2)/ retainers (left & right)/ 2.6x8	8077	Tailgate panel insert (clear, requires painting)/ adhesive foam
-	BCS (self-tapping) (4)		tape (2) (fits #8010 series bodies)
	Body (1979 Chevrolet® Blazer)	8071	Tailgate panel/ tail light lens (2) (left & right) (fits #8010 series
8130T	Body, Chevrolet Blazer (1979), complete (black) (includes		bodies)
	grille, side mirrors, door handles, windshield wipers, front &		Body (Mercedes-Benz® G 500®)
	rear bumpers, decals)	8811	Body, Mercedes-Benz® G 500® (clear, requires painting)/
8130X	Body, Chevrolet Blazer (1979), complete (orange) (includes		decals/ window masks (includes rear body post, grille, side
	grille, side mirrors, door handles, windshield wipers, front &		mirrors, door handles, windshield wipers)
	rear bumpers, decals)	8812	Decals, Mercedes-Benz® G 500®
8130R	Body, Chevrolet Blazer (1979), complete (red) (includes grille,	6593	Distribution block, Pro Scale® Advanced Lighting Control
	side mirrors, door handles, windshield wipers, front & rear bumpers, decals)	0042	System Crille Mercedes Benz® C 500® 4x42/grille mount & incert/lens
0424		8813X	Grille, Mercedes-Benz® G 500® 4x4²/grille mount & insert/lens,
8131 6593	Decal sheet, Chevrolet Blazer (1979) Distribution block, Pro Scale® Advanced Lighting Control		headlight (2 ea)/reflector (2)/bumperette & mounts, front (2 ea)/turn signal housing & lens (2 ea)/ hardware (fits #8811/8825
0000	System		body)
8132	Door handles, left, right & rear tailgate/ windshield wipers, left	8893	Installation kit, Pro Scale® Advanced Lighting Control System,
	& right/ retainers (2)/ 1.6x5 BCS (self-tapping) (7) (fits #8130		TRX-4® Mercedes® G 500® & G 63® (includes mount, rear
	series bodies)		bumper lens, turn signal, reverse light, & fog light harnesses,
8134	Grille, Chevrolet Blazer or K10 Truck (1979)/ grille retainers (4)/		hardware)
	headlight housing (2)/ lens (2)/ 2.6x8 BCS (4)/ 2.5x6 BCS (2)	8899	LED light set (contains headlights, tail lights, roof lights, and
	(fits #8130 or 9212 series bodies)		distribution block) (fits #8811 body, requires #8028 power
8082	Installation kit, Pro Scale® Advanced Lighting Control System,	0000	supply)
	TRX-4® Chevrolet Blazer (1979) (includes mount, reverse	8898	LED light set, complete with power supply (contains
8030	lights harness, hardware)		headlights, tail lights, roof lights, & distribution block) (fits #8811 body)
8039	LED light set (contains headlights, tail lights, side marker lights, & distribution block) (fits #8130 series bodies, requires		"00 1 1 20 03]
	#8028 power supply)		
	kaa. ankk.)/		

Page 3 TF	RX-4® 1972 Chevrolet® Blazer® High Trail Edition™: TQi™	¹ Traxxas Li	nk™ Enabled 2.4GHz Radio (Model 92086-4) Parts List
8817	Mirrors, side, black (left & right)/ o-rings (4)/ windshield wipers, left, right, & rear/ wiper retainers (2)/ body clips (4)/ 1.6x5 BCS (self-tapping) (3)	8085	LED light set, complete with power supply (contains headlights, tail lights, & distribution block) (fits #8111 or #8112 body)
6592	Power module, Pro Scale® Advanced Lighting Control System (includes mount, communication cables, hardware)	8119	Mirrors, side (left & right)/ snorkel/ mounting hardware (fits #8111 or #8112 body)
6591	Pro Scale® Advanced Lighting Control System (includes power module & distribution block)	6592	Power module, Pro Scale® Advanced Lighting Control System (includes mount, communication cables, hardware)
8898X	Pro Scale® LED light set, TRX-4® Mercedes® G 500® & G 63®, complete with power module (contains headlights, tail lights,	6591	Pro Scale® Advanced Lighting Control System (includes power module & distribution block)
6594	roof lights, & distribution block) (fits #8811 or 8825 body) Receiver communication cable, Pro Scale® Advanced Lighting	8085X	Pro Scale® LED light set, TRX-4® Sport, complete with power module (contains headlights, tail lights, & distribution block)
8822	Control System Roof visor/ visor retainer/ visor lens (2)/ 2.6x6 BCS (3)/ 3x4 GS	6594	(fits #8111 or #8112 body) Receiver communication cable, Pro Scale® Advanced Lighting
8816X	(4) Side marker light housing (2)/ mount (2)/ lens (2)/ 1.6x7 BCS	8122-BLK	Control System Shovel/ axe (black)/ accessory mount/ mounting hardware
8814X	(self-tapping) (2) Tail light lens (2)/ tail light housing (2)/ tail light housing mount	8122 8118	Shovel/ axe/ accessory mount/ mounting hardware Spare tire mount/ mounting hardware
	(2)/ reverse lens (2)/ 1.6x5 BCS (4) (left & right) Body (Tactical Unit)	8117	Tailgate panel/ tailgate retainers (2)/ tailgate mount/ tail light lens (2) (left & right)/ 2.5x8 BCS (4) (fits #8111 or #8112 body)
8211X	Body, Tactical Unit, night camo (painted)/ decals	8121X	Traction boards, blue/ mounting hardware
8019	Fender brace, inner, front & rear	8121G	Traction boards, green/ mounting hardware
8017	Fender flares, front & rear (2 each) (fits #8011 or #8211 series	8121A	Traction boards, yellow/ mounting hardware
	bodies)	8121	Traction boards/ mounting hardware
8018	Fenders, inner, front & rear (2 each)/ rock light covers (8)		Body Accessories
8020	Mirrors, side (left & right)/ snorkel/ mounting hardware (fits #8011 series bodies)	1926	Antenna caps, vinyl (2)/ antenna spool
8021	Spare tire mount/ mounting bracket/ screw pins (2)	1726 1834	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) Body Clips (12) (standard size)
	Body (TRX-4® Sport)	1834A	Body clips, black (12) (standard size)
		3934	Body clips, black (12) (standard size) Body clips, heavy duty (12)
8112	Body with camper, TRX-4® Sport (clear, trimmed, requires	3934A	Body clips, heavy duty (12)
0242	painting)/window masks/ decal sheet	8215	Body mounts & posts, front & rear (complete set)
8213	Body, TRX-4® Sport (clear, trimmed, die-cut for clipless mounting, requires painting)/ window masks/ decal sheet	8115	Body posts, front & rear
8111R	Body, TRX-4® Sport (clear, trimmed, die-cut for LED light kit,	4915	Body washers, foam adhesive (10)
011110	requires painting)/ window masks/ decal sheet	2514	Decal sheet, racing sponsors
8111	Body, TRX-4® Sport (clear, trimmed, requires painting)/	8081	Fender extensions (4)/ 3x8 flathead screws (24) (requires #8080 narrow inner fenders)
8213-BLUE	window masks/ decal sheet Body, TRX-4® Sport, complete, blue (painted, decals applied) (includes grille, side mirrors, door handles, windshield wipers,	8080	Fenders, inner (narrow), front & rear (2 each)/ rock light covers (8)/ battery plate/ body mount/ 3x8 flat-head screws (4)/ 2.5x6
	expedition rack, & clipless mounting) (requires #8080X inner fenders)	8080X	CS (10) Fenders, inner (narrow), front & rear (2 each)/ rock light covers
8213-GRAY	Body, TRX-4® Sport, complete, gray (painted, decals applied) (includes grille, side mirrors, door handles, windshield wipers,	00701/	(8)/ battery plate/ body mount/ 3x8 flat-head screws (4)/ 2.5x6 CS (10) (for clipless body mounting)
	expedition rack, & clipless mounting) (requires #8080X inner fenders)	8072X	Fenders, inner (wide), front & rear (2 each)/ rock light covers (8)/ battery plate/ 3x8 flat-head screws (4) (for clipless body mounting)
8213-RED	Body, TRX-4® Sport, complete, red (painted, decals applied) (includes grille, side mirrors, door handles, windshield wipers,	8072	Fenders, inner, front & rear (2 each)/ rock light covers (8)/ battery plate/ 3x8 flathead screws (4)
	expedition rack, & clipless mounting) (requires #8080X inner fenders)	9288	Fenders, inner, front & rear (for clipless body mounting) (2 each)/ rock light covers (8)
8113	Decal Sheet, TRX-4® Sport	9950	Official Team Traxxas® racing decal set(flag logo/ 6-color)
6593	Distribution block, Pro Scale® Advanced Lighting Control System	9224	Bumpers & Skidplates Bumper D-Rings, grey (front or rear)/ 2.0x12 CS (4)
8120X	Expedition rack, complete (includes traction boards, shovel,	8234 8234R	Bumper D-rings, red (front or rear)/ 2.0x12 CS (4)
	axe, jack, fire extinguisher, fuel cans, & mounting hardware) (fits #8111 or #8111R body)	8067	Bumper mounts, front & rear
8120R	Expedition rack, complete (includes traction boards, shovel,	8067X	Bumper mounts, front & rear/ bumper mount, rear (offset)
0.20.0	axe, jack, fire extinguisher, fuel cans, & mounting hardware)	8237	Bumper mounts, front & rear/ screw pins (4)
	(fits #8111, 8111R, or 8213 series bodies)	8124	Bumper, front (178mm wide)/ winch/ 2.6x8 BCS (1)
8120	Expedition rack/ mounting hardware (fits #8111 or #8111R	8137	Bumper, front (chrome)/ bumper mount/ 3x10 BCS (2)
8120A	body) Expedition rack/ mounting hardware (fits #8111, 8111R, or 8213	9126	Bumper, front (chrome)/ bumper mount/ lens (left and right) (2)/ lens mount (left and right) (2)/ 3x10 BCS (2)/ 2.6x6 BCS (4)
	series bodies)	8235	Bumper, front/ winch/ 2.6x8 BCS (1)
8422-BLK	Fire extinguisher, black (2)	8236	Bumper, rear
8422	Fire extinguisher, red (2)	8125	Bumper, rear (176mm wide)
8022T	Fuel canisters (black) (2)/ screw pin	9124	Bumper, rear (chrome)/ bumper mount/ 3x10 BCS (2)
8022R	Fuel canisters (blue) (2)/ screw pin	8136	Bumper, rear (chrome)/ bumper mount/ 3x10 BCS (2)
8022-GRN	Fuel canisters (green) (2)/ screw pin	8238	Skidplate/ lower gear cover
8022 8022X	Fuel canisters (red) (2)/ screw pin Fuel canisters (white) (2)/ screw pin		Chassis & Attachments
8022A	Fuel canisters (write) (2)/ screw pin Fuel canisters (yellow) (2)/ screw pin	8327	Battery hold-down/ battery clip/ hold-down post/screw pin (for
8116	Grille/ grille retainers (2)/ grille mount/ lens (2)/ 2.5x8 BCS (6)	8215	256mm wheelbase) Body mounts & posts, front & rear (complete set)
8083	(fits #8111 or #8112 body) Installation kit, Pro Scale® Advanced Lighting Control System, TRX-4® Sport (includes mount, rear lens, reverse lights and	8224	Box, receiver (sealed)/ wire cover/ foam pads/ silicone grease/ 3x8 BCS (5)/ 2.5x8 CS (2)
8086	turn signal harnesses, hardware) LED expedition rack scene light kit (fits #8111 or 8213 series	8058	Chassis conversion kit, TRX-4® (long to short wheelbase) (includes rear upper & lower suspension links, front & rear
	bodies, requires #8028 power supply) LED headlight/tail light kit (fits #8111 or #8112 body, requires		inner fenders, short female half shaft, battery tray, 3x8mm FCS (4))
8084	LLD including including ing including world on world body, requires	0057	Chassis conversion kit, TRX-4® (short to long wheelbase)
8084 8088	#8028 power supply) LED light bar, front bumper (fits #8866 front bumper, requires	8057	(includes rear upper & lower suspension links, front & rear
	#8028 power supply)	8220 8081	

080	Fenders, inner (narrow), front & rear (2 each)/ rock light covers (8)/ battery plate/ body mount/ 3x8 flat-head screws (4)/ 2.5x6	3647 8347	Nuts, 4mm flanged nylon locking (steel, serrated) (8) Nuts, 4mm flanged nylon locking, serrated (black) (10)
X080X	CS (10) Fenders, inner (narrow), front & rear (2 each)/ rock light covers (8)/ battery plate/ body mount/ 3x8 flat-head screws (4)/ 2.5x6	1747R 1747G 1747T	Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4 Nuts, aluminum, flanged, serrated (4mm) (orange-anodized)
072X	CS (10) (for clipless body mounting) Fenders, inner (wide), front & rear (2 each)/ rock light covers (8)/	1747A 1985	Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4) PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)
072	battery plate/ 3x8 flat-head screws (4) (for clipless body mounting) Fenders, inner, front & rear (2 each)/ rock light covers (8)/	8221	Screw pin, 3x10mm (6)
218	battery plate/ 3x8 flathead screws (4) Floor pans, left & right	2523 3229	Screws, 2.5x10 countersunk machine (hex drive) (6) Screws, 2.5x10mm cap-head machine (hex drive) (6)
224X	Receiver box cover (for use only with #8224 receiver box &	3236 2618	Screws, 2.5x12mm cap-head machine (6) Screws, 2.5x16mm cap-head machine (6)
219	#2260 BEC)/ foam pads/ seals/ silicone grease Rock sliders, left & right	3215	Screws, 2.5x6mm cap-head machine (hex drive) (6)
225	Seal kit, receiver box (includes o-ring, seals, and silicone grease)	2524 2617	Screws, 2.5x8 countersunk machine (hex drive) (6) Screws, 2.5x8mm button-head machine (hex drive) (6)
240X	Servo mount, 2-speed/ servo mount, T-Lock/ wire clips	3965 8299	Screws, 2.5x8mm cap-head machine (6) Screws, 2.6x12mm button-head, self-tapping (hex drive) (6)
239 216	Servo mount, steering/ chassis crossmember Shock towers, front & rear (left & right)	8167	Screws, 2x10mm cap-head, self-tapping (hex drive) (10)
226	Tray, battery	2564 2577	Screws, 2x8mm cap-head machine (hex drive) (6) Screws, 3x10mm button-head machine (hex drive) (6)
201	Differential Components	2578	Screws, 3x12mm button-head machine (hex drive) (6)
281 280A	Carrier, differential/ differential slider/ T-Lock fork Differential cover, front or rear (black)	2579 2591	Screws, 3x15mm button-head machine (hex drive) (6) Screws, 3x23mm button-head machine (hex drive) (6)
280X	Differential cover, front or rear (chrome plated)	2581	Screws, 3x25mm button-head machine (hex drive) (6)
280-GRN 280	Differential cover, front or rear (green) Differential cover, front or rear (grey)	2616 2582	Screws, 3x27mm button-head machine (hex drive) (6) Screws, 3x30mm button-head machine (hex drive) (6)
280R	Differential cover, front or rear (red)	2575	Screws, 3x6mm button-head machine (hex drive) (6)
195	Differential, locking, front and rear (assembled) (includes T-Lock cables and servos)	3932 2576	Screws, 3x6mm flat-head machine (hex drive) (6) Screws, 3x8mm button-head machine (hex drive) (6)
282	Gear set, differential (output gears (2), spider gears (4), spider gear	3931	Screws, 3x8mm flat-head machine (hex drive) (6)
295	shaft (2)) Output drive, transmission or differential (pin retainer (1)/ drive cup	3933	Screws, 4x16mm button-head machine (hex drive) (6)
	(1)/ drive ball (1)/ drive pin (1)/ 3x10 screw pin (1)/ cross pin (black) (1) 3x6 BCS with threadlock (1))	8031	3-in-1 wire harness, LED light kit
279	Ring gear, differential/ pinion gear, differential	8089	4-in-2 wire harness, LED light kit
279R 287	Ring gear, differential/ pinion gear, differential (machined) Ring gear, differential/ pinion gear, differential (overdrive, machined)	6589 6593	Distribution block, LED light set Distribution block, Pro Scale® Advanced Lighting Control System
288	Ring gear, differential/ pinion gear, differential (underdrive, machined)	8091	Installation kit, Pro Scale® Advanced Lighting Control Syste TRX-4® Chevrolet Blazer (1969 & 1972) (includes mount,
297	Spool/ differential housing plug/ e-clip/ 2.5x8mm BCS (with threadlock) (4) Driveline Components	8082	reverse lights and turn signal harnesses, hardware) Installation kit, Pro Scale® Advanced Lighting Control Syste TRX-4® Chevrolet Blazer (1979) (includes mount, reverse
150	Driveshaft extension kit, center (includes internal splined, x-long (2),	8090	lights harness, hardware) LED light set, complete with power supply (contains
1EOV	internal splined, long (1) and internal splined, medium (1)) (for use with TRX-4® Long Arm Lift Kit)		headlights, tail lights, side marker lights, & distribution bloc (fits #9111 or 9112 body)
150X	Driveshaft extension kit, center (includes internal splined, x-long (2), internal splined, long (1), internal splined, medium (2) & internal splined, short (1)) (for use with TRX-4® Long Arm Lift Kit)	8028 8026X	LED lights, power supply (regulated, 3V, 0.5-amp)/ 3-in-1 win harness LED rock light kit, TRX-4®/TRX-6™ (requires #8028 power
139	Half shafts, center (external splined) (2)/ pin retainer (4) (plastic parts only)	6592	supply and #8018, #8072, or #8080 inner fenders) Power module, Pro Scale® Advanced Lighting Control Syste
250	Half shafts, center (internal splined, front (2) & internal splined, rear (2)/ external splined (2)/ pin retainer (4)) (plastic parts only)	6591	(includes mount, communication cables, hardware) Pro Scale® Advanced Lighting Control System (includes
255A 269	Stub axle, extended thread (portal drive) (2) Wheel hubs, 12mm hex (2)/ stub axle pins (2) (steel)		power module & distribution block)
2 69X	Wheel hubs, 12mm hex, 6061-T6 aluminum (blue-anodized) (4)/ 3x10 screw pin (4)	8090X	Pro Scale® LED light set, TRX-4® Chevrolet Blazer (1969 & 1972), complete with power module (contains headlights, ta lights, side marker lights, & distribution block) (fits #9111 or
269A 269G	Wheel hubs, 12mm hex, 6061-T6 aluminum (charcoal gray- anodized) (4)/ 3x10 screw pin (4) Wheel hubs, 12mm hex, 6061-T6 aluminum (green-anodized)	6594	9112 body) Receiver communication cable, Pro Scale® Advanced Lighti Control System
269R	(4)/ 3x10 screw pin (4) Wheel hubs, 12mm hex, 6061-T6 aluminum (red-anodized) (4)/ 3x10 screw pin (4)	8162X	LONG Arm Lift Kit Body, GTS shock, long (aluminum, blue-anodized) (1) (for us
	Hardware	8162R	#8140X TRX-4® Long Arm Lift Kit) Body, GTS shock, long (aluminum, red-anodized) (1) (for us
552	3x8mm Hex Cap Screws (6)/ Washers (6)/ Wrench (1)	0160	with #8140R TRX-4® Long Arm Lift Kit)
3 34 334A	Body Clips (12) (standard size) Body clips, black (12) (standard size)	8162	Body, GTS shock, long (silver aluminum) (1) (for use with #8140 TRX-4® Long Arm Lift Kit)
34	Body clips, heavy duty (12)	8147	Cable, T-lock (medium) (for use with TRX-4® Long Arm Lift Kit)
934A 859	Body clips, heavy duty (black) (12) CS 3x10 flathead (hex drive)	8148	Cable, T-lock, extra long (193mm) (for use with TRX-4® Long Ar Lift Kit)
167X	Hardware kit, stainless steel, beadlock rings (contains stainless steel hardware for 4 wheels)	8150	Driveshaft extension kit, center (includes internal splined, x long (2), internal splined, long (1) and internal splined, medi
298	Hardware kit, stainless steel, TRX-4® (contains all stainless steel hardware used on TRX-4®)	8140	(1)) (for use with TRX-4® Long Arm Lift Kit) Long arm lift kit, TRX-4®, complete
151	Hardware kit, stainless steel, TRX-4® High Lift Kit (contains all stainless steel hardware used on TRX-4® High Lift Kit)	8140X 8140-GRN	Long arm lift kit, TRX-4®, complete (includes blue powder coated links, blue-anodized shocks) Long arm lift kit, TRX-4®, complete (includes green powder
217 476X	Hardware kit, TRX-4® (contains all hardware used on TRX-4®) Hex wrenches; 1.5mm, 2mm, 2.5mm, 3mm, 2.5 ball	014U-GKN	coated links, green-anodized shocks)
		8140R	Long arm lift kit, TRX-4®, complete (includes red powder

8149	Rod ends, extended (standard (4), angled (4))/ hollow balls (8)		Motoro o Flootropico
0143	(for use with TRX-4® Long Arm Lift Kit)	1000	Motors & Electronics
8141	Servo mount, steering (for use with TRX-4® Long Arm Lift Kit)	1926 1726	Antenna caps, vinyl (2)/ antenna spool Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
8161	Shock shaft, 3x57mm (GTS) (2) (includes bump stops) (for use with TRX-4® Long Arm Lift Kit)	2262	BEC, complete (12.6 volts (3s LiPo) maximum input voltage)
8160X	Shocks, GTS, aluminum (blue-anodized) (assembled without		(includes receiver box cover and seals)
	springs) (4) (for use with #8140X TRX-4® Long Arm Lift Kit)	2064A	Gear set (for 2065A waterproof sub-micro servo)
8160-GRN	Shocks, GTS, aluminum (green-anodized) (assembled without	2064R	Gear set, metal (for 2065R waterproof sub-micro servo)
9460D	springs) (4) (for use with #8140 TRX-4® Long Arm Lift Kit)	2072X 2252	Gear set, metal (for 2070, 2075 servos) Gear set, metal (for 2250, 2255 servos)
8160R	Shocks, GTS, aluminum (red-anodized) (assembled without springs) (4) (for use with #8140R TRX-4® Long Arm Lift Kit)	2272	Gear set, metal (for 2270 waterproof servo)
8160	Shocks, GTS, silver aluminum (assembled without springs) (4) (for	2072R	Gear set, metal, high-speed (for 2070, 2075 servos)
	use with #8140 TRX-4® Long Arm Lift Kit)	8290X	Motor mount plate, 6061-T6 aluminum (blue-anodized)
8153	Springs, shock, long (natural finish) (GTS) (0.29 rate, white stripe) (for use with TRX-4® Long Arm Lift Kit)	8290A	Motor mount plate, 6061-T6 aluminum (charcoal gray- anodized)
8154	Springs, shock, long (natural finish) (GTS) (0.39 rate, orange stripe) (for use with TRX-4® Long Arm Lift Kit)	8290G 8290R	Motor mount plate, 6061-T6 aluminum (green-anodized) Motor mount plate, 6061-T6 aluminum (red-anodized)
8155	Springs, shock, long (natural finish) (GTS) (0.47 rate) (included with	3975R	Motor, Titan 550, reverse rotation (21-turns/ 14 volts) (1)
	TRX-4® Long Arm Lift Kit)	8290	Plate, motor/ upper spur gear cover
8156	Springs, shock, long (natural finish) (GTS) (0.54 rate, green	2254	Servo case, aluminum (middle) (blue-anodized) (for 2250
8157	stripe) (for use with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.62 rate, blue	2252	Servo)
0107	stripe) (for use with TRX-4® Long Arm Lift Kit)	2253 2251	Servo case, aluminum (middle) (red-anodized) (for 2255 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware
8146X	Steering link, 5x117mm (1)/ drag link, 5x60mm (1)/ panhard	2231	(for 2250, 2255 servos)
	link, 5x63mm (blue powder coated steel) (assembled with	2271	Servo case/ gaskets (for 2270 waterproof servo)
04.400	hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit)	2063A	Servo case/gaskets (for 2065A waterproof sub-micro servo)
8146R	Steering link, 5x117mm (1)/ drag link, 5x60mm (1)/ panhard link, 5x63mm (red powder coated steel) (assembled with	2063R	Servo case/gaskets (for 2065R metal gear, waterproof, sub-
	hollow balls) (for use with #8140R TRX-4® Long Arm Lift Kit)		micro servo)
8144X	Suspension link, front upper, 5x68mm (1) (blue powder coated	2063X	Servo case/gaskets (for 2065X metal gear, waterproof, sub-
	steel) (assembled with hollow balls) (for use with #8140X TRX-	5669	micro servo) Servo horn (with built-in spring and hardware) (for Summit locking
	4® Long Arm Lift Kit)	0000	differential)
8144R	Suspension link, front upper, 5x68mm (1) (red powder coated	2075R	Servo, digital high-speed, metal gear (ball bearing), waterproof
	steel) (assembled with hollow balls) (for use with #8140R TRX- 4® Long Arm Lift Kit)	2250	Servo, digital high-torque 330 coreless, metal gear (ball
8144	Suspension link, front upper, 5x68mm (1) (steel) (assembled with		bearing), waterproof (#2262 external BEC and #8247X metal
• • • • • • • • • • • • • • • • • • • •	hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit)	0055	servo horn recommended for optimal performance)
8143	Suspension links, front lower (2) (5x104mm, steel) (assembled with	2255	Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal
	hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit)		servo horn recommended for optimal performance)
8143X	Suspension links, front lower, blue (2) (5x104mm, powder	2270	Servo, digital high-torque, metal gear (ball bearing), waterproof
	coated steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit)	2075X	Servo, digital high-torque, metal gear (ball bearing), waterproof
8143R	Suspension links, front lower, red (2) (5x104mm, powder	2065A	Servo, sub-micro, waterproof
	coated steel) (assembled with hollow balls) (for use with	2065R	Servo, sub-micro, waterproof, metal gear
	#8140R TRX-4® Long Arm Lift Kit)	3025	XL-5HV 3s Electronic Speed Control, waterproof (low-voltage
8145	Suspension links, rear lower (2) (5x115mm, steel) (assembled with	2261	detection, fwd/rev/brake) Y-harness, BEC
8145X	hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit) Suspension links, rear lower, blue (2) (5x115mm, powder		Pro Scale® Winch & Accessories
01437	coated steel) (assembled with hollow balls) (for use with		
	#8140X TRX-4® Long Arm Lift Kit)	8867	Bumper, front, winch, medium (includes bumper mount, D- Rings, fairlead, hardware) (fits TRX-4® 1979 Bronco and 1979
8145R	Suspension links, rear lower, red (2) (5x115mm, powder coated		Blazer with 8855 winch) (217mm wide)
	steel) (assembled with hollow balls) (for use with #8140R TRX-	8859	Fairlead, winch
0140	4® Long Arm Lift Kit)	8870X	Fairlead, winch, aluminum (blue-anodized) (use with front
8142	Suspension links, rear upper (2) (5x115mm, steel) (assembled with hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit)		bumpers #8865, 8866, 8867, 8869, or 9224)
8142R	Suspension links, rear upper, red (2) (5x115mm, powder	8870A	Fairlead, winch, aluminum (gray-anodized) (use with front
 -	coated steel) (assembled with hollow balls) (for use with	99700	bumpers #8865, 8866, 8867, 8869, or 9224)
	#8140R TRX-4® Long Arm Lift Kit)	8870G	Fairlead, winch, aluminum (green-anodized) (use with front bumpers #8865, 8866, 8867, 8869, or 9224)
8172	Tires & wheels, assembled (Method Race Wheels® 105	8870T	Fairlead, winch, aluminum (orange-anodized) (use with front
	Beadlock 2.2" black chrome beadlock wheels, Canyon Trail 5.3x2.2" tires, foam inserts) (1 left, 1 right)		bumpers #8865, 8866, 8867, 8869, or 9224)
8184	Tires & wheels, assembled, glued (2.2" classic chrome wheels,	8870R	Fairlead, winch, aluminum (red-anodized) (use with front
	Canyon Trail 5.3x2.2" tires, foam inserts) (2)/ center caps (front (2),	0000	bumpers #8865, 8866, 8867, 8869, or 9224)
	rear (2)) (requires #8255A extended thread stub axle)	8862	Gearmotor, winch
8181-BLUE	Tires & wheels, assembled, glued (TRX-4® Sport 2.2" gray,	8863 8858	Hook, winch (steel)/ line retainer/ washer Housings (front & rear), winch/ decal
0404 001	blue beadlock style wheels, Canyon Trail 5.3x2.2" tires) (2)	8858 8864X	Line, winch (blue)
8181-GRN	Tires & wheels, assembled, glued (TRX-4® Sport 2.2" gray, green beadlock style wheels, Canyon Trail 5.3x2.2" tires) (2)	8864	Line, winch (gray)
8181-RED	Tires & wheels, assembled, glued (TRX-4® Sport 2.2" gray, red	8864R	Line, winch (gray)
	beadlock style wheels, Canyon Trail 5.3x2.2" tires) (2)	8860	Spool shaft assembly, winch
8181	Tires & wheels, assembled, glued (TRX-4® Sport 2.2" wheels,	8861	Spool, winch
	Canyon Trail 5.3x2.2" tires) (2)	8855	Winch kit with wireless controller, TRX-4® and TRX-6®
8170	Tires, Canyon Trail 5.3x2.2"/ foam inserts (2)	8856	Winch, TRX-4® and TRX-6® (requires #8857 wireless remote)
8171	Wheels, 2.2", Method Race Wheels® 105 Beadlock (black chrome, beadlock) (beadlock rings sold separately)	8857	Wireless remote, winch, TRX-4® and TRX-6®
8171A	Wheels, 2.2", Method Race Wheels® 105 Beadlock (charcoal		Radio System, Batteries & Chargers
J IA	gray, beadlock) (beadlock rings sold separately)	2823X	1400mah 11.1v 3-Cell 25C LiPo Battery
8180	Wheels, TRX-4® Sport 2.2 (2)	2820X	2200mah 7.4v 2-Cell 25C LiPo Battery
8180-BLUE	Wheels, TRX-4® Sport 2.2 (gray, blue beadlock style) (2)	2849X	4000mah 11.1v 3-Cell 25C LiPo Battery
8180-GRN	Wheels, TRX-4® Sport 2.2 (gray, green beadlock style) (2)	2872X	5000mah 11.1v 3-Cell 25C LiPo Battery
8180-RED	Wheels, TRX-4® Sport 2.2 (gray, red beadlock style) (2)	2842X 2843X	5000mah 7.4v 2-Cell 25C LiPo Battery 5800mah 7.4v 2-Cell 25C LiPo Battery
		2869X	7600mah 7.4v 2-Cell 25C LiPo Battery

Page 6	TRX-4® 1972 Chevrolet® Blazer® High Trail Edition™: TQi¹	™ Traxxas Li	ink™ Enabled 2.4GHz Radio (Model 92086-4) Parts List
2914	AA 4PK	2075X	Servo, digital high-torque, metal gear (ball bearing), waterproof
2976	AC to DC adapter	2270	Servo, digital high-torque, metal gear (ball bearing), waterproof
2938X	Adapter, Traxxas® iD® LiPo battery (adapts Traxxas® iD®	2065A	Servo, sub-micro, waterproof
1726	batteries to separate balance ports) Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)	2065R 6553X	Servo, sub-micro, waterproof, metal gear Telemetry Expander 2.0 and GPS module 2.0, TQi radio system
2943	Battery charge indicators, green (4), grey (4), blue (4)	6550X	Telemetry expander 2.0, TQi radio system (for use only with
6548	Battery door, TQ 2.4 transmitter (replacement for #6516, 6517 transmitter)	6551X	#6551X GPS module) Telemetry GPS module 2.0, TQi radio system (for use only with
8222	Battery strap (for use with 2200mAh 2-cell and 1400mAh 3-cell LiPo batteries)	6509R	#6550X telemetry expander) TQi 2.4 GHz High Output radio system, 2-channel, Traxxas®
2923X	Battery, Power Cell, 3000mAh (NiMH, 7-C flat, 8.4V)	000011	Link enabled, TSM® (2-ch transmitter, 5-ch micro receiver)
2940X	Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C flat, 8.4V)	6507R	TQi 2.4 GHz High Output radio system, 4-channel with
2950X	Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C flat, 8.4V)		Traxxas® Link Bluetooth® module, TSM® (4-ch transmitter, 5-
2960X	Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V)	6530	ch micro receiver) Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 4-
2983	Battery/charger completer pack (includes #2969 2-amp NiMH peak detecting AC charger (1), #2923X 3000mAh 8.4V 7-cell	0330	channel (transmitter only)
	NiMH iD® battery (1))	6511	Traxxas® Link Bluetooth® module
2992	Battery/charger completer pack (includes #2970 iD® charger	2261	Y-harness, BEC
	(1), #2843X 5800mAh 7.4V 2-cell 25C LiPo iD® battery (1))		Ready-To-Race Model
2994 2991	Battery/charger completer pack (includes #2970 iD® charger (1), #2849X 4000mAh 11.1v 3-Cell 25C LiPo iD® battery (1))	92086-4	TRX-4® High Trail Edition™ with 1972 Chevrolet® Blazer® Body: 4WD Electric Truck with TQi™ Traxxas Link™ Enabled 2.4GHz
2991	Battery/charger completer pack (includes #2972 Dual iD charger (1), #2869X 7600mAh 7.4V 2-cell 25C LiPo iD® Battery (2))		Radio System Scale Details
2985-2S	Battery/charger completer pack (includes #2985 charger (1),	04007	
2262	#2827X 3000mAh 7.4V 2-cell 20C LiPo iD® Battery (1)) BEC, complete (12.6 volts (3s LiPo) maximum input voltage)	8120X	Expedition rack, complete (includes traction boards, shovel, axe, jack, fire extinguisher, fuel cans, & mounting hardware) (fits #8111 or #8111R body)
	(includes receiver box cover and seals)	8120R	Expedition rack, complete (includes traction boards, shovel,
2975	Charger, D/C, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH)	0.20.0	axe, jack, fire extinguisher, fuel cans, & mounting hardware)
2972	Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery		(fits #8111, 8111R, or 8213 series bodies)
2973	Identification Charger, EZ-Peak Live Dual, 200W, NiMH/LiPo with iD Auto	8120A	Expedition rack/ mounting hardware (fits #8111, 8111R, or 8213
2010	Battery Identification	8422-BLK	series bodies) Fire extinguisher, black (2)
2970	Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery	8422	Fire extinguisher, red (2)
2981	Identification Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto	8022T	Fuel canisters (black) (2)/ screw pin
230 1	Battery Identification	8022R	Fuel canisters (blue) (2)/ screw pin
2985	Charger, EZ-Peak®, USB-C, 40W, NiMH/LiPo with iD® Auto	8022-GRN 8022	Fuel canisters (green) (2)/ screw pin Fuel canisters (red) (2)/ screw pin
	Battery Identification	8022X	Fuel canisters (white) (2)/ screw pin
6525	Communication link, telemetry expander	8022A	Fuel canisters (yellow) (2)/ screw pin
6512 6565	Cover plate, Traxxas® Link Bluetooth® module Data link, telemetry expander (connects #6550X telemetry	8023	Jack (1)/ 2x8 BCS (1)
0303	expander 2.0 to the #6590 high-voltage power amplifier)	8023T	Jack (black) (1)/ 2x8 BCS (1)
2971	EZ-Peak Live 12-amp NiMH/LiPo Fast Charger with iD® Auto	8122-BLK	Shovel/ axe (black)/ accessory mount/ mounting hardware
	Battery Identification and Bluetooth®	8122 8121X	Shovel/ axe/ accessory mount/ mounting hardware Traction boards, blue/ mounting hardware
2978	Fuse, D/C charger, 5A (2) (for #2974, 2975, 2977)	8121G	Traction boards, green/ mounting hardware
2064A	Gear set (for 2065A waterproof sub-micro servo)	8121A	Traction boards, yellow/ mounting hardware
2064R 2072X	Gear set, metal (for 2065R waterproof sub-micro servo) Gear set, metal (for 2070, 2075 servos)	8121	Traction boards/ mounting hardware
2252	Gear set, metal (for 2250, 2255 servos)		Shock Oil
2272	Gear set, metal (for 2270 waterproof servo)	5031	Oil, shock (20 wt, 200 cSt, 60cc) (silicone)
2072R	Gear set, metal, high-speed (for 2070, 2075 servos)	5032	Oil, shock (30 wt, 350 cSt, 60cc) (silicone)
2968X	LiPo cell voltage checker/balancer (includes #2938X adapter	5033	Oil, shock (40 wt, 500 cSt, 60cc) (silicone)
2068	for Traxxas® iD® batteries)	5034	Oil, shock (50 wt, 600 cSt, 60cc) (silicone)
2968	LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries)	5035	Oil, shock (60 wt, 700 cSt, 60cc) (silicone)
6561	Mount, telemetry expander	5036 5037	Oil, shock (70 wt, 900 cSt, 60cc) (silicone) Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone)
6535	Mount, temperature sensor (electric motors)/ wire tie/ thermal	5037 5029	Shock oil bottle (60cc) (for mixing shock oil)
2500	pad	5038X	Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt,
6533 6552	Receiver, micro, TQi 2.4GHz with telemetry & TSM® (5-channel) Seal kit, expander box (includes o-ring, seals, and silicone		& 80 wt premium shock oils with spinning carousel rack)
0002	Seal kit, expander box (includes o-ring, seals, and silicone grease)	5038	Spinning carousel rack
6526	Sensor, auto-detectable, temperature		Shocks (GTS)
6527	Sensor, auto-detectable, voltage	8266A	Body, GTS shock (aluminum, blue-anodized) (1)
5521	Sensor, temperature and voltage (long)	8266G	Body, GTS shock (aluminum, green-anodized) (1)
2254	Servo case, aluminum (middle) (blue-anodized) (for 2250	8266R	Body, GTS shock (aluminum, red-anodized) (1)
2252	Servo case aluminum (middle) (red-anodized) (for 2255 servo)	8266	Body, GTS shock (aluminum, silver-anodized) (1)
2253 2251	Servo case, aluminum (middle) (red-anodized) (for 2255 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware	8266X	Body, GTS shock (hard-anodized, PTFE-coated aluminum) (1)
	(for 2250, 2255 servos)	8264	Caps & spring retainers, GTS shocks (upper cap (2)/ hollow balls (4)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2))
2271	Servo case/ gaskets (for 2270 waterproof servo)	8274	Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated)
2063A	Servo case/gaskets (for 2065A waterproof sub-micro servo)	5475	Multi-tool (plastic)
2063R	Servo case/gaskets (for 2065R metal gear, waterproof, sub-	8261	Piston damper (red) (4)/ e-clins (8)

8222	Battery strap (for use with 2200mAh 2-cell and 1400mAh 3-cell	0001X	#6550X telemetry expander)
0222	LiPo batteries)	6509R	TQi 2.4 GHz High Output radio system, 2-channel, Traxxas®
2923X	Battery, Power Cell, 3000mAh (NiMH, 7-C flat, 8.4V)		Link enabled, TSM® (2-ch transmitter, 5-ch micro receiver)
2940X	Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C flat, 8.4V)	6507R	TQi 2.4 GHz High Output radio system, 4-channel with
2950X	Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C flat, 8.4V)		Traxxas® Link Bluetooth® module, TSM® (4-ch transmitter, 5-
2960X	Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V)		ch micro receiver)
2983	Battery/charger completer pack (includes #2969 2-amp NiMH	6530	Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 4-
	peak detecting AC charger (1), #2923X 3000mAh 8.4V 7-cell	0544	channel (transmitter only)
	NiMH iD® battery (1))	6511	Traxxas® Link Bluetooth® module
2992	Battery/charger completer pack (includes #2970 iD® charger	2261	Y-harness, BEC
0004	(1), #2843X 5800mAh 7.4V 2-cell 25C LiPo iD® battery (1))		Ready-To-Race Model
2994	Battery/charger completer pack (includes #2970 iD® charger (1), #2849X 4000mAh 11.1v 3-Cell 25C LiPo iD® battery (1))	92086-4	TRX-4® High Trail Edition™ with 1972 Chevrolet® Blazer® Body:
2991	Battery/charger completer pack (includes #2972 Dual iD		4WD Electric Truck with TQi™ Traxxas Link™ Enabled 2.4GHz
2001	charger (1), #2869X 7600mAh 7.4V 2-cell 25C LiPo iD® Battery		Radio System
	(2))		Scale Details
2985-2S	Battery/charger completer pack (includes #2985 charger (1),	8120X	Expedition rack, complete (includes traction boards, shovel,
	#2827X 3000mAh 7.4V 2-cell 20C LiPo iD® Battery (1))	01207	axe, jack, fire extinguisher, fuel cans, & mounting hardware)
2262	BEC, complete (12.6 volts (3s LiPo) maximum input voltage)		(fits #8111 or #8111R body)
	(includes receiver box cover and seals)	8120R	Expedition rack, complete (includes traction boards, shovel,
2975	Charger, D/C, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH)		axe, jack, fire extinguisher, fuel cans, & mounting hardware)
2972	Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery		(fits #8111, 8111R, or 8213 series bodies)
0070	Identification	8120A	Expedition rack/ mounting hardware (fits #8111, 8111R, or 8213
2973	Charger, EZ-Peak Live Dual, 200W, NiMH/LiPo with iD Auto		series bodies)
2970	Battery Identification Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery	8422-BLK	Fire extinguisher, black (2)
2910	Identification	8422	Fire extinguisher, red (2)
2981	Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto	8022T	Fuel canisters (black) (2)/ screw pin
2301	Battery Identification	8022R	Fuel canisters (blue) (2)/ screw pin
2985	Charger, EZ-Peak®, USB-C, 40W, NiMH/LiPo with iD® Auto	8022-GRN	Fuel canisters (green) (2)/ screw pin
	Battery Identification	8022	Fuel canisters (red) (2)/ screw pin
6525	Communication link, telemetry expander	8022X	Fuel canisters (white) (2)/ screw pin
6512	Cover plate, Traxxas® Link Bluetooth® module	8022A 8023	Fuel canisters (yellow) (2)/ screw pin Jack (1)/ 2x8 BCS (1)
6565	Data link, telemetry expander (connects #6550X telemetry	8023T	Jack (1)/ 2x8 BCS (1) Jack (black) (1)/ 2x8 BCS (1)
	expander 2.0 to the #6590 high-voltage power amplifier)	8122-BLK	Shovel/ axe (black)/ accessory mount/ mounting hardware
2971	EZ-Peak Live 12-amp NiMH/LiPo Fast Charger with iD® Auto	8122 8122	Shovel/ axe/ accessory mount/ mounting hardware
	Battery Identification and Bluetooth®	8121X	Traction boards, blue/ mounting hardware
2978	Fuse, D/C charger, 5A (2) (for #2974, 2975, 2977)	8121G	Traction boards, green/ mounting hardware
2064A	Gear set (for 2065A waterproof sub-micro servo)	0.2.0	
		8121A	
2064R	Gear set, metal (for 2065R waterproof sub-micro servo)	8121A 8121	Traction boards, yellow/ mounting hardware
2064R 2072X	Gear set, metal (for 2065R waterproof sub-micro servo) Gear set, metal (for 2070, 2075 servos)	8121A 8121	Traction boards, yellow/ mounting hardware Traction boards/ mounting hardware
2064R 2072X 2252	Gear set, metal (for 2065R waterproof sub-micro servo) Gear set, metal (for 2070, 2075 servos) Gear set, metal (for 2250, 2255 servos)	8121	Traction boards, yellow/ mounting hardware Traction boards/ mounting hardware Sing (0)
2064R 2072X 2252 2272	Gear set, metal (for 2065R waterproof sub-micro servo) Gear set, metal (for 2070, 2075 servos) Gear set, metal (for 2250, 2255 servos) Gear set, metal (for 2270 waterproof servo)	8121 5031	Traction boards, yellow/ mounting hardware Traction boards/ mounting hardware Singk(III Oil, shock (20 wt, 200 cSt, 60cc) (silicone)
2064R 2072X 2252 2272 2072R	Gear set, metal (for 2065R waterproof sub-micro servo) Gear set, metal (for 2070, 2075 servos) Gear set, metal (for 2250, 2255 servos) Gear set, metal (for 2270 waterproof servo) Gear set, metal, high-speed (for 2070, 2075 servos)	5031 5032	Traction boards, yellow/ mounting hardware Traction boards/ mounting hardware SIDCKOT Oil, shock (20 wt, 200 cSt, 60cc) (silicone) Oil, shock (30 wt, 350 cSt, 60cc) (silicone)
2064R 2072X 2252 2272	Gear set, metal (for 2065R waterproof sub-micro servo) Gear set, metal (for 2070, 2075 servos) Gear set, metal (for 2250, 2255 servos) Gear set, metal (for 2270 waterproof servo) Gear set, metal, high-speed (for 2070, 2075 servos) LiPo cell voltage checker/balancer (includes #2938X adapter	5031 5032 5033	Traction boards, yellow/ mounting hardware Traction boards/ mounting hardware SIDCKOI Oil, shock (20 wt, 200 cSt, 60cc) (silicone) Oil, shock (30 wt, 350 cSt, 60cc) (silicone) Oil, shock (40 wt, 500 cSt, 60cc) (silicone)
2064R 2072X 2252 2272 2072R 2968X	Gear set, metal (for 2065R waterproof sub-micro servo) Gear set, metal (for 2070, 2075 servos) Gear set, metal (for 2250, 2255 servos) Gear set, metal (for 2270 waterproof servo) Gear set, metal, high-speed (for 2070, 2075 servos) LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries)	5031 5032 5033 5034	Traction boards, yellow/ mounting hardware Traction boards/ mounting hardware SINCK OIL Oil, shock (20 wt, 200 cSt, 60cc) (silicone) Oil, shock (30 wt, 350 cSt, 60cc) (silicone) Oil, shock (40 wt, 500 cSt, 60cc) (silicone) Oil, shock (50 wt, 600 cSt, 60cc) (silicone)
2064R 2072X 2252 2272 2072R	Gear set, metal (for 2065R waterproof sub-micro servo) Gear set, metal (for 2070, 2075 servos) Gear set, metal (for 2250, 2255 servos) Gear set, metal (for 2270 waterproof servo) Gear set, metal, high-speed (for 2070, 2075 servos) LiPo cell voltage checker/balancer (includes #2938X adapter	5031 5032 5033 5034 5035	Traction boards, yellow/ mounting hardware Traction boards/ mounting hardware SIOCK 0 Oil, shock (20 wt, 200 cSt, 60cc) (silicone) Oil, shock (30 wt, 350 cSt, 60cc) (silicone) Oil, shock (40 wt, 500 cSt, 60cc) (silicone) Oil, shock (50 wt, 600 cSt, 60cc) (silicone) Oil, shock (60 wt, 700 cSt, 60cc) (silicone)
2064R 2072X 2252 2272 2072R 2968X	Gear set, metal (for 2065R waterproof sub-micro servo) Gear set, metal (for 2070, 2075 servos) Gear set, metal (for 2250, 2255 servos) Gear set, metal (for 2270 waterproof servo) Gear set, metal, high-speed (for 2070, 2075 servos) LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries) LiPo cell voltage checker/balancer (requires #2938X adapter	5031 5032 5033 5034 5035 5036	Traction boards, yellow/ mounting hardware Traction boards/ mounting hardware SIOCK 0II Oil, shock (20 wt, 200 cSt, 60cc) (silicone) Oil, shock (30 wt, 350 cSt, 60cc) (silicone) Oil, shock (40 wt, 500 cSt, 60cc) (silicone) Oil, shock (50 wt, 600 cSt, 60cc) (silicone) Oil, shock (60 wt, 700 cSt, 60cc) (silicone) Oil, shock (70 wt, 900 cSt, 60cc) (silicone)
2064R 2072X 2252 2272 2072R 2968X 2968	Gear set, metal (for 2065R waterproof sub-micro servo) Gear set, metal (for 2070, 2075 servos) Gear set, metal (for 2250, 2255 servos) Gear set, metal (for 2270 waterproof servo) Gear set, metal, high-speed (for 2070, 2075 servos) LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries) LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries)	5031 5032 5033 5034 5035 5036 5037	Traction boards, yellow/ mounting hardware Traction boards/ mounting hardware SIOCK 0II Oil, shock (20 wt, 200 cSt, 60cc) (silicone) Oil, shock (30 wt, 350 cSt, 60cc) (silicone) Oil, shock (40 wt, 500 cSt, 60cc) (silicone) Oil, shock (50 wt, 600 cSt, 60cc) (silicone) Oil, shock (60 wt, 700 cSt, 60cc) (silicone) Oil, shock (70 wt, 900 cSt, 60cc) (silicone) Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone)
2064R 2072X 2252 2272 2072R 2968X 2968 6561	Gear set, metal (for 2065R waterproof sub-micro servo) Gear set, metal (for 2070, 2075 servos) Gear set, metal (for 2250, 2255 servos) Gear set, metal (for 2270 waterproof servo) Gear set, metal, high-speed (for 2070, 2075 servos) LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries) LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries) Mount, telemetry expander	5031 5032 5033 5034 5035 5036 5037 5029	Traction boards, yellow/ mounting hardware Traction boards/ mounting hardware SIDE (UII Oil, shock (20 wt, 200 cSt, 60cc) (silicone) Oil, shock (30 wt, 350 cSt, 60cc) (silicone) Oil, shock (40 wt, 500 cSt, 60cc) (silicone) Oil, shock (50 wt, 600 cSt, 60cc) (silicone) Oil, shock (60 wt, 700 cSt, 60cc) (silicone) Oil, shock (70 wt, 900 cSt, 60cc) (silicone) Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone) Shock oil bottle (60cc) (for mixing shock oil)
2064R 2072X 2252 2272 2072R 2968X 2968 6561	Gear set, metal (for 2065R waterproof sub-micro servo) Gear set, metal (for 2070, 2075 servos) Gear set, metal (for 2250, 2255 servos) Gear set, metal (for 2270 waterproof servo) Gear set, metal, high-speed (for 2070, 2075 servos) LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries) LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries) Mount, telemetry expander Mount, temperature sensor (electric motors)/ wire tie/ thermal	5031 5032 5033 5034 5035 5036 5037	Traction boards, yellow/ mounting hardware Traction boards/ mounting hardware SIDE (0] Oil, shock (20 wt, 200 cSt, 60cc) (silicone) Oil, shock (30 wt, 350 cSt, 60cc) (silicone) Oil, shock (40 wt, 500 cSt, 60cc) (silicone) Oil, shock (50 wt, 600 cSt, 60cc) (silicone) Oil, shock (60 wt, 700 cSt, 60cc) (silicone) Oil, shock (60 wt, 700 cSt, 60cc) (silicone) Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone) Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone) Shock oil bottle (60cc) (for mixing shock oil) Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt,
2064R 2072X 2252 2272 2072R 2968X 2968 6561 6535	Gear set, metal (for 2065R waterproof sub-micro servo) Gear set, metal (for 2070, 2075 servos) Gear set, metal (for 2250, 2255 servos) Gear set, metal (for 2270 waterproof servo) Gear set, metal, high-speed (for 2070, 2075 servos) LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries) LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries) Mount, telemetry expander Mount, temperature sensor (electric motors)/ wire tie/ thermal pad	5031 5032 5033 5034 5035 5036 5037 5029 5038X	Traction boards, yellow/ mounting hardware Traction boards/ mounting hardware SIDEKOI Oil, shock (20 wt, 200 cSt, 60cc) (silicone) Oil, shock (30 wt, 350 cSt, 60cc) (silicone) Oil, shock (40 wt, 500 cSt, 60cc) (silicone) Oil, shock (50 wt, 600 cSt, 60cc) (silicone) Oil, shock (60 wt, 700 cSt, 60cc) (silicone) Oil, shock (70 wt, 900 cSt, 60cc) (silicone) Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone) Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone) Shock oil bottle (60cc) (for mixing shock oil) Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & 80 wt premium shock oils with spinning carousel rack)
2064R 2072X 2252 2272 2072R 2968X 2968 6561 6535 6533 6552	Gear set, metal (for 2065R waterproof sub-micro servo) Gear set, metal (for 2070, 2075 servos) Gear set, metal (for 2250, 2255 servos) Gear set, metal (for 2270 waterproof servo) Gear set, metal (for 2270 waterproof servo) Gear set, metal, high-speed (for 2070, 2075 servos) LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries) LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries) Mount, telemetry expander Mount, telemetry expander Mount, temperature sensor (electric motors)/ wire tie/ thermal pad Receiver, micro, TQi 2.4GHz with telemetry & TSM® (5-channel) Seal kit, expander box (includes o-ring, seals, and silicone grease)	5031 5032 5033 5034 5035 5036 5037 5029	Traction boards, yellow/ mounting hardware Traction boards/ mounting hardware SIDEKOT Oil, shock (20 wt, 200 cSt, 60cc) (silicone) Oil, shock (30 wt, 350 cSt, 60cc) (silicone) Oil, shock (40 wt, 500 cSt, 60cc) (silicone) Oil, shock (50 wt, 600 cSt, 60cc) (silicone) Oil, shock (60 wt, 700 cSt, 60cc) (silicone) Oil, shock (70 wt, 900 cSt, 60cc) (silicone) Oil, shock (70 wt, 900 cSt, 60cc) (silicone) Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone) Shock oil bottle (60cc) (for mixing shock oil) Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & 80 wt premium shock oils with spinning carousel rack) Spinning carousel rack
2064R 2072X 2252 2272 2072R 2968X 2968 6561 6535 6533 6552	Gear set, metal (for 2065R waterproof sub-micro servo) Gear set, metal (for 2070, 2075 servos) Gear set, metal (for 2250, 2255 servos) Gear set, metal (for 2270 waterproof servo) Gear set, metal, high-speed (for 2070, 2075 servos) LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries) LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries) Mount, telemetry expander Mount, temperature sensor (electric motors)/ wire tie/ thermal pad Receiver, micro, TQi 2.4GHz with telemetry & TSM® (5-channel) Seal kit, expander box (includes o-ring, seals, and silicone grease) Sensor, auto-detectable, temperature	5031 5032 5033 5034 5035 5036 5037 5029 5038X	Traction boards, yellow/ mounting hardware Traction boards/ mounting hardware SIDEKOI Oil, shock (20 wt, 200 cSt, 60cc) (silicone) Oil, shock (30 wt, 350 cSt, 60cc) (silicone) Oil, shock (40 wt, 500 cSt, 60cc) (silicone) Oil, shock (50 wt, 600 cSt, 60cc) (silicone) Oil, shock (60 wt, 700 cSt, 60cc) (silicone) Oil, shock (70 wt, 900 cSt, 60cc) (silicone) Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone) Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone) Shock oil bottle (60cc) (for mixing shock oil) Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & 80 wt premium shock oils with spinning carousel rack)
2064R 2072X 2252 2272 2072R 2968X 2968 6561 6535 6533 6552 6526 6527	Gear set, metal (for 2065R waterproof sub-micro servo) Gear set, metal (for 2070, 2075 servos) Gear set, metal (for 2250, 2255 servos) Gear set, metal (for 2270 waterproof servo) Gear set, metal, high-speed (for 2070, 2075 servos) LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries) LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries) Mount, telemetry expander Mount, telemetry expander Mount, temperature sensor (electric motors)/ wire tie/ thermal pad Receiver, micro, TQi 2.4GHz with telemetry & TSM® (5-channel) Seal kit, expander box (includes o-ring, seals, and silicone grease) Sensor, auto-detectable, temperature Sensor, auto-detectable, voltage	5031 5032 5033 5034 5035 5036 5037 5029 5038X 5038	Traction boards, yellow/ mounting hardware Traction boards/ mounting hardware SIDEKOI Oil, shock (20 wt, 200 cSt, 60cc) (silicone) Oil, shock (30 wt, 350 cSt, 60cc) (silicone) Oil, shock (40 wt, 500 cSt, 60cc) (silicone) Oil, shock (50 wt, 600 cSt, 60cc) (silicone) Oil, shock (60 wt, 700 cSt, 60cc) (silicone) Oil, shock (60 wt, 700 cSt, 60cc) (silicone) Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone) Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone) Shock oil bottle (60cc) (for mixing shock oil) Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & 80 wt premium shock oils with spinning carousel rack) Spinning carousel rack SIDEKS (HS) Body, GTS shock (aluminum, blue-anodized) (1)
2064R 2072X 2252 2272 2072R 2968X 2968 6561 6535 6533 6552 6526 6527 6521	Gear set, metal (for 2065R waterproof sub-micro servo) Gear set, metal (for 2070, 2075 servos) Gear set, metal (for 2250, 2255 servos) Gear set, metal (for 2270 waterproof servo) Gear set, metal (for 2270 waterproof servo) Gear set, metal, high-speed (for 2070, 2075 servos) LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries) LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries) Mount, telemetry expander Mount, telemetry expander Mount, temperature sensor (electric motors)/ wire tie/ thermal pad Receiver, micro, TQi 2.4GHz with telemetry & TSM® (5-channel) Seal kit, expander box (includes o-ring, seals, and silicone grease) Sensor, auto-detectable, temperature Sensor, auto-detectable, voltage Sensor, temperature and voltage (long)	5031 5032 5033 5034 5035 5036 5037 5029 5038X 5038	Traction boards, yellow/ mounting hardware Traction boards/ mounting hardware SIDEKOI Oil, shock (20 wt, 200 cSt, 60cc) (silicone) Oil, shock (30 wt, 350 cSt, 60cc) (silicone) Oil, shock (40 wt, 500 cSt, 60cc) (silicone) Oil, shock (50 wt, 600 cSt, 60cc) (silicone) Oil, shock (60 wt, 700 cSt, 60cc) (silicone) Oil, shock (70 wt, 900 cSt, 60cc) (silicone) Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone) Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone) Shock oil bottle (60cc) (for mixing shock oil) Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & 80 wt premium shock oils with spinning carousel rack) Spinning carousel rack SIDEKS (LTS) Body, GTS shock (aluminum, blue-anodized) (1) Body, GTS shock (aluminum, green-anodized) (1)
2064R 2072X 2252 2272 2072R 2968X 2968 6561 6535 6533 6552 6526 6527	Gear set, metal (for 2065R waterproof sub-micro servo) Gear set, metal (for 2070, 2075 servos) Gear set, metal (for 2250, 2255 servos) Gear set, metal (for 2270 waterproof servo) Gear set, metal (for 2270 waterproof servo) Gear set, metal, high-speed (for 2070, 2075 servos) LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries) LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries) Mount, telemetry expander Mount, temperature sensor (electric motors)/ wire tie/ thermal pad Receiver, micro, TQi 2.4GHz with telemetry & TSM® (5-channel) Seal kit, expander box (includes o-ring, seals, and silicone grease) Sensor, auto-detectable, temperature Sensor, auto-detectable, voltage Sensor, temperature and voltage (long) Servo case, aluminum (middle) (blue-anodized) (for 2250	5031 5032 5033 5034 5035 5036 5037 5029 5038X 5038	Traction boards, yellow/ mounting hardware Traction boards/ mounting hardware SIDCKOII Oil, shock (20 wt, 200 cSt, 60cc) (silicone) Oil, shock (30 wt, 350 cSt, 60cc) (silicone) Oil, shock (40 wt, 500 cSt, 60cc) (silicone) Oil, shock (50 wt, 600 cSt, 60cc) (silicone) Oil, shock (60 wt, 700 cSt, 60cc) (silicone) Oil, shock (70 wt, 900 cSt, 60cc) (silicone) Oil, shock (70 wt, 900 cSt, 60cc) (silicone) Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone) Shock oil bottle (60cc) (for mixing shock oil) Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & 80 wt premium shock oils with spinning carousel rack) Spinning carousel rack SIDCKS (FIS) Body, GTS shock (aluminum, blue-anodized) (1) Body, GTS shock (aluminum, green-anodized) (1) Body, GTS shock (aluminum, red-anodized) (1)
2064R 2072X 2252 2272 2072R 2968X 2968 6561 6535 6533 6552 6526 6527 6521 2254	Gear set, metal (for 2065R waterproof sub-micro servo) Gear set, metal (for 2070, 2075 servos) Gear set, metal (for 2250, 2255 servos) Gear set, metal (for 2270 waterproof servo) Gear set, metal (for 2270 waterproof servo) Gear set, metal, high-speed (for 2070, 2075 servos) LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries) LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries) Mount, telemetry expander Mount, temperature sensor (electric motors)/ wire tie/ thermal pad Receiver, micro, TQi 2.4GHz with telemetry & TSM® (5-channel) Seal kit, expander box (includes o-ring, seals, and silicone grease) Sensor, auto-detectable, temperature Sensor, auto-detectable, voltage Sensor, temperature and voltage (long) Servo case, aluminum (middle) (blue-anodized) (for 2250 servo)	5031 5032 5033 5034 5035 5036 5037 5029 5038X 5038	Traction boards, yellow/ mounting hardware Traction boards/ mounting hardware SIDE (UI) Oil, shock (20 wt, 200 cSt, 60cc) (silicone) Oil, shock (30 wt, 350 cSt, 60cc) (silicone) Oil, shock (40 wt, 500 cSt, 60cc) (silicone) Oil, shock (50 wt, 600 cSt, 60cc) (silicone) Oil, shock (60 wt, 700 cSt, 60cc) (silicone) Oil, shock (70 wt, 900 cSt, 60cc) (silicone) Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone) Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone) Shock oil bottle (60cc) (for mixing shock oil) Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & 80 wt premium shock oils with spinning carousel rack) Spinning carousel rack SIDE (LIS) Body, GTS shock (aluminum, blue-anodized) (1) Body, GTS shock (aluminum, red-anodized) (1) Body, GTS shock (aluminum, silver-anodized) (1)
2064R 2072X 2252 2272 2072R 2968X 2968 6561 6535 6533 6552 6526 6527 6521 2254	Gear set, metal (for 2065R waterproof sub-micro servo) Gear set, metal (for 2070, 2075 servos) Gear set, metal (for 2250, 2255 servos) Gear set, metal (for 2270 waterproof servo) Gear set, metal (for 2270 waterproof servo) Gear set, metal, high-speed (for 2070, 2075 servos) LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries) LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries) Mount, telemetry expander Mount, temperature sensor (electric motors)/ wire tie/ thermal pad Receiver, micro, TQi 2.4GHz with telemetry & TSM® (5-channel) Seal kit, expander box (includes o-ring, seals, and silicone grease) Sensor, auto-detectable, temperature Sensor, auto-detectable, voltage Sensor, temperature and voltage (long) Servo case, aluminum (middle) (blue-anodized) (for 2250 servo) Servo case, aluminum (middle) (red-anodized) (for 2255 servo)	8121 5031 5032 5033 5034 5035 5036 5037 5029 5038X 5038 8266A 8266G 8266R 8266 8266	Traction boards, yellow/ mounting hardware Traction boards/ mounting hardware SIDE (UI) Oil, shock (20 wt, 200 cSt, 60cc) (silicone) Oil, shock (30 wt, 350 cSt, 60cc) (silicone) Oil, shock (40 wt, 500 cSt, 60cc) (silicone) Oil, shock (50 wt, 600 cSt, 60cc) (silicone) Oil, shock (50 wt, 700 cSt, 60cc) (silicone) Oil, shock (60 wt, 700 cSt, 60cc) (silicone) Oil, shock (70 wt, 900 cSt, 60cc) (silicone) Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone) Shock oil bottle (60cc) (for mixing shock oil) Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & 80 wt premium shock oils with spinning carousel rack) Spinning carousel rack SIDE (SIETS) Body, GTS shock (aluminum, green-anodized) (1) Body, GTS shock (aluminum, red-anodized) (1) Body, GTS shock (aluminum, silver-anodized) (1) Body, GTS shock (hard-anodized, PTFE-coated aluminum) (1)
2064R 2072X 2252 2272 2072R 2968X 2968 6561 6535 6533 6552 6526 6527 6521 2254	Gear set, metal (for 2065R waterproof sub-micro servo) Gear set, metal (for 2070, 2075 servos) Gear set, metal (for 2250, 2255 servos) Gear set, metal (for 2270 waterproof servo) LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries) LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries) Mount, telemetry expander Mount, temperature sensor (electric motors)/ wire tie/ thermal pad Receiver, micro, TQi 2.4GHz with telemetry & TSM® (5-channel) Seal kit, expander box (includes o-ring, seals, and silicone grease) Sensor, auto-detectable, temperature Sensor, auto-detectable, voltage Sensor, temperature and voltage (long) Servo case, aluminum (middle) (blue-anodized) (for 2250 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware	5031 5032 5033 5034 5035 5036 5037 5029 5038X 5038	Traction boards, yellow/ mounting hardware Traction boards/ mounting hardware SIDCKOI Oil, shock (20 wt, 200 cSt, 60cc) (silicone) Oil, shock (30 wt, 350 cSt, 60cc) (silicone) Oil, shock (40 wt, 500 cSt, 60cc) (silicone) Oil, shock (50 wt, 600 cSt, 60cc) (silicone) Oil, shock (50 wt, 700 cSt, 60cc) (silicone) Oil, shock (60 wt, 700 cSt, 60cc) (silicone) Oil, shock (70 wt, 900 cSt, 60cc) (silicone) Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone) Shock oil bottle (60cc) (for mixing shock oil) Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & 80 wt premium shock oils with spinning carousel rack) Spinning carousel rack Shock (aluminum, blue-anodized) (1) Body, GTS shock (aluminum, green-anodized) (1) Body, GTS shock (aluminum, silver-anodized) (1) Body, GTS shock (hard-anodized, PTFE-coated aluminum) (1) Caps & spring retainers, GTS shocks (upper cap (2)/ hollow balls
2064R 2072X 2252 2272 2072R 2968X 2968 6561 6535 6533 6552 6526 6527 6521 2254 2253 2251	Gear set, metal (for 2065R waterproof sub-micro servo) Gear set, metal (for 2070, 2075 servos) Gear set, metal (for 2250, 2255 servos) Gear set, metal (for 2270 waterproof servo) Gear set, metal (for 2270 waterproof servo) Gear set, metal, high-speed (for 2070, 2075 servos) LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries) LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries) Mount, telemetry expander Mount, telemetry expander Mount, temperature sensor (electric motors)/ wire tie/ thermal pad Receiver, micro, TQi 2.4GHz with telemetry & TSM® (5-channel) Seal kit, expander box (includes o-ring, seals, and silicone grease) Sensor, auto-detectable, temperature Sensor, auto-detectable, voltage Sensor, temperature and voltage (long) Servo case, aluminum (middle) (blue-anodized) (for 2250 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos)	5031 5032 5033 5034 5035 5036 5037 5029 5038X 5038 8266A 8266G 8266R 8266 8266K 8266 8266X	Traction boards, yellow/ mounting hardware Traction boards/ mounting hardware SIDCKOI Oil, shock (20 wt, 200 cSt, 60cc) (silicone) Oil, shock (30 wt, 350 cSt, 60cc) (silicone) Oil, shock (40 wt, 500 cSt, 60cc) (silicone) Oil, shock (50 wt, 600 cSt, 60cc) (silicone) Oil, shock (60 wt, 700 cSt, 60cc) (silicone) Oil, shock (60 wt, 700 cSt, 60cc) (silicone) Oil, shock (60 wt, 700 cSt, 60cc) (silicone) Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone) Shock oil bottle (60cc) (for mixing shock oil) Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & 80 wt premium shock oils with spinning carousel rack) Spinning carousel rack SIDCKS (FIS) Body, GTS shock (aluminum, blue-anodized) (1) Body, GTS shock (aluminum, red-anodized) (1) Body, GTS shock (aluminum, silver-anodized) (1) Body, GTS shock (hard-anodized, PTFE-coated aluminum) (1) Caps & spring retainers, GTS shocks (upper cap (2)/ hollow balls (4)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2))
2064R 2072X 2252 2272 2072R 2968X 2968 6561 6535 6533 6552 6527 6526 6527 6521 2254 2253 2251	Gear set, metal (for 2065R waterproof sub-micro servo) Gear set, metal (for 2070, 2075 servos) Gear set, metal (for 2250, 2255 servos) Gear set, metal (for 2270 waterproof servo) Gear set, metal (for 2270 waterproof servo) Gear set, metal, high-speed (for 2070, 2075 servos) LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries) LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries) Mount, telemetry expander Mount, temperature sensor (electric motors)/ wire tie/ thermal pad Receiver, micro, TQi 2.4GHz with telemetry & TSM® (5-channel) Seal kit, expander box (includes o-ring, seals, and silicone grease) Sensor, auto-detectable, temperature Sensor, auto-detectable, voltage Sensor, temperature and voltage (long) Servo case, aluminum (middle) (blue-anodized) (for 2250 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo case/ gaskets (for 2270 waterproof servo)	5031 5032 5033 5034 5035 5036 5037 5029 5038X 5038 8266A 8266G 8266C 8266C 8266X 8264	Traction boards, yellow/ mounting hardware Traction boards/ mounting hardware SIDEKOI Oil, shock (20 wt, 200 cSt, 60cc) (silicone) Oil, shock (30 wt, 350 cSt, 60cc) (silicone) Oil, shock (40 wt, 500 cSt, 60cc) (silicone) Oil, shock (50 wt, 600 cSt, 60cc) (silicone) Oil, shock (60 wt, 700 cSt, 60cc) (silicone) Oil, shock (60 wt, 700 cSt, 60cc) (silicone) Oil, shock (60 wt, 1,000 cSt, 60cc) (silicone) Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone) Shock oil bottle (60cc) (for mixing shock oil) Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & 80 wt premium shock oils with spinning carousel rack) Spinning carousel rack SIDEKS Body, GTS shock (aluminum, blue-anodized) (1) Body, GTS shock (aluminum, red-anodized) (1) Body, GTS shock (aluminum, silver-anodized) (1) Body, GTS shock (hard-anodized, PTFE-coated aluminum) (1) Caps & spring retainers, GTS shocks (upper cap (2)/ hollow balls (4)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2)) Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated)
2064R 2072X 2252 2272 2072R 2968X 2968 6561 6535 6533 6552 6527 6521 2254 2253 2251 2271 2063A	Gear set, metal (for 2065R waterproof sub-micro servo) Gear set, metal (for 2070, 2075 servos) Gear set, metal (for 2250, 2255 servos) Gear set, metal (for 2270 waterproof servo) LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries) LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries) Mount, telemetry expander Mount, temperature sensor (electric motors)/ wire tie/ thermal pad Receiver, micro, TQi 2.4GHz with telemetry & TSM® (5-channel) Seal kit, expander box (includes o-ring, seals, and silicone grease) Sensor, auto-detectable, temperature Sensor, auto-detectable, voltage Sensor, temperature and voltage (long) Servo case, aluminum (middle) (blue-anodized) (for 2250 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo case/ gaskets (for 2065A waterproof sub-micro servo)	5031 5032 5033 5034 5035 5036 5037 5029 5038X 5038 8266A 8266G 8266R 8266 8266X 8264	Traction boards, yellow/ mounting hardware Traction boards/ mounting hardware SIDEKUI Oil, shock (20 wt, 200 cSt, 60cc) (silicone) Oil, shock (30 wt, 350 cSt, 60cc) (silicone) Oil, shock (40 wt, 500 cSt, 60cc) (silicone) Oil, shock (50 wt, 600 cSt, 60cc) (silicone) Oil, shock (60 wt, 700 cSt, 60cc) (silicone) Oil, shock (70 wt, 900 cSt, 60cc) (silicone) Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone) Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone) Shock oil bettle (60cc) (for mixing shock oil) Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & 80 wt premium shock oils with spinning carousel rack) Spinning carousel rack SIDEKS (HS) Body, GTS shock (aluminum, blue-anodized) (1) Body, GTS shock (aluminum, red-anodized) (1) Body, GTS shock (aluminum, silver-anodized) (1) Body, GTS shock (fard-anodized, PTFE-coated aluminum) (1) Caps & spring retainers, GTS shocks (upper cap (2)/ hollow balls (4)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2)) Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated) Multi-tool (plastic)
2064R 2072X 2252 2272 2072R 2968X 2968 6561 6535 6533 6552 6527 6526 6527 6521 2254 2253 2251	Gear set, metal (for 2065R waterproof sub-micro servo) Gear set, metal (for 2070, 2075 servos) Gear set, metal (for 2250, 2255 servos) Gear set, metal (for 2270 waterproof servo) Gear set, metal (for 2270 waterproof servo) Gear set, metal, high-speed (for 2070, 2075 servos) LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries) LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries) Mount, telemetry expander Mount, temperature sensor (electric motors)/ wire tie/ thermal pad Receiver, micro, TQi 2.4GHz with telemetry & TSM® (5-channel) Seal kit, expander box (includes o-ring, seals, and silicone grease) Sensor, auto-detectable, temperature Sensor, auto-detectable, voltage Sensor, temperature and voltage (long) Servo case, aluminum (middle) (blue-anodized) (for 2250 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo case/gaskets (for 2065A waterproof sub-micro servo) Servo case/gaskets (for 2065R metal gear, waterproof, sub-	5031 5032 5033 5034 5035 5036 5037 5029 5038X 5038 8266A 8266G 8266R 8266 8266X 8264 8274 5475 8261	Traction boards, yellow/ mounting hardware Traction boards/ mounting hardware SIDEKUI Oil, shock (20 wt, 200 cSt, 60cc) (silicone) Oil, shock (30 wt, 350 cSt, 60cc) (silicone) Oil, shock (40 wt, 500 cSt, 60cc) (silicone) Oil, shock (50 wt, 600 cSt, 60cc) (silicone) Oil, shock (60 wt, 700 cSt, 60cc) (silicone) Oil, shock (70 wt, 900 cSt, 60cc) (silicone) Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone) Oil, shock oil bettle (60cc) (for mixing shock oil) Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & 80 wt premium shock oils with spinning carousel rack) Spinning carousel rack SIDEKS (LTS) Body, GTS shock (aluminum, green-anodized) (1) Body, GTS shock (aluminum, red-anodized) (1) Body, GTS shock (aluminum, silver-anodized) (1) Body, GTS shock (hard-anodized, PTFE-coated aluminum) (1) Caps & spring retainers, GTS shocks (upper cap (2)/ hollow balls (4)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2)) Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated) Multi-tool (plastic) Piston, damper (red) (4)/ e-clips (8)
2064R 2072X 2252 2272 2072R 2968X 2968 6561 6535 6533 6552 6526 6527 6521 2254 2253 2251 2271 2063A 2063R	Gear set, metal (for 2065R waterproof sub-micro servo) Gear set, metal (for 2070, 2075 servos) Gear set, metal (for 2250, 2255 servos) Gear set, metal (for 2270 waterproof servo) LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries) LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries) Mount, telemetry expander Mount, temperature sensor (electric motors)/ wire tie/ thermal pad Receiver, micro, TQi 2.4GHz with telemetry & TSM® (5-channel) Seal kit, expander box (includes o-ring, seals, and silicone grease) Sensor, auto-detectable, temperature Sensor, auto-detectable, voltage Sensor, temperature and voltage (long) Servo case, aluminum (middle) (blue-anodized) (for 2250 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo case/ gaskets (for 2065A waterproof sub-micro servo)	5031 5032 5033 5034 5035 5036 5037 5029 5038X 5038 8266A 8266G 8266R 8266 8266X 8264	Traction boards, yellow/ mounting hardware Traction boards/ mounting hardware SIDCKOI Oil, shock (20 wt, 200 cSt, 60cc) (silicone) Oil, shock (30 wt, 350 cSt, 60cc) (silicone) Oil, shock (40 wt, 500 cSt, 60cc) (silicone) Oil, shock (50 wt, 600 cSt, 60cc) (silicone) Oil, shock (60 wt, 700 cSt, 60cc) (silicone) Oil, shock (60 wt, 700 cSt, 60cc) (silicone) Oil, shock (70 wt, 900 cSt, 60cc) (silicone) Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone) Shock oil bottle (60cc) (for mixing shock oil) Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & 80 wt premium shock oils with spinning carousel rack) Spinning carousel rack SIDCKS(LTS) Body, GTS shock (aluminum, blue-anodized) (1) Body, GTS shock (aluminum, red-anodized) (1) Body, GTS shock (aluminum, silver-anodized) (1) Body, GTS shock (hard-anodized, PTFE-coated aluminum) (1) Caps & spring retainers, GTS shocks (upper cap (2)/ hollow balls (4)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2)) Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated) Multi-tool (plastic) Piston, damper (red) (4)/ e-clips (8) Rebuild kit, TRX-4® shocks (x-rings, o-rings, pistons, bushings, e
2064R 2072X 2252 2272 2072R 2968X 2968 6561 6535 6533 6552 6527 6521 2254 2253 2251 2271 2063A	Gear set, metal (for 2065R waterproof sub-micro servo) Gear set, metal (for 2070, 2075 servos) Gear set, metal (for 2270 waterproof servo) LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries) LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries) Mount, telemetry expander Mount, temperature sensor (electric motors)/ wire tie/ thermal pad Receiver, micro, TQi 2.4GHz with telemetry & TSM® (5-channel) Seal kit, expander box (includes o-ring, seals, and silicone grease) Sensor, auto-detectable, temperature Sensor, auto-detectable, temperature Sensor, auto-detectable, voltage Sensor, temperature and voltage (long) Servo case, aluminum (middle) (blue-anodized) (for 2250 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo case/gaskets (for 2270 waterproof sub-micro servo) Servo case/gaskets (for 2065R metal gear, waterproof, sub-micro servo)	5031 5032 5033 5034 5035 5036 5037 5029 5038X 5038 8266A 8266G 8266R 8266 8266X 8264 8274 5475 8261 8262	Traction boards, yellow/ mounting hardware Traction boards/ mounting hardware SIDCKUI Oil, shock (20 wt, 200 cSt, 60cc) (silicone) Oil, shock (30 wt, 350 cSt, 60cc) (silicone) Oil, shock (40 wt, 500 cSt, 60cc) (silicone) Oil, shock (50 wt, 600 cSt, 60cc) (silicone) Oil, shock (60 wt, 700 cSt, 60cc) (silicone) Oil, shock (70 wt, 900 cSt, 60cc) (silicone) Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone) Oil, shock oil bottle (60cc) (for mixing shock oil) Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & 80 wt premium shock oils with spinning carousel rack) Spinning carousel rack SIDCK (HTS) Body, GTS shock (aluminum, blue-anodized) (1) Body, GTS shock (aluminum, red-anodized) (1) Body, GTS shock (aluminum, silver-anodized) (1) Body, GTS shock (hard-anodized, PTFE-coated aluminum) (1) Caps & spring retainers, GTS shocks (upper cap (2)/ hollow balls (4)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2)) Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated) Multi-tool (plastic) Piston, damper (red) (4)/ e-clips (8) Rebuild kit, TRX-4® shocks (x-rings, o-rings, pistons, bushings, e clips, rod ends, and travel limiters)
2064R 2072X 2252 2272 2072R 2968X 2968 6561 6535 6533 6552 6526 6527 6521 2254 2253 2251 2271 2063A 2063R	Gear set, metal (for 2065R waterproof sub-micro servo) Gear set, metal (for 2070, 2075 servos) Gear set, metal (for 2270 waterproof servo) LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries) LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries) Mount, telemetry expander Mount, temperature sensor (electric motors)/ wire tie/ thermal pad Receiver, micro, TQi 2.4GHz with telemetry & TSM® (5-channel) Seal kit, expander box (includes o-ring, seals, and silicone grease) Sensor, auto-detectable, temperature Sensor, auto-detectable, voltage Sensor, auto-detectable, voltage Sensor, temperature and voltage (long) Servo case, aluminum (middle) (blue-anodized) (for 2250 servo) Servo case, aluminum (middle) (red-anodized) (for 2255 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo case/gaskets (for 2065A waterproof sub-micro servo) Servo case/gaskets (for 2065R metal gear, waterproof, sub-micro servo) Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo)	5031 5032 5033 5034 5035 5036 5037 5029 5038X 5038 8266A 8266G 8266C 826	Traction boards, yellow/ mounting hardware Traction boards/ mounting hardware SIDCKOI Oil, shock (20 wt, 200 cSt, 60cc) (silicone) Oil, shock (30 wt, 350 cSt, 60cc) (silicone) Oil, shock (40 wt, 500 cSt, 60cc) (silicone) Oil, shock (50 wt, 600 cSt, 60cc) (silicone) Oil, shock (60 wt, 700 cSt, 60cc) (silicone) Oil, shock (60 wt, 700 cSt, 60cc) (silicone) Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone) Oil, shock oil bottle (60cc) (for mixing shock oil) Shock oil bottle (60cc) (for mixing shock oil) Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & 80 wt premium shock oils with spinning carousel rack) Spinning carousel rack SIDCKS (FIS) Body, GTS shock (aluminum, blue-anodized) (1) Body, GTS shock (aluminum, red-anodized) (1) Body, GTS shock (aluminum, red-anodized) (1) Body, GTS shock (hard-anodized, PTFE-coated aluminum) (1) Caps & spring retainers, GTS shocks (upper cap (2)/ hollow balls (4)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2)) Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated) Multi-tool (plastic) Piston, damper (red) (4)/ e-clips (8) Rebuild kit, TRX-4® shocks (x-rings, o-rings, pistons, bushings, e clips, rod ends, and travel limiters) Shock shaft, 3x47mm (GTS) (2)
2064R 2072X 2252 2272 2072R 2968X 2968 6561 6535 6533 6552 6526 6527 6521 2254 2253 2251 2271 2063A 2063X	Gear set, metal (for 2065R waterproof sub-micro servo) Gear set, metal (for 2070, 2075 servos) Gear set, metal (for 2250, 2255 servos) Gear set, metal (for 2270 waterproof servo) Gear set, metal, high-speed (for 2070, 2075 servos) LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries) LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries) Mount, telemetry expander Mount, temperature sensor (electric motors)/ wire tie/ thermal pad Receiver, micro, TQi 2.4GHz with telemetry & TSM® (5-channel) Seal kit, expander box (includes o-ring, seals, and silicone grease) Sensor, auto-detectable, temperature Sensor, auto-detectable, voltage Sensor, temperature and voltage (long) Servo case, aluminum (middle) (blue-anodized) (for 2250 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo case/gaskets (for 2065A waterproof sub-micro servo) Servo case/gaskets (for 2065R metal gear, waterproof, sub-micro servo) Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo)	5031 5032 5033 5034 5035 5036 5037 5029 5038X 5038 8266A 8266G 8266G 8266C 8266X 8264 8274 5475 8261 8262 8263 8263	Traction boards, yellow/ mounting hardware Traction boards/ mounting hardware SIDCKOT Oil, shock (20 wt, 200 cSt, 60cc) (silicone) Oil, shock (30 wt, 350 cSt, 60cc) (silicone) Oil, shock (40 wt, 500 cSt, 60cc) (silicone) Oil, shock (50 wt, 600 cSt, 60cc) (silicone) Oil, shock (60 wt, 700 cSt, 60cc) (silicone) Oil, shock (60 wt, 700 cSt, 60cc) (silicone) Oil, shock (70 wt, 900 cSt, 60cc) (silicone) Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone) Shock oil bottle (60cc) (for mixing shock oil) Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & 80 wt premium shock oils with spinning carousel rack) Spinning carousel rack SIDCKS (HS) Body, GTS shock (aluminum, blue-anodized) (1) Body, GTS shock (aluminum, red-anodized) (1) Body, GTS shock (aluminum, silver-anodized) (1) Body, GTS shock (hard-anodized, PTFE-coated aluminum) (1) Caps & spring retainers, GTS shocks (upper cap (2)/ hollow balls (4)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2)/ Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated) Multi-tool (plastic) Piston, damper (red) (4)/ e-clips (8) Rebuild kit, TRX-4® shocks (x-rings, o-rings, pistons, bushings, e clips, rod ends, and travel limiters) Shock shaft, 3x47mm (GTS) (2) Shock shaft, 3x47mm (GTS) (titanium nitride-coated) (2)
2064R 2072X 2252 2272 2072R 2968X 2968 6561 6535 6533 6552 6527 6521 2254 2253 2251 2271 2063A 2063R 2063X	Gear set, metal (for 2065R waterproof sub-micro servo) Gear set, metal (for 2070, 2075 servos) Gear set, metal (for 2270 waterproof servo) Gear set, metal (for 2270 waterproof servo) Gear set, metal (for 2270 waterproof servo) Gear set, metal, high-speed (for 2070, 2075 servos) LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries) LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries) Mount, telemetry expander Mount, temperature sensor (electric motors)/ wire tie/ thermal pad Receiver, micro, TQi 2.4GHz with telemetry & TSM® (5-channel) Seal kit, expander box (includes o-ring, seals, and silicone grease) Sensor, auto-detectable, temperature Sensor, auto-detectable, voltage Sensor, temperature and voltage (long) Servo case, aluminum (middle) (blue-anodized) (for 2250 servo) Servo case, aluminum (middle) (red-anodized) (for 2255 servo) Servo case/gaskets (for 2070 waterproof servo) Servo case/gaskets (for 2065A waterproof sub-micro servo) Servo case/gaskets (for 2065R metal gear, waterproof, sub-micro servo) Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo) Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof	5031 5032 5033 5034 5035 5036 5037 5029 5038X 5038 8266A 8266G 8266C 826	Traction boards, yellow/ mounting hardware Traction boards/ mounting hardware SIDCKOI Oil, shock (20 wt, 200 cSt, 60cc) (silicone) Oil, shock (30 wt, 350 cSt, 60cc) (silicone) Oil, shock (40 wt, 500 cSt, 60cc) (silicone) Oil, shock (50 wt, 600 cSt, 60cc) (silicone) Oil, shock (60 wt, 700 cSt, 60cc) (silicone) Oil, shock (70 wt, 900 cSt, 60cc) (silicone) Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone) Oil, shock oil bottle (60cc) (for mixing shock oil) Shock oil bettle (60cc) (for mixing shock oil) Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & 80 wt premium shock oils with spinning carousel rack) Spinning carousel rack SIDCKS (HIS) Body, GTS shock (aluminum, green-anodized) (1) Body, GTS shock (aluminum, red-anodized) (1) Body, GTS shock (aluminum, silver-anodized) (1) Body, GTS shock (hard-anodized, PTFE-coated aluminum) (1) Caps & spring retainers, GTS shocks (upper cap (2)/ hollow balls (4)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2)) Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated) Multi-tool (plastic) Piston, damper (red) (4)/ e-clips (8) Rebuild kit, TRX-4® shocks (x-rings, o-rings, pistons, bushings, e clips, rod ends, and travel limiters) Shock shaft, 3x47mm (GTS) (2) Shocks, GTS hard-anodized, PTFE-coated aluminum bodies
2064R 2072X 2252 2272 2072R 2968X 2968 6561 6535 6533 6552 6526 6527 6521 2254 2253 2251 2271 2063A 2063R 2063X 2075R 2250	Gear set, metal (for 2065R waterproof sub-micro servo) Gear set, metal (for 2070, 2075 servos) Gear set, metal (for 2270 waterproof servo) Gear set, metal, high-speed (for 2070, 2075 servos) LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries) LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries) Mount, telemetry expander Mount, temperature sensor (electric motors)/ wire tie/ thermal pad Receiver, micro, TQi 2.4GHz with telemetry & TSM® (5-channel) Seal kit, expander box (includes o-ring, seals, and silicone grease) Sensor, auto-detectable, temperature Sensor, auto-detectable, voltage Sensor, temperature and voltage (long) Servo case, aluminum (middle) (blue-anodized) (for 2250 servo) Servo case, aluminum (middle) (red-anodized) (for 2255 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo case/gaskets (for 2065A waterproof sub-micro servo) Servo case/gaskets (for 2065R metal gear, waterproof, sub-micro servo) Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo) Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof	5031 5032 5033 5034 5035 5036 5037 5029 5038X 5038 8266A 8266G 8266G 8266C 8266X 8264 8274 5475 8261 8262 8263 8263	Traction boards, yellow/ mounting hardware Traction boards/ mounting hardware SIDCKOT Oil, shock (20 wt, 200 cSt, 60cc) (silicone) Oil, shock (30 wt, 350 cSt, 60cc) (silicone) Oil, shock (40 wt, 500 cSt, 60cc) (silicone) Oil, shock (50 wt, 600 cSt, 60cc) (silicone) Oil, shock (60 wt, 700 cSt, 60cc) (silicone) Oil, shock (60 wt, 700 cSt, 60cc) (silicone) Oil, shock (70 wt, 900 cSt, 60cc) (silicone) Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone) Shock oil bottle (60cc) (for mixing shock oil) Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & 80 wt premium shock oils with spinning carousel rack) Spinning carousel rack SIDCKS (HS) Body, GTS shock (aluminum, blue-anodized) (1) Body, GTS shock (aluminum, red-anodized) (1) Body, GTS shock (aluminum, silver-anodized) (1) Body, GTS shock (hard-anodized, PTFE-coated aluminum) (1) Caps & spring retainers, GTS shocks (upper cap (2)/ hollow balls (4)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2)/ Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated) Multi-tool (plastic) Piston, damper (red) (4)/ e-clips (8) Rebuild kit, TRX-4® shocks (x-rings, o-rings, pistons, bushings, e clips, rod ends, and travel limiters) Shock shaft, 3x47mm (GTS) (2) Shock shaft, 3x47mm (GTS) (titanium nitride-coated) (2)
2064R 2072X 2252 2272 2072R 2968X 2968 6561 6535 6533 6552 6527 6521 2254 2253 2251 2271 2063A 2063R 2063X	Gear set, metal (for 2065R waterproof sub-micro servo) Gear set, metal (for 2070, 2075 servos) Gear set, metal (for 2270 waterproof servo) Gear set, metal, high-speed (for 2070, 2075 servos) LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries) LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries) Mount, telemetry expander Mount, temperature sensor (electric motors)/ wire tie/ thermal pad Receiver, micro, TQi 2.4GHz with telemetry & TSM® (5-channel) Seal kit, expander box (includes o-ring, seals, and silicone grease) Sensor, auto-detectable, temperature Sensor, auto-detectable, voltage Sensor, temperature and voltage (long) Servo case, aluminum (middle) (blue-anodized) (for 2250 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo case/gaskets (for 2065A waterproof sub-micro servo) Servo case/gaskets (for 2065R metal gear, waterproof, sub-micro servo) Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo) Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance) Servo, digital high-torque 400 brushless, metal gear (ball	5031 5032 5033 5034 5035 5036 5037 5029 5038X 5038 8266A 8266G 8266C 8266C 8266X 8264 8274 5475 8261 8262 8263 8263T 8260X	Traction boards, yellow/ mounting hardware Traction boards/ mounting hardware SIDCKUI Oil, shock (20 wt, 200 cSt, 60cc) (silicone) Oil, shock (30 wt, 350 cSt, 60cc) (silicone) Oil, shock (40 wt, 500 cSt, 60cc) (silicone) Oil, shock (50 wt, 600 cSt, 60cc) (silicone) Oil, shock (60 wt, 700 cSt, 60cc) (silicone) Oil, shock (70 wt, 900 cSt, 60cc) (silicone) Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone) Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone) Shock oil bottle (60cc) (for mixing shock oil) Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & 80 wt premium shock oils with spinning carousel rack) Spinning carousel rack SIDCKS (LIS) Body, GTS shock (aluminum, green-anodized) (1) Body, GTS shock (aluminum, red-anodized) (1) Body, GTS shock (aluminum, silver-anodized) (1) Body, GTS shock (aluminum, silver-anodized) (1) Body, GTS shock (hard-anodized, PTFE-coated aluminum) (1) Caps & spring retainers, GTS shocks (upper cap (2)/ hollow balls (4)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2)) Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated) Multi-tool (plastic) Piston, damper (red) (4)/ e-clips (8) Rebuild kit, TRX-4® shocks (x-rings, o-rings, pistons, bushings, e clips, rod ends, and travel limiters) Shock shaft, 3x47mm (GTS) (2) Shocks shaft, 3x47mm (GTS) (2) Shocks, GTS hard-anodized, PTFE-coated aluminum bodies with TiN shafts (assembled with spring retainers) (2)
2064R 2072X 2252 2272 2072R 2968X 2968 6561 6535 6533 6552 6526 6527 6521 2254 2253 2251 2271 2063A 2063R 2063X 2075R 2250	Gear set, metal (for 2065R waterproof sub-micro servo) Gear set, metal (for 2070, 2075 servos) Gear set, metal (for 2270 waterproof servo) Gear set, metal, high-speed (for 2070, 2075 servos) LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries) LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries) Mount, telemetry expander Mount, temperature sensor (electric motors)/ wire tie/ thermal pad Receiver, micro, TQi 2.4GHz with telemetry & TSM® (5-channel) Seal kit, expander box (includes o-ring, seals, and silicone grease) Sensor, auto-detectable, temperature Sensor, auto-detectable, voltage Sensor, temperature and voltage (long) Servo case, aluminum (middle) (blue-anodized) (for 2250 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo case/gaskets (for 2065A waterproof sub-micro servo) Servo case/gaskets (for 2065R metal gear, waterproof, sub-micro servo) Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo) Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance) Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal	5031 5032 5033 5034 5035 5036 5037 5029 5038X 5038 8266A 8266G 8266C 8266C 8266X 8264 8274 5475 8261 8262 8263 8263T 8260X	Traction boards, yellow/ mounting hardware Traction boards/ mounting hardware SIDE (UI) Oil, shock (20 wt, 200 cSt, 60cc) (silicone) Oil, shock (30 wt, 350 cSt, 60cc) (silicone) Oil, shock (40 wt, 500 cSt, 60cc) (silicone) Oil, shock (50 wt, 600 cSt, 60cc) (silicone) Oil, shock (60 wt, 700 cSt, 60cc) (silicone) Oil, shock (60 wt, 700 cSt, 60cc) (silicone) Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone) Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone) Shock oil bottle (60cc) (for mixing shock oil) Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & 80 wt premium shock oils with spinning carousel rack) Spinning carousel rack SIDE (SIETS) Body, GTS shock (aluminum, blue-anodized) (1) Body, GTS shock (aluminum, red-anodized) (1) Body, GTS shock (aluminum, silver-anodized) (1) Body, GTS shock (hard-anodized, PTFE-coated aluminum) (1) Caps & spring retainers, GTS shocks (upper cap (2)/ hollow balls (4)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2)) Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated) Multi-tool (plastic) Piston, damper (red) (4)/ e-clips (8) Rebuild kit, TRX-4® shocks (x-rings, o-rings, pistons, bushings, e clips, rod ends, and travel limiters) Shock shaft, 3x47mm (GTS) (2) Shocks haft, 3x47mm (GTS) (2) Shocks, GTS hard-anodized, PTFE-coated aluminum bodies with TiN shafts (assembled with spring retainers) (2) Shocks, GTS, blue-anodized (assembled with spring retainers)
2064R 2072X 2252 2272 2072R 2968X 2968 6561 6535 6533 6552 6526 6527 6521 2254 2253 2251 2271 2063A 2063R 2063X 2075R 2250	Gear set, metal (for 2065R waterproof sub-micro servo) Gear set, metal (for 2070, 2075 servos) Gear set, metal (for 2270 waterproof servo) Gear set, metal, high-speed (for 2070, 2075 servos) LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries) LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries) Mount, telemetry expander Mount, temperature sensor (electric motors)/ wire tie/ thermal pad Receiver, micro, TQi 2.4GHz with telemetry & TSM® (5-channel) Seal kit, expander box (includes o-ring, seals, and silicone grease) Sensor, auto-detectable, temperature Sensor, auto-detectable, voltage Sensor, temperature and voltage (long) Servo case, aluminum (middle) (blue-anodized) (for 2250 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo case/gaskets (for 2065A waterproof sub-micro servo) Servo case/gaskets (for 2065R metal gear, waterproof, sub-micro servo) Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo) Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance) Servo, digital high-torque 400 brushless, metal gear (ball	5031 5032 5033 5034 5035 5036 5037 5029 5038X 5038 8266A 8266G 8266R 8266 8266X 8264 8274 5475 8261 8262 8263 8263T 8260X	Traction boards, yellow/ mounting hardware Traction boards/ mounting hardware SIDCKUI Oil, shock (20 wt, 200 cSt, 60cc) (silicone) Oil, shock (30 wt, 350 cSt, 60cc) (silicone) Oil, shock (40 wt, 500 cSt, 60cc) (silicone) Oil, shock (50 wt, 600 cSt, 60cc) (silicone) Oil, shock (60 wt, 700 cSt, 60cc) (silicone) Oil, shock (70 wt, 900 cSt, 60cc) (silicone) Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone) Oil, shock oil bottle (60cc) (for mixing shock oil) Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, 8 80 wt premium shock oils with spinning carousel rack) Spinning carousel rack Shock (aluminum, blue-anodized) (1) Body, GTS shock (aluminum, green-anodized) (1) Body, GTS shock (aluminum, silver-anodized) (1) Body, GTS shock (hard-anodized, PTFE-coated aluminum) (1) Caps & spring retainers, GTS shocks (upper cap (2)/ hollow balls (4)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2)) Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated) Multi-tool (plastic) Piston, damper (red) (4)/ e-clips (8) Rebuild kit, TRX-4® shocks (x-rings, o-rings, pistons, bushings, e clips, rod ends, and travel limiters) Shock shaft, 3x47mm (GTS) (2) Shocks shaft, 3x47mm (GTS) (titanium nitride-coated) (2) Shocks, GTS, blue-anodized (assembled with spring retainers) (2)

8260R	Shocks, GTS, red-anodized (assembled with spring retainers)		Suspension Linkage
8260	(2) Shocks, GTS, silver aluminum (assembled with spring retainers) (2)	8058	Chassis conversion kit, TRX-4® (long to short wheelbase) (includes rear upper & lower suspension links, front & rear
	Slipper Clutch Components		inner fenders, short female half shaft, battery tray, 3x8mm FCS (4))
8292	Input shaft/ output shaft (transmission)	8057	Chassis conversion kit, TRX-4® (short to long wheelbase)
8286	Output shafts (transfer case), front & rear		(includes rear upper & lower suspension links, front & rear
8254	Rebuild kit, slipper clutch (steel disc (2)/ friction insert (2)/ 4.0mm	0274	shock towers, long female half shaft)
8249	NL (1)/ spring washers (2)) Slipper eliminator plate	8274 5355	Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated) Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer
0249		1	adjustment shims; 3.5mm (2), 1.17mm (2)
0040	Springs	8275	Rod end set, complete (standard (10), angled 10-degrees (8), offset
8040 8042	Springs, shock (GTS) (rear) (0.54 rate) (2) Springs, shock (natural finish) (GTS) (0.22 rate, yellow stripe)	0076	(4))
0042	(2)	8276 8277	Rod ends (10) Rod ends, angled 10-degrees (8)
8043	Springs, shock (natural finish) (GTS) (0.30 rate, white stripe) (2)	2742	Rod ends, long (6)/ hollow ball connectors (6)
8044	Springs, shock (natural finish) (GTS) (0.39 rate, orange stripe)	8278	Rod ends, offset (4)
9045	(2) Springs shock (natural finish) (CTS) (0.64 rate blue string) (2)	5529	Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls,
8045	Springs, shock (natural finish) (GTS) (0.61 rate, blue stripe) (2)	8243	captured (4) Suspension link, front, 5x100mm (lower) (steel) (2)
	Spur Gears & Pinion Gears	8244	Suspension link, front, 5x100mm (lower) (steel) (2)
6746	Gear, 10-T pinion (32-p) (steel) (fits 3mm shaft)/ set screw	8248	Suspension link, rear, 5x109mm (upper or lower) (steel) (2)
6747 3942X	Gear, 11-T pinion (32-p) (steel) (fits 3mm shaft)/ set screw Gear, 12-T pinion (32-p), heavy duty (machined, hardened	8245	Suspension link, rear, 5x121mm (upper or lower) (steel) (2)
3342X	steel) (fits 3mm shaft)/ set screw		Team Traxxas Items
3943X	Gear, 13-T pinion (32-p), heavy duty (machined, hardened	9916	Backpack, RC car carrier, 12" x 12" x 24" (fits TRX-4 & similar)
	steel) (fits 3mm shaft)/ set screw	2514	Decal sheet, racing sponsors
3944X	Gear, 14-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw	9917	Duffel bag, medium, 30" x 12" x 12" (fits 1/10 Slash®, TRX-4®,
3945X	Gear, 15-T pinion (32-p), heavy duty (machined, hardened	9950	& similar) Official Team Traxxas® racing decal set(flag logo/ 6-color)
	steel) (fits 3mm shaft)/ set screw	9909	Traxxas® racing banner, red & black (3x7 feet)
3946X	Gear, 16-T pinion (32-p), heavy duty (machined, hardened	3303	Tires & Wheels
3947X	steel) (fits 3mm shaft)/ set screw	04607	
3947A	Gear, 17-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw	8169T 8168T	Beadlock rings, black (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, black (2.2") (aluminum) (4)/ 2x10 CS (48)
3948X	Gear, 18-T pinion (32-p), heavy duty (machined, hardened	8169X	Beadlock rings, black (2.2") (aluminum) (4)/ 2x10 CS (48)
	steel) (fits 3mm shaft)/ set screw	8168X	Beadlock rings, blue (2.2") (aluminum) (4)/ 2x10 CS (48)
3949X	Gear, 19-T pinion (32-p), heavy duty (machined, hardened	8168G	Beadlock rings, green (2.2") (aluminum) (4)/ 2x10 CS (48)
3950X	steel) (fits 3mm shaft)/ set screw Gear, 20-T pinion (32-p), heavy duty (machined, hardened	8169R	Beadlock rings, red (1.9") (aluminum) (4)/ 2x10 CS (48)
3330X	steel) (fits 3mm shaft)/ set screw	8168R	Beadlock rings, red (2.2") (aluminum) (4)/ 2x10 CS (48)
3951X	Gear, 21-T pinion (32-p), heavy duty (machined, hardened	8169 8168	Beadlock rings, satin (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (2.2") (aluminum)(4)/ 2x10 CS (48)
	steel) (fits 3mm shaft)/ set screw	8164	Center caps, wheel (chrome) (4)/ decal sheet (requires #8255A
3952X	Gear, 22-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw		extended thread stub axle)
6745	Gear, 9-T pinion (32-p) (steel) (fits 3mm shaft)/ set screw	8176	Center caps, wheel (chrome) (4)/ decal sheet (requires #8255A
8052	Spur gear, 39-tooth (32-pitch)	8164X	extended thread stub axle) Center caps, wheel (chrome) (front (2), rear (2)) (requires #8255A
8053	Spur gear, 45-tooth (32-pitch)	•	extended stub axle)
	Steering Components	1747P	Nuts, 4mm flanged nylon locking (aluminum, pink anodized)
8232	Caster blocks (portal drive), left & right		(4)
8232X	Caster blocks, 6061-T6 aluminum (blue-anodized), left and	1747R	Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)
	right	1747G 1747T	Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4)
8232A	Caster blocks, 6061-T6 aluminum (charcoal gray-anodized), left and right	1747A	Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)
8232G	Caster blocks, 6061-T6 aluminum (green-anodized), left and	8174	Tires & wheels, assembled (Method Race Wheels® 105
	right		Beadlock 1.9" black chrome beadlock wheels, Canyon Trail
8232R	Caster blocks, 6061-T6 aluminum (red-anodized), left and right	8182	4.6x1.9" tires, foam inserts) (1 left, 1 right) Tires & wheels, assembled (Method Race Wheels® 105
2072X	Gear set, metal (for 2070, 2075 servos)	0102	Beadlock 1.9" satin black chrome, blue beadlock style wheels,
2072R 8274	Gear set, metal, high-speed (for 2070, 2075 servos) Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated)		Canyon Trail 4.6x1.9" tires, foam inserts) (1 left, 1 right)
5355	Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer	8166	Tires & wheels, assembled, glued (1.9" chrome wheels,
	adjustment shims; 3.5mm (2), 1.17mm (2)		Canyon Trail 4.6x1.9" tires) (2)/ center caps (2)/ decal sheet
8275	Rod end set, complete (standard (10), angled 10-degrees (8), offset	8177	(requires #8255A extended thread stub axle) Tires & wheels, assembled, glued (1.9" chrome wheels,
9276	(4)) Bod anda (10)		Canyon Trail 4.6x1.9" tires) (2)/ center caps (2)/ decal sheet
8276 8277	Rod ends (10) Rod ends, angled 10-degrees (8)		(requires #8255A extended thread stub axle)
2742	Rod ends, long (6)/ hollow ball connectors (6)	8166X	Tires & wheels, assembled, glued (1.9" chrome wheels,
8278	Rod ends, offset (4)		Canyon Trail 4.6x1.9" tires) (4)/ center caps (4)/ decal sheet (requires #8255A extended thread stub axle)
8247X	Servo horn, steering, metal/ 3x14 BCS (1)	8183X	Tires & wheels, assembled, glued (1.9" classic chrome wheels,
2075R	Servo, digital high-speed, metal gear (ball bearing), waterproof		Canyon Trail 4.6x1.9" tires) (4)/ center caps (4)/ decal sheet
2250	Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof	0104	(requires #8255A extended thread stub axle)
2255	Servo, digital high-torque 400 brushless, metal gear (ball	8184	Tires & wheels, assembled, glued (2.2" classic chrome wheels, Canyon Trail 5.3x2.2" tires, foam inserts) (2)/ center caps (front (2),
	bearing), waterproof		rear (2)) (requires #8255A extended thread stub axle)
2075X	Servo, digital high-torque, metal gear (ball bearing), waterproof	8273	Tires & wheels, assembled, glued (Tactical 1.9" wheels,
5529	Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls,	00=01	Canyon Trail 4.6x1.9" tires) (2)
8246	captured (4) Steering link, 5x60mm (1)/ draglink, 5x117mm (1) (steel)	8272X	Tires & wheels, assembled, glued (TRX-4® 1.9" satin beadlock wheels. Canyon Trail 4 6x1 9" tires) (2)
8246 8243	Steering link, 5x60mm (1)/ draglink, 5x117mm (1) (steel) Suspension link, front, 5x100mm (lower) (steel) (2)	8272	wheels, Canyon Trail 4.6x1.9" tires) (2) Tires & wheels, assembled, glued (TRX-4® 1.9" wheels,
8244	Suspension link, front, 5x63mm (upper) (steel) (2)		Canyon Trail 4.6x1.9" tires) (2)
8245	Suspension link, rear, 5x121mm (upper or lower) (steel) (2)	8179	Tires & wheels, assembled, glued (TRX-4® Sport 1.9" wheels,
			Canyon Trail 4.6x1.9" tires) (2)

Page 8 TRX-4® 1972 Chevrolet® Blazer® High Trail Edition™: TQi™ Traxxas Link™ Enabled 2.4GHz Radio (Model 92086-4) Parts List

	NA-46 1372 One violet blazer 6 mgn Tran Edition . Twi	IIAAAAS L	.iiik Liiabieu 2.76112 Radio (model 32000-7) Faits List
8181-BLUE	Tires & wheels, assembled, glued (TRX-4® Sport 2.2" gray,	8722	Speed bit handle, premium (rubber overmold)
	blue beadlock style wheels, Canyon Trail 5.3x2.2" tires) (2)	8710	Speed Bit Master Set, hex and nut driver, 13-piece, includes
8181-GRN	Tires & wheels, assembled, glued (TRX-4® Sport 2.2" gray,		premium handle (medium), travel pouch, hex drivers (straight:
	green beadlock style wheels, Canyon Trail 5.3x2.2" tires) (2)		1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm,
8181-RED	Tires & wheels, assembled, glued (TRX-4® Sport 2.2" gray, red		3.0mm), and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm,
8172	beadlock style wheels, Canyon Trail 5.3x2.2" tires) (2) Tires and wheels, assembled (Method 105 2.2™ black chrome	8711	7.0mm, 8.0mm), 1/4" drive Speed Bit Master Set, hex driver, 7-piece straight and ball end,
01/2	beadlock wheels, Canyon Trail 5.3x2.2 TM tires, foam inserts) (1	0711	includes premium handle (medium), travel pouch, hex drivers
	left, 1 right) (for use with TRX-4 Long Arm Lift Kit)		(straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm,
8181	Tires and wheels, assembled, glued (TRX-4® Sport 2.2™		2.5mm, 3.0mm), 1/4" drive
	wheels, Canyon Trail 5.3x2.2 [™] tires) (2) (for use with TRX-4	8719	Speed Bit Master Set, nut driver, 6-piece, includes premium
	Long Arm Lift Kit)		handle (medium), travel pouch, and nut drivers (4.0mm,
8170	Tires, Canyon Trail 5.3x2.2"/ foam inserts (2)		4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
8269	Wheel hubs, 12mm hex (2)/ stub axle pins (2) (steel)	8716	Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm),
8269X	Wheel hubs, 12mm hex, 6061-T6 aluminum (blue-anodized) (4)/	074CV	1/4" drive
	3x10 screw pin (4)	8716X	Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm) 1/4" drive
8269A	Wheel hubs, 12mm hex, 6061-T6 aluminum (charcoal gray-	8715	Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm,
8269G	anodized) (4)/ 3x10 screw pin (4) Wheel hubs, 12mm hex, 6061-T6 aluminum (green-anodized)	07.10	2.5mm), 1/4" drive
0203G	(4)/ 3x10 screw pin (4)	8715X	Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm,
8269R	Wheel hubs, 12mm hex, 6061-T6 aluminum (red-anodized) (4)/		2.5mm, 3.0mm), 1/4" drive
020011	3x10 screw pin (4)	8714	Speed Bit Set, screwdriver, 3-piece straight (3mm slotted, #1
8165	Wheels, 1.9", chrome (2)/ center caps (2)/ decal sheet (requires		Phillips, and #2 Phillips bits), 1/4" drive
	#8255A extended thread stub axle)	2748R	Tool set (includes 1.5mm hex wrench / 2.0mm hex wrench /
8175	Wheels, 1.9", chrome (2)/ center caps (2)/ decal sheet (requires		2.5mm hex wrench/ 4-way wrench/ 8mm & 4mm wrench/ U-
	#8255A extended thread stub axle)		joint wrench)
8173	Wheels, 1.9", Method Race Wheels® 105 Beadlock (black	3415	Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm,
	chrome, beadlock) (beadlock rings sold separately)		3.5mm, 4mm drivers/4mm. 5mm, 5.5mm, 7mm, and 8mm nut drivers/ 2mm, 3mm, and 4mm slotted screwdrivers/ #00
8173A	Wheels, 1.9", Method Race Wheels® 105 Beadlock (charcoal		Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and
	gray, beadlock) (beadlock rings sold separately)		8mm wrenches/ driver handle)
8171	Wheels, Method 105 2.2" (black chrome, beadlock) (beadlock		TRX-4® Traxx®
8171A	rings sold separately) (for use with TRX-4 Long Arm Lift Kit) Wheels, Method 105 2.2" (charcoal gray, beadlock) (beadlock		
017 IA	rings sold separately) (for use with TRX-4 Long Arm Lift Kit)	8889	Bearing retainers, inner (2)/ outer (2)
8180	Wheels, TRX-4 Sport 2.2 (2) (for use with TRX-4 Long Arm Lift	8890	Drive wheel (1)
0.00	Kit)	8885	Shock mounts (frame, left (2), frame, right (2))/ portal mounts
8271	Wheels, TRX-4® 1.9 (2)	8888	(1 each, front (left & right), rear (left & right)) Spring (4)
	•	0000	
8271X	Wheels, TRX-4® 1.9 (satin beadlock) (2)		
8271X 8178	Wheels, TRX-4® 1.9 (satin beadlock) (2) Wheels, TRX-4® Sport 1.9 (2)	8887	Stub axle (1)
	. , , , , , , , , , , , , , , , , , , ,	8887 8886	Stub axle (1) Stub axle nut (4)
8178 8180-BLUE 8180-GRN	Wheels, TRX-4® Sport 1.9 (2) Wheels, TRX-4® Sport 2.2 (gray, blue beadlock style) (2) Wheels, TRX-4® Sport 2.2 (gray, green beadlock style) (2)	8887 8886 8891	Stub axle (1) Stub axle nut (4) Tension wheels (6)/ road wheels (4)
8178 8180-BLUE 8180-GRN 8180-RED	Wheels, TRX-4® Sport 1.9 (2) Wheels, TRX-4® Sport 2.2 (gray, blue beadlock style) (2) Wheels, TRX-4® Sport 2.2 (gray, green beadlock style) (2) Wheels, TRX-4® Sport 2.2 (gray, red beadlock style) (2)	8887 8886	Stub axle (1) Stub axle nut (4)
8178 8180-BLUE 8180-GRN	Wheels, TRX-4® Sport 1.9 (2) Wheels, TRX-4® Sport 2.2 (gray, blue beadlock style) (2) Wheels, TRX-4® Sport 2.2 (gray, green beadlock style) (2)	8887 8886 8891	Stub axle (1) Stub axle nut (4) Tension wheels (6)/ road wheels (4) Traxx®, front, left (assembled) (requires #8887 stub axle, #7061
8178 8180-BLUE 8180-GRN 8180-RED	Wheels, TRX-4® Sport 1.9 (2) Wheels, TRX-4® Sport 2.2 (gray, blue beadlock style) (2) Wheels, TRX-4® Sport 2.2 (gray, green beadlock style) (2) Wheels, TRX-4® Sport 2.2 (gray, red beadlock style) (2) Wheels, TRX-4® Tactical 1.9 (2)	8887 8886 8891 8881	Stub axle (1) Stub axle nut (4) Tension wheels (6)/ road wheels (4) Traxx®, front, left (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8895 rubber track)
8178 8180-BLUE 8180-GRN 8180-RED 8268	Wheels, TRX-4® Sport 1.9 (2) Wheels, TRX-4® Sport 2.2 (gray, blue beadlock style) (2) Wheels, TRX-4® Sport 2.2 (gray, green beadlock style) (2) Wheels, TRX-4® Sport 2.2 (gray, red beadlock style) (2) Wheels, TRX-4® Tactical 1.9 (2) TRISSINSSION COMMONDERS	8887 8886 8891 8881	Stub axle (1) Stub axle nut (4) Tension wheels (6)/ road wheels (4) Traxx®, front, left (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8895 rubber track) Traxx®, front, right (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8895 rubber track) Traxx®, rear, left (assembled) (requires #8887 stub axle, #7061
8178 8180-BLUE 8180-GRN 8180-RED 8268	Wheels, TRX-4® Sport 1.9 (2) Wheels, TRX-4® Sport 2.2 (gray, blue beadlock style) (2) Wheels, TRX-4® Sport 2.2 (gray, green beadlock style) (2) Wheels, TRX-4® Sport 2.2 (gray, red beadlock style) (2) Wheels, TRX-4® Tactical 1.9 (2) TRIBULES OF COMMENT	8887 8886 8891 8881 8882 8883	Stub axle (1) Stub axle nut (4) Tension wheels (6)/ road wheels (4) Traxx®, front, left (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8895 rubber track) Traxx®, front, right (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8895 rubber track) Traxx®, rear, left (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8896 rubber track)
8178 8180-BLUE 8180-GRN 8180-RED 8268 8283 8284	Wheels, TRX-4® Sport 1.9 (2) Wheels, TRX-4® Sport 2.2 (gray, blue beadlock style) (2) Wheels, TRX-4® Sport 2.2 (gray, green beadlock style) (2) Wheels, TRX-4® Sport 2.2 (gray, red beadlock style) (2) Wheels, TRX-4® Tactical 1.9 (2) Cable, T-lock (front) Cable, T-lock (rear)	8887 8886 8891 8881	Stub axle (1) Stub axle nut (4) Tension wheels (6)/ road wheels (4) Traxx®, front, left (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8895 rubber track) Traxx®, front, right (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8895 rubber track) Traxx®, rear, left (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8896 rubber track) Traxx®, rear, right (assembled) (requires #8887 stub axle,
8178 8180-BLUE 8180-GRN 8180-RED 8268	Wheels, TRX-4® Sport 1.9 (2) Wheels, TRX-4® Sport 2.2 (gray, blue beadlock style) (2) Wheels, TRX-4® Sport 2.2 (gray, green beadlock style) (2) Wheels, TRX-4® Sport 2.2 (gray, red beadlock style) (2) Wheels, TRX-4® Tactical 1.9 (2) TRIBULES OF COMMENT	8887 8886 8891 8881 8882 8883	Stub axle (1) Stub axle nut (4) Tension wheels (6)/ road wheels (4) Traxx®, front, left (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8895 rubber track) Traxx®, front, right (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8895 rubber track) Traxx®, rear, left (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8896 rubber track) Traxx®, rear, right (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8896 rubber track)
8178 8180-BLUE 8180-GRN 8180-RED 8268 8283 8284	Wheels, TRX-4® Sport 1.9 (2) Wheels, TRX-4® Sport 2.2 (gray, blue beadlock style) (2) Wheels, TRX-4® Sport 2.2 (gray, green beadlock style) (2) Wheels, TRX-4® Sport 2.2 (gray, red beadlock style) (2) Wheels, TRX-4® Tactical 1.9 (2) TRISINGS ON FORMATION Cable, T-lock (front) Cable, T-lock (rear) Differential, locking, front and rear (assembled) (includes T-Lock	8887 8886 8891 8881 8882 8883 8884	Stub axle (1) Stub axle nut (4) Tension wheels (6)/ road wheels (4) Traxx®, front, left (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8895 rubber track) Traxx®, front, right (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8895 rubber track) Traxx®, rear, left (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8896 rubber track) Traxx®, rear, right (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8896 rubber track) Traxx®, TRX-4® (4) (complete set, front & rear)
8178 8180-BLUE 8180-GRN 8180-RED 8268 8283 8284 8195	Wheels, TRX-4® Sport 1.9 (2) Wheels, TRX-4® Sport 2.2 (gray, blue beadlock style) (2) Wheels, TRX-4® Sport 2.2 (gray, green beadlock style) (2) Wheels, TRX-4® Sport 2.2 (gray, red beadlock style) (2) Wheels, TRX-4® Tactical 1.9 (2) TRISINGS ON CONTROL (front) Cable, T-lock (front) Cable, T-lock (rear) Differential, locking, front and rear (assembled) (includes T-Lock cables and servos)	8887 8886 8891 8881 8882 8883	Stub axle (1) Stub axle nut (4) Tension wheels (6)/ road wheels (4) Traxx®, front, left (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8895 rubber track) Traxx®, front, right (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8895 rubber track) Traxx®, rear, left (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8896 rubber track) Traxx®, rear, right (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8896 rubber track) Traxx®, TRX-4® (4) (complete set, front & rear) Treads, All-Terrain, TRX-4® Traxx® (front, left or right) (rubber)
8178 8180-BLUE 8180-GRN 8180-RED 8268 8283 8284 8195 8289 8293X	Wheels, TRX-4® Sport 1.9 (2) Wheels, TRX-4® Sport 2.2 (gray, blue beadlock style) (2) Wheels, TRX-4® Sport 2.2 (gray, green beadlock style) (2) Wheels, TRX-4® Sport 2.2 (gray, red beadlock style) (2) Wheels, TRX-4® Tactical 1.9 (2) Traisings On Common C	8887 8886 8891 8881 8882 8883 8884 8880 8895	Stub axle (1) Stub axle nut (4) Tension wheels (6)/ road wheels (4) Traxx®, front, left (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8895 rubber track) Traxx®, front, right (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8895 rubber track) Traxx®, rear, left (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8896 rubber track) Traxx®, rear, right (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8896 rubber track) Traxx®, rear, right (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8896 rubber track) Traxx®, TRX-4® (4) (complete set, front & rear) Treads, All-Terrain, TRX-4® Traxx® (front, left or right) (rubber) (1)
8178 8180-BLUE 8180-GRN 8180-RED 8268 8283 8284 8195 8289 8293X 8291	Wheels, TRX-4® Sport 1.9 (2) Wheels, TRX-4® Sport 2.2 (gray, blue beadlock style) (2) Wheels, TRX-4® Sport 2.2 (gray, green beadlock style) (2) Wheels, TRX-4® Sport 2.2 (gray, red beadlock style) (2) Wheels, TRX-4® Tactical 1.9 (2) TRIBILISE OF CONTROLOGY Cable, T-lock (front) Cable, T-lock (front) Cable, T-lock (rear) Differential, locking, front and rear (assembled) (includes T-Lock cables and servos) Drive hub, 2-speed/ shift dog/ shift fork/ 2-speed linkage Gear set, transmission, metal (includes 18T, 30T input gears, 36T output gear, 2x9.8 pins (5)) Gearbox housing (includes main housing, front housing, & cover)	8887 8886 8891 8881 8882 8883 8884	Stub axle (1) Stub axle nut (4) Tension wheels (6)/ road wheels (4) Traxx®, front, left (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8895 rubber track) Traxx®, front, right (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8895 rubber track) Traxx®, rear, left (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8896 rubber track) Traxx®, rear, right (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8896 rubber track) Traxx®, rear, right (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8896 rubber track) Traxx®, TRX-4® (4) (complete set, front & rear) Treads, All-Terrain, TRX-4® Traxx® (front, left or right) (rubber) (1) Treads, All-Terrain, TRX-4® Traxx® (rear, left or right) (rubber)
8178 8180-BLUE 8180-GRN 8180-RED 8268 8283 8284 8195 8289 8293X 8291 8285	Wheels, TRX-4® Sport 1.9 (2) Wheels, TRX-4® Sport 2.2 (gray, blue beadlock style) (2) Wheels, TRX-4® Sport 2.2 (gray, green beadlock style) (2) Wheels, TRX-4® Sport 2.2 (gray, red beadlock style) (2) Wheels, TRX-4® Tactical 1.9 (2) TRIBILISSION FOUNDING STANDARD	8887 8886 8891 8881 8882 8883 8884 8880 8895	Stub axle (1) Stub axle nut (4) Tension wheels (6)/ road wheels (4) Traxx®, front, left (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8895 rubber track) Traxx®, front, right (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8895 rubber track) Traxx®, rear, left (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8896 rubber track) Traxx®, rear, right (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8896 rubber track) Traxx®, rear, right (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8896 rubber track) Traxx®, TRX-4® (4) (complete set, front & rear) Treads, All-Terrain, TRX-4® Traxx® (front, left or right) (rubber) (1)
8178 8180-BLUE 8180-GRN 8180-RED 8268 8283 8284 8195 8289 8293X 8291 8285 5041	Wheels, TRX-4® Sport 1.9 (2) Wheels, TRX-4® Sport 2.2 (gray, blue beadlock style) (2) Wheels, TRX-4® Sport 2.2 (gray, green beadlock style) (2) Wheels, TRX-4® Sport 2.2 (gray, red beadlock style) (2) Wheels, TRX-4® Tactical 1.9 (2) If all smiles of Common Comm	8887 8886 8891 8881 8882 8883 8884 8880 8895	Stub axle (1) Stub axle nut (4) Tension wheels (6)/ road wheels (4) Traxx®, front, left (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8895 rubber track) Traxx®, front, right (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8895 rubber track) Traxx®, rear, left (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8896 rubber track) Traxx®, rear, right (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8896 rubber track) Traxx®, rear, right (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8896 rubber track) Traxx®, TRX-4® (4) (complete set, front & rear) Treads, All-Terrain, TRX-4® Traxx® (front, left or right) (rubber) (1) Treads, All-Terrain, TRX-4® Traxx® (rear, left or right) (rubber)
8178 8180-BLUE 8180-GRN 8180-RED 8268 8283 8284 8195 8289 8293X 8291 8285 5041 8292	Wheels, TRX-4® Sport 1.9 (2) Wheels, TRX-4® Sport 2.2 (gray, blue beadlock style) (2) Wheels, TRX-4® Sport 2.2 (gray, green beadlock style) (2) Wheels, TRX-4® Sport 2.2 (gray, red beadlock style) (2) Wheels, TRX-4® Tactical 1.9 (2) ITAISSINSSION CONTROLOGY Cable, T-lock (front) Cable, T-lock (rear) Differential, locking, front and rear (assembled) (includes T-Lock cables and servos) Drive hub, 2-speed/ shift dog/ shift fork/ 2-speed linkage Gear set, transmission, metal (includes 18T, 30T input gears, 36T output gear, 2x9.8 pins (5)) Gearbox housing (includes main housing, front housing, & cover) Gears, transfer case (3) Grease, premium high performance (20cc) Input shaft/ output shaft (transmission)	8887 8886 8891 8881 8882 8883 8884 8880 8895	Stub axle (1) Stub axle nut (4) Tension wheels (6)/ road wheels (4) Traxx®, front, left (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8895 rubber track) Traxx®, front, right (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8895 rubber track) Traxx®, rear, left (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8896 rubber track) Traxx®, rear, right (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8896 rubber track) Traxx®, rear, right (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8896 rubber track) Traxx®, TRX-4® (4) (complete set, front & rear) Treads, All-Terrain, TRX-4® Traxx® (front, left or right) (rubber) (1) Treads, All-Terrain, TRX-4® Traxx® (rear, left or right) (rubber)
8178 8180-BLUE 8180-GRN 8180-RED 8268 8283 8284 8195 8289 8293X 8291 8285 5041 8292 8290X	Wheels, TRX-4® Sport 1.9 (2) Wheels, TRX-4® Sport 2.2 (gray, blue beadlock style) (2) Wheels, TRX-4® Sport 2.2 (gray, green beadlock style) (2) Wheels, TRX-4® Sport 2.2 (gray, red beadlock style) (2) Wheels, TRX-4® Tactical 1.9 (2) If all sills of the control	8887 8886 8891 8881 8882 8883 8884 8880 8895	Stub axle (1) Stub axle nut (4) Tension wheels (6)/ road wheels (4) Traxx®, front, left (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8895 rubber track) Traxx®, front, right (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8895 rubber track) Traxx®, rear, left (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8896 rubber track) Traxx®, rear, right (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8896 rubber track) Traxx®, rear, right (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8896 rubber track) Traxx®, TRX-4® (4) (complete set, front & rear) Treads, All-Terrain, TRX-4® Traxx® (front, left or right) (rubber) (1) Treads, All-Terrain, TRX-4® Traxx® (rear, left or right) (rubber)
8178 8180-BLUE 8180-GRN 8180-RED 8268 8283 8284 8195 8289 8293X 8291 8285 5041 8292	Wheels, TRX-4® Sport 1.9 (2) Wheels, TRX-4® Sport 2.2 (gray, blue beadlock style) (2) Wheels, TRX-4® Sport 2.2 (gray, green beadlock style) (2) Wheels, TRX-4® Sport 2.2 (gray, red beadlock style) (2) Wheels, TRX-4® Tactical 1.9 (2) If Issue Sport 2.2 (gray, red beadlock style) (2) Wheels, TRX-4® Tactical 1.9 (2) Cable, T-lock (front) Cable, T-lock (rear) Differential, locking, front and rear (assembled) (includes T-Lock cables and servos) Drive hub, 2-speed/ shift dog/ shift fork/ 2-speed linkage Gear set, transmission, metal (includes 18T, 30T input gears, 36T output gear, 2x9.8 pins (5)) Gearbox housing (includes main housing, front housing, & cover) Gears, transfer case (3) Grease, premium high performance (20cc) Input shaft/ output shaft (transmission) Motor mount plate, 6061-T6 aluminum (blue-anodized) Motor mount plate, 6061-T6 aluminum (charcoal gray-	8887 8886 8891 8881 8882 8883 8884 8880 8895	Stub axle (1) Stub axle nut (4) Tension wheels (6)/ road wheels (4) Traxx®, front, left (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8895 rubber track) Traxx®, front, right (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8895 rubber track) Traxx®, rear, left (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8896 rubber track) Traxx®, rear, right (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8896 rubber track) Traxx®, rear, right (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8896 rubber track) Traxx®, TRX-4® (4) (complete set, front & rear) Treads, All-Terrain, TRX-4® Traxx® (front, left or right) (rubber) (1) Treads, All-Terrain, TRX-4® Traxx® (rear, left or right) (rubber)
8178 8180-BLUE 8180-GRN 8180-RED 8268 8283 8284 8195 8289 8293X 8291 8285 5041 8292 8290X 8290A	Wheels, TRX-4® Sport 1.9 (2) Wheels, TRX-4® Sport 2.2 (gray, blue beadlock style) (2) Wheels, TRX-4® Sport 2.2 (gray, green beadlock style) (2) Wheels, TRX-4® Sport 2.2 (gray, red beadlock style) (2) Wheels, TRX-4® Tactical 1.9 (2) TRISSINGS ON CONTROL (Gray) Cable, T-lock (front) Cable, T-lock (front) Cable, T-lock (rear) Differential, locking, front and rear (assembled) (includes T-Lock cables and servos) Drive hub, 2-speed/ shift dog/ shift fork/ 2-speed linkage Gear set, transmission, metal (includes 18T, 30T input gears, 36T output gear, 2x9.8 pins (5)) Gearbox housing (includes main housing, front housing, & cover) Gears, transfer case (3) Grease, premium high performance (20cc) Input shaft/ output shaft (transmission) Motor mount plate, 6061-T6 aluminum (blue-anodized) Motor mount plate, 6061-T6 aluminum (charcoal gray-anodized)	8887 8886 8891 8881 8882 8883 8884 8880 8895	Stub axle (1) Stub axle nut (4) Tension wheels (6)/ road wheels (4) Traxx®, front, left (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8895 rubber track) Traxx®, front, right (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8895 rubber track) Traxx®, rear, left (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8896 rubber track) Traxx®, rear, right (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8896 rubber track) Traxx®, TRX-4® (4) (complete set, front & rear) Treads, All-Terrain, TRX-4® Traxx® (front, left or right) (rubber) (1) Treads, All-Terrain, TRX-4® Traxx® (rear, left or right) (rubber) (1)
8178 8180-BLUE 8180-GRN 8180-RED 8268 8283 8284 8195 8293X 8291 8293X 8291 8285 5041 8292 8290X 8290A	Wheels, TRX-4® Sport 1.9 (2) Wheels, TRX-4® Sport 2.2 (gray, blue beadlock style) (2) Wheels, TRX-4® Sport 2.2 (gray, green beadlock style) (2) Wheels, TRX-4® Sport 2.2 (gray, red beadlock style) (2) Wheels, TRX-4® Tactical 1.9 (2) Traisiission Colling	8887 8886 8891 8881 8882 8883 8884 8880 8895	Stub axle (1) Stub axle nut (4) Tension wheels (6)/ road wheels (4) Traxx®, front, left (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8895 rubber track) Traxx®, front, right (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8895 rubber track) Traxx®, rear, left (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8896 rubber track) Traxx®, rear, right (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8896 rubber track) Traxx®, rear, right (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8896 rubber track) Traxx®, TRX-4® (4) (complete set, front & rear) Treads, All-Terrain, TRX-4® Traxx® (front, left or right) (rubber) (1) Treads, All-Terrain, TRX-4® Traxx® (rear, left or right) (rubber)
8178 8180-BLUE 8180-GRN 8180-RED 8268 8283 8284 8195 8289 8293X 8291 8285 5041 8292 8290X 8290A 8290G 8290R	Wheels, TRX-4® Sport 1.9 (2) Wheels, TRX-4® Sport 2.2 (gray, blue beadlock style) (2) Wheels, TRX-4® Sport 2.2 (gray, green beadlock style) (2) Wheels, TRX-4® Sport 2.2 (gray, red beadlock style) (2) Wheels, TRX-4® Tactical 1.9 (2) If all sills is in Collin Co	8887 8886 8891 8881 8882 8883 8884 8880 8895	Stub axle (1) Stub axle nut (4) Tension wheels (6)/ road wheels (4) Traxx®, front, left (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8895 rubber track) Traxx®, front, right (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8895 rubber track) Traxx®, rear, left (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8896 rubber track) Traxx®, rear, right (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8896 rubber track) Traxx®, rear, right (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8896 rubber track) Traxx®, TRX-4® (4) (complete set, front & rear) Treads, All-Terrain, TRX-4® Traxx® (front, left or right) (rubber) (1) Treads, All-Terrain, TRX-4® Traxx® (rear, left or right) (rubber) (1)
8178 8180-BLUE 8180-GRN 8180-RED 8268 8283 8284 8195 8293X 8291 8293X 8291 8285 5041 8292 8290X 8290A	Wheels, TRX-4® Sport 1.9 (2) Wheels, TRX-4® Sport 2.2 (gray, blue beadlock style) (2) Wheels, TRX-4® Sport 2.2 (gray, green beadlock style) (2) Wheels, TRX-4® Sport 2.2 (gray, red beadlock style) (2) Wheels, TRX-4® Tactical 1.9 (2) Traisiission Colling	8887 8886 8891 8881 8882 8883 8884 8880 8895	Stub axle (1) Stub axle nut (4) Tension wheels (6)/ road wheels (4) Traxx®, front, left (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8895 rubber track) Traxx®, front, right (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8895 rubber track) Traxx®, rear, left (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8896 rubber track) Traxx®, rear, right (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8896 rubber track) Traxx®, TRX-4® (4) (complete set, front & rear) Treads, All-Terrain, TRX-4® Traxx® (front, left or right) (rubber) (1) Treads, All-Terrain, TRX-4® Traxx® (rear, left or right) (rubber) (1)
8178 8180-BLUE 8180-GRN 8180-RED 8268 8283 8284 8195 8289 8293X 8291 8285 5041 8292 8290X 8290A 8290G 8290R	Wheels, TRX-4® Sport 1.9 (2) Wheels, TRX-4® Sport 2.2 (gray, blue beadlock style) (2) Wheels, TRX-4® Sport 2.2 (gray, green beadlock style) (2) Wheels, TRX-4® Sport 2.2 (gray, red beadlock style) (2) Wheels, TRX-4® Tactical 1.9 (2) If all sills is in Foliation Foliation Cable, T-lock (front) Cable, T-lock (rear) Differential, locking, front and rear (assembled) (includes T-Lock cables and servos) Drive hub, 2-speed/ shift dog/ shift fork/ 2-speed linkage Gear set, transmission, metal (includes 18T, 30T input gears, 36T output gear, 2x9.8 pins (5)) Gearbox housing (includes main housing, front housing, & cover) Gears, transfer case (3) Grease, premium high performance (20cc) Input shaft/ output shaft (transmission) Motor mount plate, 6061-T6 aluminum (blue-anodized) Motor mount plate, 6061-T6 aluminum (green-anodized) Motor mount plate, 6061-T6 aluminum (green-anodized) Motor mount plate, 6061-T6 aluminum (red-anodized) Output drive, transmission or differential (pin retainer (1)/ drive cup	8887 8886 8891 8881 8882 8883 8884 8880 8895	Stub axle (1) Stub axle nut (4) Tension wheels (6)/ road wheels (4) Traxx®, front, left (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8895 rubber track) Traxx®, front, right (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8895 rubber track) Traxx®, rear, left (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8896 rubber track) Traxx®, rear, right (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8896 rubber track) Traxx®, rear, right (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8896 rubber track) Traxx®, TRX-4® (4) (complete set, front & rear) Treads, All-Terrain, TRX-4® Traxx® (front, left or right) (rubber) (1) Treads, All-Terrain, TRX-4® Traxx® (rear, left or right) (rubber) (1)
8178 8180-BLUE 8180-GRN 8180-RED 8268 8283 8284 8195 8289 8293X 8291 8285 5041 8292 8290X 8290A 8290G 8290R	Wheels, TRX-4® Sport 1.9 (2) Wheels, TRX-4® Sport 2.2 (gray, blue beadlock style) (2) Wheels, TRX-4® Sport 2.2 (gray, green beadlock style) (2) Wheels, TRX-4® Sport 2.2 (gray, red beadlock style) (2) Wheels, TRX-4® Tactical 1.9 (2) If all sills is in Foliation Foliation Cable, T-lock (front) Cable, T-lock (rear) Differential, locking, front and rear (assembled) (includes T-Lock cables and servos) Drive hub, 2-speed/ shift dog/ shift fork/ 2-speed linkage Gear set, transmission, metal (includes 18T, 30T input gears, 36T output gear, 2x9.8 pins (5)) Gearbox housing (includes main housing, front housing, & cover) Gears, transfer case (3) Grease, premium high performance (20cc) Input shaft/ output shaft (transmission) Motor mount plate, 6061-T6 aluminum (blue-anodized) Motor mount plate, 6061-T6 aluminum (green-anodized) Motor mount plate, 6061-T6 aluminum (red-anodized) Output drive, transmission or differential (pin retainer (1)/ drive cup (1)/ drive ball (1)/ drive pin (1)/ 3x10 screw pin (1)/ cross pin (black)	8887 8886 8891 8881 8882 8883 8884 8880 8895	Stub axle (1) Stub axle nut (4) Tension wheels (6)/ road wheels (4) Traxx®, front, left (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8895 rubber track) Traxx®, front, right (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8895 rubber track) Traxx®, rear, left (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8896 rubber track) Traxx®, rear, right (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8896 rubber track) Traxx®, rear, right (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8896 rubber track) Traxx®, TRX-4® (4) (complete set, front & rear) Treads, All-Terrain, TRX-4® Traxx® (front, left or right) (rubber) (1) Treads, All-Terrain, TRX-4® Traxx® (rear, left or right) (rubber) (1) If you have questions or need technical assistance, call Traxxas at: 1 -888-72-9927) (U.S. residents only) For orders, calls outside the U.S., and other information, call 972-549-3000,
8178 8180-BLUE 8180-GRN 8180-RED 8268 8283 8284 8195 8289 8293X 8291 8285 5041 8292 8290X 8290A 8290A 8290G 8290R 8295	Wheels, TRX-4® Sport 1.9 (2) Wheels, TRX-4® Sport 2.2 (gray, blue beadlock style) (2) Wheels, TRX-4® Sport 2.2 (gray, green beadlock style) (2) Wheels, TRX-4® Sport 2.2 (gray, red beadlock style) (2) Wheels, TRX-4® Tactical 1.9 (2) If Issi Sport 2.2 (gray, red beadlock style) (2) Wheels, TRX-4® Tactical 1.9 (2) Cable, T-lock (front) Cable, T-lock (rear) Differential, locking, front and rear (assembled) (includes T-Lock cables and servos) Drive hub, 2-speed/ shift dog/ shift fork/ 2-speed linkage Gear set, transmission, metal (includes 18T, 30T input gears, 36T output gear, 2x9.8 pins (5)) Gearbox housing (includes main housing, front housing, & cover) Gears, transfer case (3) Grease, premium high performance (20cc) Input shaft/ output shaft (transmission) Motor mount plate, 6061-T6 aluminum (blue-anodized) Motor mount plate, 6061-T6 aluminum (green-anodized) Motor mount plate, 6061-T6 aluminum (red-anodized) Output drive, transmission or differential (pin retainer (1)/ drive cup (1)/ drive ball (1)/ drive pin (1)/ 3x10 screw pin (1)/ cross pin (black) (1) 3x6 BCS with threadlock (1))	8887 8886 8891 8881 8882 8883 8884 8880 8895	Stub axle (1) Stub axle nut (4) Tension wheels (6)/ road wheels (4) Traxx®, front, left (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8895 rubber track) Traxx®, front, right (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8895 rubber track) Traxx®, rear, left (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8896 rubber track) Traxx®, rear, right (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8896 rubber track) Traxx®, rear, right (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8896 rubber track) Traxx®, TRX-4® (4) (complete set, front & rear) Treads, All-Terrain, TRX-4® Traxx® (front, left or right) (rubber) (1) Treads, All-Terrain, TRX-4® Traxx® (rear, left or right) (rubber) (1) If you have questions or need technical assistance, call Traxxas at: 1 - 888-72-9927) (U.S. residents only) For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com
8178 8180-BLUE 8180-GRN 8180-RED 8268 8283 8284 8195 8289 8293X 8291 8285 5041 8292 8290X 8290A 8290A 8290G 8290R 8295	Wheels, TRX-4® Sport 1.9 (2) Wheels, TRX-4® Sport 2.2 (gray, blue beadlock style) (2) Wheels, TRX-4® Sport 2.2 (gray, green beadlock style) (2) Wheels, TRX-4® Sport 2.2 (gray, red beadlock style) (2) Wheels, TRX-4® Tactical 1.9 (2) Italishission Collinorials Cable, T-lock (front) Cable, T-lock (rear) Differential, locking, front and rear (assembled) (includes T-Lock cables and servos) Drive hub, 2-speed/ shift dog/ shift fork/ 2-speed linkage Gear set, transmission, metal (includes 18T, 30T input gears, 36T output gear, 2x9.8 pins (5)) Gearbox housing (includes main housing, front housing, & cover) Gears, transfer case (3) Grease, premium high performance (20cc) Input shaft/ output shaft (transmission) Motor mount plate, 6061-T6 aluminum (blue-anodized) Motor mount plate, 6061-T6 aluminum (green-anodized) Motor mount plate, 6061-T6 aluminum (red-anodized) Output drive, transmission or differential (pin retainer (1)/ drive cup (1)/ drive ball (1)/ drive pin (1)/ 3x10 screw pin (1)/ cross pin (black) (1) 3x6 BCS with threadlock (1)) Output shafts (transfer case), front & rear Plate, motor/ upper spur gear cover	8887 8886 8891 8881 8882 8883 8884 8880 8895	Stub axle (1) Stub axle nut (4) Tension wheels (6)/ road wheels (4) Traxx®, front, left (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8895 rubber track) Traxx®, front, right (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8895 rubber track) Traxx®, rear, left (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8896 rubber track) Traxx®, rear, right (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8896 rubber track) Traxx®, rear, right (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8896 rubber track) Traxx®, TRX-4® (4) (complete set, front & rear) Treads, All-Terrain, TRX-4® Traxx® (front, left or right) (rubber) (1) Treads, All-Terrain, TRX-4® Traxx® (rear, left or right) (rubber) (1) If you have questions or need technical assistance, call Traxxas at: 1-888-72-9927) (U.S. residents only) For orders, calls outside the U.S., and other information, call 972-549-3000,
8178 8180-BLUE 8180-GRN 8180-RED 8268 8283 8284 8195 8289 8293X 8291 8285 5041 8292 8290X 8290A 8290A 8290B 8295 8294 8296 8290 8296 8290 8296	Wheels, TRX-4® Sport 1.9 (2) Wheels, TRX-4® Sport 2.2 (gray, blue beadlock style) (2) Wheels, TRX-4® Sport 2.2 (gray, green beadlock style) (2) Wheels, TRX-4® Sport 2.2 (gray, red beadlock style) (2) Wheels, TRX-4® Tactical 1.9 (2) ITAISSISSION CONTROLL (Front) Cable, T-lock (front) Cable, T-lock (rear) Differential, locking, front and rear (assembled) (includes T-Lock cables and servos) Drive hub, 2-speed/ shift dog/ shift fork/ 2-speed linkage Gear set, transmission, metal (includes 18T, 30T input gears, 36T output gear, 2x9.8 pins (5)) Gearbox housing (includes main housing, front housing, & cover) Gears, transfer case (3) Grease, premium high performance (20cc) Input shaft/ output shaft (transmission) Motor mount plate, 6061-T6 aluminum (blue-anodized) Motor mount plate, 6061-T6 aluminum (green-anodized) Motor mount plate, 6061-T6 aluminum (red-anodized) Output drive, transmission or differential (pin retainer (1)/ drive cup (1)/ drive ball (1)/ drive pin (1)/ 3x10 screw pin (1)/ cross pin (black) (1) 3x6 BCS with threadlock (1)) Output gear, high range, 24T (metal) Output shafts (transfer case), front & rear Plate, motor/ upper spur gear cover Slipper eliminator plate	8887 8886 8891 8881 8882 8883 8884 8880 8895	Stub axle (1) Stub axle nut (4) Tension wheels (6)/ road wheels (4) Traxx®, front, left (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8895 rubber track) Traxx®, front, right (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8895 rubber track) Traxx®, rear, left (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8896 rubber track) Traxx®, rear, right (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8896 rubber track) Traxx®, rear, right (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8896 rubber track) Traxx®, TRX-4® (4) (complete set, front & rear) Treads, All-Terrain, TRX-4® Traxx® (front, left or right) (rubber) (1) Treads, All-Terrain, TRX-4® Traxx® (rear, left or right) (rubber) (1) If you have questions or need technical assistance, call Traxxas at: 1 - 888-72-9927) (U.S. residents only) For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com
8178 8180-BLUE 8180-GRN 8180-RED 8268 8283 8284 8195 8289 8293X 8291 8285 5041 8292 8290X 8290A 8290A 8290B 8290B 8290B 8295	Wheels, TRX-4® Sport 1.9 (2) Wheels, TRX-4® Sport 2.2 (gray, blue beadlock style) (2) Wheels, TRX-4® Sport 2.2 (gray, green beadlock style) (2) Wheels, TRX-4® Sport 2.2 (gray, red beadlock style) (2) Wheels, TRX-4® Tactical 1.9 (2) Traismission Colling (for the case of	8887 8886 8891 8881 8882 8883 8884 8880 8895	Stub axle (1) Stub axle nut (4) Tension wheels (6)/ road wheels (4) Traxx®, front, left (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8895 rubber track) Traxx®, front, right (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8895 rubber track) Traxx®, rear, left (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8896 rubber track) Traxx®, rear, right (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8896 rubber track) Traxx®, rear, right (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8896 rubber track) Traxx®, TRX-4® (4) (complete set, front & rear) Treads, All-Terrain, TRX-4® Traxx® (front, left or right) (rubber) (1) Treads, All-Terrain, TRX-4® Traxx® (rear, left or right) (rubber) (1) If you have questions or need technical assistance, call Traxxas at: 1 - 888-72-9927) (U.S. residents only) For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com
8178 8180-BLUE 8180-GRN 8180-RED 8268 8283 8284 8195 8289 8293X 8291 8285 5041 8292 8290X 8290A 8290A 8290B 8295 8294 8296 8290 8296 8290 8296	Wheels, TRX-4® Sport 1.9 (2) Wheels, TRX-4® Sport 2.2 (gray, blue beadlock style) (2) Wheels, TRX-4® Sport 2.2 (gray, green beadlock style) (2) Wheels, TRX-4® Sport 2.2 (gray, red beadlock style) (2) Wheels, TRX-4® Tactical 1.9 (2) ITAISINESION CONTROLL (Grown) Cable, T-lock (front) Cable, T-lock (rear) Differential, locking, front and rear (assembled) (includes T-Lock cables and servos) Drive hub, 2-speed/ shift dog/ shift fork/ 2-speed linkage Gear set, transmission, metal (includes 18T, 30T input gears, 36T output gear, 2x9.8 pins (5)) Gearbox housing (includes main housing, front housing, & cover) Gears, transfer case (3) Grease, premium high performance (20cc) Input shaft/ output shaft (transmission) Motor mount plate, 6061-T6 aluminum (blue-anodized) Motor mount plate, 6061-T6 aluminum (green-anodized) Motor mount plate, 6061-T6 aluminum (red-anodized) Output drive, transmission or differential (pin retainer (1)/ drive cup (1)/ drive ball (1)/ drive pin (1)/ 3x10 screw pin (1)/ cross pin (black) (1) 3x6 BCS with threadlock (1)) Output gear, high range, 24T (metal) Output shafts (transfer case), front & rear Plate, motor/ upper spur gear cover Slipper eliminator plate Transmission gears, single speed, metal Two speed conversion kit	8887 8886 8891 8881 8882 8883 8884 8880 8895	Stub axle (1) Stub axle nut (4) Tension wheels (6)/ road wheels (4) Traxx®, front, left (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8895 rubber track) Traxx®, front, right (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8895 rubber track) Traxx®, rear, left (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8896 rubber track) Traxx®, rear, right (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8896 rubber track) Traxx®, rear, right (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8896 rubber track) Traxx®, TRX-4® (4) (complete set, front & rear) Treads, All-Terrain, TRX-4® Traxx® (front, left or right) (rubber) (1) Treads, All-Terrain, TRX-4® Traxx® (rear, left or right) (rubber) (1) If you have questions or need technical assistance, call Traxxas at: 1 - 888-72-9927) (U.S. residents only) For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com
8178 8180-BLUE 8180-GRN 8180-RED 8268 8283 8284 8195 8289 8293X 8291 8285 5041 8292 8290X 8290A 8290A 8290B 8290B 8290B 8295	Wheels, TRX-4® Sport 1.9 (2) Wheels, TRX-4® Sport 2.2 (gray, blue beadlock style) (2) Wheels, TRX-4® Sport 2.2 (gray, green beadlock style) (2) Wheels, TRX-4® Sport 2.2 (gray, red beadlock style) (2) Wheels, TRX-4® Tactical 1.9 (2) Traismission Colling (for the case of	8887 8886 8891 8881 8882 8883 8884 8880 8895	Stub axle (1) Stub axle nut (4) Tension wheels (6)/ road wheels (4) Traxx®, front, left (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8895 rubber track) Traxx®, front, right (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8895 rubber track) Traxx®, rear, left (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8896 rubber track) Traxx®, rear, right (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8896 rubber track) Traxx®, rear, right (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8896 rubber track) Traxx®, TRX-4® (4) (complete set, front & rear) Treads, All-Terrain, TRX-4® Traxx® (front, left or right) (rubber) (1) Treads, All-Terrain, TRX-4® Traxx® (rear, left or right) (rubber) (1) If you have questions or need technical assistance, call Traxxas at: 1 - 888-72-9927) (U.S. residents only) For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com
8178 8180-BLUE 8180-GRN 8180-RED 8268 8283 8284 8195 8289 8293X 8291 8285 5041 8292 8290X 8290A 8290A 8290B 8290B 8290B 8295	Wheels, TRX-4® Sport 1.9 (2) Wheels, TRX-4® Sport 2.2 (gray, blue beadlock style) (2) Wheels, TRX-4® Sport 2.2 (gray, green beadlock style) (2) Wheels, TRX-4® Sport 2.2 (gray, red beadlock style) (2) Wheels, TRX-4® Tactical 1.9 (2) ITAISINESION CONTROLL (Grown) Cable, T-lock (front) Cable, T-lock (rear) Differential, locking, front and rear (assembled) (includes T-Lock cables and servos) Drive hub, 2-speed/ shift dog/ shift fork/ 2-speed linkage Gear set, transmission, metal (includes 18T, 30T input gears, 36T output gear, 2x9.8 pins (5)) Gearbox housing (includes main housing, front housing, & cover) Gears, transfer case (3) Grease, premium high performance (20cc) Input shaft/ output shaft (transmission) Motor mount plate, 6061-T6 aluminum (blue-anodized) Motor mount plate, 6061-T6 aluminum (green-anodized) Motor mount plate, 6061-T6 aluminum (red-anodized) Output drive, transmission or differential (pin retainer (1)/ drive cup (1)/ drive ball (1)/ drive pin (1)/ 3x10 screw pin (1)/ cross pin (black) (1) 3x6 BCS with threadlock (1)) Output gear, high range, 24T (metal) Output shafts (transfer case), front & rear Plate, motor/ upper spur gear cover Slipper eliminator plate Transmission gears, single speed, metal Two speed conversion kit	8887 8886 8891 8881 8882 8883 8884 8880 8895	Stub axle (1) Stub axle nut (4) Tension wheels (6)/ road wheels (4) Traxx®, front, left (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8895 rubber track) Traxx®, front, right (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8895 rubber track) Traxx®, rear, left (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8896 rubber track) Traxx®, rear, right (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8896 rubber track) Traxx®, rear, right (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8896 rubber track) Traxx®, TRX-4® (4) (complete set, front & rear) Treads, All-Terrain, TRX-4® Traxx® (front, left or right) (rubber) (1) Treads, All-Terrain, TRX-4® Traxx® (rear, left or right) (rubber) (1) If you have questions or need technical assistance, call Traxxas at: 1 - 888-72-9927) (U.S. residents only) For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com
8178 8180-BLUE 8180-GRN 8180-RED 8268 8283 8284 8195 8289 8293X 8291 8285 5041 8292 8290X 8290A 8290A 8290B 8290B 8290B 8290B 8295	Wheels, TRX-4® Sport 1.9 (2) Wheels, TRX-4® Sport 2.2 (gray, blue beadlock style) (2) Wheels, TRX-4® Sport 2.2 (gray, green beadlock style) (2) Wheels, TRX-4® Sport 2.2 (gray, red beadlock style) (2) Wheels, TRX-4® Tactical 1.9 (2) ITAISSISSION CONTROLED	8887 8886 8891 8881 8882 8883 8884 8880 8895	Stub axle (1) Stub axle nut (4) Tension wheels (6)/ road wheels (4) Traxx®, front, left (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8895 rubber track) Traxx®, front, right (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8895 rubber track) Traxx®, rear, left (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8896 rubber track) Traxx®, rear, right (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8896 rubber track) Traxx®, rear, right (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8896 rubber track) Traxx®, TRX-4® (4) (complete set, front & rear) Treads, All-Terrain, TRX-4® Traxx® (front, left or right) (rubber) (1) Treads, All-Terrain, TRX-4® Traxx® (rear, left or right) (rubber) (1) If you have questions or need technical assistance, call Traxxas at: 1 - 888-72-9927) (U.S. residents only) For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

Cap, body reamer

Scissors, curved tip Scissors, straight tip

and 8.0mm), 1/4" drive

Speed bit handle, large (overmolded) Speed bit handle, medium (one piece)

Speed Bit Essentials Set, hex and nut driver, 7-piece, includes

premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm,

3436

3432 3431

8712

8720 8721