

TRX-4M[™] 1/18 1979 Chevrolet® K10 High Trail Edition[™] (Model 97064-1) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

	Axle Components		Chassis & Attachments
9787-BLUE	Axle cover, 6061-T6 aluminum (blue-anodized) (2)/ 1.6x12mm	9727	Battery strap
	BCS (with threadlock) (8)	9836	Bumper mount (front (1)/ rear (1))
9787-GRAY	Axle cover, 6061-T6 aluminum (dark titanium-anodized) (2)/	9822	Chassis rails, 220mm (steel) (left & right)
	1.6x12mm BCS (with threadlock) (8)	9739-BLUE	Servo mount, 6061-T6 aluminum (blue-anodized)
787-GRN	Axle cover, 6061-T6 aluminum (green-anodized) (2)/ 1.6x12mm	9739-GRAY	Servo mount, 6061-T6 aluminum (dark titanium-anodized)
TOT ODNO	BCS (with threadlock) (8)	9739-GRN	Servo mount, 6061-T6 aluminum (green-anodized)
787-ORNG	Axle cover, 6061-T6 aluminum (orange-anodized) (2)/ 1.6x12mm BCS (with threadlock) (8)	9739-ORNG	Servo mount, 6061-T6 aluminum (orange-anodized)
787-RED	Axle cover, 6061-T6 aluminum (red-anodized) (2)/ 1.6x12mm BCS	9739-RED	Servo mount, 6061-T6 aluminum (red-anodized)
TOT-RED	(with threadlock) (8)	3133	Servo mount, steering/ servo horn
787	Axle cover, brass (8 grams each) (2)/ 1.6x12mm CS (with	9826	Shock mounts (front & rear)/ trailer hitch (extended)
	threadlock) (8)	9766	Skidplate, chassis (stainless steel)
738-BLKCR	Axle cover, front or rear (black chrome) (2)		Driveline Components
738	Axle cover, front or rear (black) (2)	9855	Driveshafts, center, assembled (front & rear) (fits 1/18 scale vehicle
738-BLUE	Axle cover, front or rear (blue) (2)		with long wheelbase)
738-GRAY			Hardware
738-RED	Axle cover, front or rear (red) (2)	9746	Hardware kit, complete (contains all hardware used on 1/18-scale
738-SATIN		5740	TRX-4M [™]) (includes clear plastic storage container)
741	Axle housing, front & rear	9746X	Hardware kit, stainless steel, complete (contains all stainless
729X	Axle shaft, front (hardened steel) (1)		steel hardware used on 1/18-scale TRX-4M [™]) (includes body
730X	Axle shaft, rear (hardened steel) (1)		hardware and clear plastic storage container)
756	Axle shafts, front (2), rear (2)/ stub axles, front (2) (hardened steel)/ 1.5x7.8mm pins (2)/ 1.5x6mm pins (4)/ cross pins (2)		LED Lights
729	Axle shafts, front, outer (2)	9883	Pro Scale® LED light set, front & rear, complete (includes light
730	Axle shafts, rear, outer (2)	3005	harness, zip ties (6)) (fits #9811 body)
743	Axle, front (assembled)/ M2.5x0.45 NL (2)	9786	Wire harness, LED lights (front)/ zip ties (2)
744	Axle, rear (assembled)/ M2.5x0.45 NL (2)	0100	
779	Gears, axle (metal, front & rear)		Motors & Electronics
754	Rebuild kit, constant-velocity driveshaft (includes pins for 2	9785	ECM-2.5 Electronic Control Module, waterproof (low voltage
	driveshaft assemblies) (for front driveshafts or #9751 metal		detection, fwd/rev/brake)
	center driveshafts)	2064R	Gear set, metal (for 2065R waterproof sub-micro servo)
777	Ring gear, axle (2)/ pinion gear, axle (2)	9793-BLUE	Heat sink, Titan® 87T motor (6061-T6 aluminum, blue-anodized
765	Skidplate, axle, front or rear (stainless steel) (2)	9793-GRAY	Heat sink, Titan® 87T motor (6061-T6 aluminum, dark titanium-
9753	Stub axle, front (2)/ cross pins (2)/ drive pins (4)	9793-GRN	anodized) Heat sink, Titan® 87T motor (6061-T6 aluminum, green-anodize
753X	Stub axle, front (hardened steel) (1)	9793-ORNG	Heat sink, Titan® 87T motor (6061-T6 aluminum, green-anouze
	Bearings & Bushings	3733-01110	anodized)
745X	Ball bearing kit, black rubber sealed, complete (3x6x2.5mm (8),	9793-RED	Heat sink, Titan® 87T motor (6061-T6 aluminum, red-anodized)
	5x8x2.5mm (4), 4x8x3mm (4), 8x12x3.5mm (2), 3.5x7x2.5mm (4))	9775	Motor, Titan® 87T (87-turn, 180 size)/ pinion gear, 11-tooth (metal)
745R	Ball bearing kit, transmission, black rubber sealed (contains	2063A	Servo case/gaskets (for 2065A waterproof sub-micro servo)
	3x6x2.5mm bearings (6))	9740	Servo horn (metal)
9745	Bushing kit, self-lubricating, complete (3x6x2.5mm (8), 5x8x2.5mm	2065T	Servo, sub-micro, waterproof
	(4), 4x8x3mm (4), 8x12x3.5mm (2), 3.5x7x2.5mm (4))	2065R	Servo, sub-micro, waterproof, metal gear
Bodv	& Accessories (1979 Chevrolet® K10 Truck)		Radio System, Batteries & Chargers
811	Body, Chevrolet K10 Truck (1979), complete (unassembled)	2821	750mAh 7.4V 2-Cell 20C LiPo Battery
	(white, requires painting) (includes grille, side mirrors, door	2021 2914	AA 4PK
	handles, roll bar, windshield wipers, & clipless mounting)	9767	Charger, iD® Balance, USB (2-cell 7.4 volt LiPo with iD® connector
	(requires #9835 front & rear bumpers)	5101	only)
811-BLK	Body, Chevrolet K10 Truck (1979), complete, black (includes grille,	2064A	Gear set (for 2065A waterproof sub-micro servo)
	side mirrors, door handles, roll bar, windshield wipers, & clipless	2064R	Gear set, metal (for 2065R waterproof sub-micro servo)
	mounting) (requires #9835 front & rear bumpers)	2063A	Servo case/gaskets (for 2065A waterproof sub-micro servo)
811-BLUE	Body, Chevrolet K10 Truck (1979), complete, blue (includes grille,	9740	Servo horn (metal)
	side mirrors, door handles, roll bar, windshield wipers, & clipless mounting) (requires #9835 front & rear bumpers)	2065T	Servo, sub-micro, waterproof
811-RED	Body, Chevrolet K10 Truck (1979), complete, red (includes grille, side	2065R	Servo, sub-micro, waterproof, metal gear
	mirrors, door handles, roll bar, windshield wipers, & clipless mounting)		Ready-To-Race Model
	(requires #9835 front & rear bumpers)	07004 4	
827	Decal sheet, 1/18 scale TRX-4M™ Chevrolet K10 Truck (1979)	97064-1	TRX-4M [™] Scale and Trail® Crawler with 1979 Chevrolet® K10 Tru Body: 1/18 Scale 4WD Electric Truck with TO 2 4 GHz Padio System
817	Door handles (left & right)/ mirrors, side (left & right)/ windshield		Body: 1/18-Scale 4WD Electric Truck with TQ 2.4GHz Radio System
	wipers (fits #9811 body)		Scale Accessories
820	Front grille/ tailgate panel/ LED lenses (rear, left, & right) (fits #9811	9796	Trailer hitch (assembled)/ trailer coupler/ 3mm spring pre-load
	body)		spacers (2)/ 2.5x8mm BCS (2)/ 1.6x10mm BCS (self-tapping) (1)
813	Latch, body mount, front (1)/ rear (1) (for clipless body mounting)	9797	Trailer wheels (2)/ tires (2)/ mounting hardware
	(attaches to #9811 body)	9795	Utility trailer/ trailer hitch (assembled)/ 3mm spring pre-load
818	LED lenses, body, front & rear (complete set) (fits #9811 body)		spacers (2)/ 2.5x8mm BCS (2)
814	Windows, body (fits #9811 body)		Shock Oil
814X	Windows, body (tinted) (fits #9811 body)	5031	Oil, shock (20 wt, 200 cSt, 60cc) (silicone)
	Bumpers & Skidplates	5032	Oil, shock (30 wt, 350 cSt, 60cc) (silicone)
9836	Bumper mount (front (1)/ rear (1))	5033	Oil, shock (40 wt, 500 cSt, 60cc) (silicone)
7000			Oil, shock (50 wt, 600 cSt, 60cc) (silicone)
	Bumper, front (1)/ rear (1)	5034	
9835 9765	Bumper, front (1)/ rear (1) Skidplate, axle, front or rear (stainless steel) (2)	5034 5035	Oil, shock (60 wt, 700 cSt, 60cc) (silicone)
9835			

Page 2 TRX-4M[™] 1/18 1979 Chevrolet® K10 High Trail Edition[™] (Model 97064-1) Parts List

Sphming carcuset rack Sphming carcuset rack 9783-BUE Body, GTM shock, 6061-T6 aluminum (blue-anodized) (includes apring pre-load spacers) (2) 7726 9783-DRB GAV, GTM shock, 6061-T6 aluminum (carage-anodized) (includes spring pre-load spacers) (2) 7728 9783-DRB GAV, GTM shock, 6061-T6 aluminum (carage-anodized) (includes spring pre-load spacers) (2) 7728 9783-DRB GAV, GTM shock, 6061-T6 aluminum (carage-anodized) (includes spring pre-load spacers) (2) 9716 9783-DRB GAV, GTM shock, 6061-T6 aluminum (carage-anodized) (includes spring pre-load spacers) (2) 9716 9783-DRB GAV, GTM shock, 6061-T6 aluminum (carage-anodized) (includes spring pre-load spacers) (2) 9716 9783-DRB GAV, GTM shock, 6061-T6 aluminum (carage-anodized) (includes spring s) (4) 9717 Tracks & Traing banney, red & black (307 reg) 9712-DRB Shocks, GTM, 6061-T6 aluminum (carage-anodized) (fully sasembled via springs) (4) 9714 Tracks & Wile 2014 9744-DRB Shocks, GTM, 6061-T6 aluminum (carage-anodized) (fully sasembled via springs) (4) 9717 Track & Wile 2014 9744-DRB Shocks, GTM, 6061-T6 aluminum (carage-anodized) (fully sasembled via springs) (4) 9714 Track & Wile 2014 9744-DRB Shocks, GTM, 6061-T6 aluminum (029 038X	Shock oil bottle (60cc) (for mixing shock oil) Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & 80 wt premium shock oils with spinning carousel rack)	9842	Suspension link set, complete (front & rear) (includes steering link (1 front lower links (2), front upper links (2), rear links (4)) (assembled with hollow balls) (fits 1/18 scale vehicles with long wheelbase)
Sting City Notice bits (20) Holew bits (20) 978-50-UB 600 / 014 bits, 601-17 a luminum (pred-anotized) (includes primp pre-load spacers) (2) 782-50 978-50-UB 600 / 014 bits, 601-17 a luminum (pred-anotized) (includes primp pre-load spacers) (2) 782-50 978-50-UB 600 / 014 bits, 601-17 a luminum (pred-anotized) (includes primp pre-load spacers) (2) 782-50 978-50-UB 600 / 014 bits, 601-17 a luminum (pred-anotized) (includes primp pre-load spacers) (2) 976-50 978-50-UB 600 / 014 bits, 601-17 a luminum (pred-anotized) (includes primp pre-load spacers) (2) 976-50 976-50-UB 600 / 014 bits, 601-17 a luminum (pred-anotized) (includes primp pre-load spacers) (2) 976-50 976-50-UB 600 / 014 bits, 601-17 a luminum (pred-anotized) (fully spacers) 9850 976-50-UB 600 / 014 bits, 601-17 a luminum (pred-anotized) (fully spacers) 9850 976-60-UB Shocks, 6174, 661-16 a luminum (pred-anotized) (fully spacers) 9850 976-60-UB Shocks, 6174, 661-16 a luminum (pred-anotized) (fully spacers) 9850 976-60-UB Shocks, 6174, 661-16 a luminum (pred-anotized) (fully spacers) 9850 976-60-UB Shocks, 6174, 661-16 a luminum anotized) (fully spacers) 9760	038			
 Body, CTM shock, 6961-T6 sluminum (blas-anodized) (includes 7928. ACM (Control 16 and (St 10 fold or add) (St 10		Shocks	7000	
 spring pre-load spacers) (2) PRO-DARN BS, CM 18 hooks, 601 Te aluminum (chart titanium-anodized) (includes a pring pre-load spacers) (2) PRO-DARN BS, CM 18 hooks, 601 Te aluminum (chart titanium-anodized) (includes a pring pre-load spacers) (2) PRO-DARN BS, CM 18 hooks, 601 Te aluminum (chart titanium-anodized) (includes a pring pre-load spacers) (2) PRO-DARN BS, CM 18 hooks, 601 Te aluminum (chart titanium-anodized) (includes a pring pre-load spacers) (2) PRO-DARN BS, CM 18 hooks, 601 Te aluminum (chart titanium-anodized) (includes a pring pre-load spacers) (2) PRO-DARN BS, CM 18 hooks, 601 Te aluminum (chart titanium-anodized) (includes a pring pre-load spacers) (2) PRO-DARN BS, CM 18 hooks, 601 Te aluminum (chart titanium-anodized) (includes a pring pre-load spacers) (2) PRO-DARN BS, CM 18 hooks, 601 Te aluminum (chart titanium-anodized) (includes a pring pre-load spacers) (2) PRO-DARN BS, CM 18 hooks, 601 Te aluminum (chart titanium-anodized) (includes a pring pre-load spacers) (2) PRO-DARN BS, CM 18 hooks, 601 Te aluminum (chart titanium-anodized) (includes a pring pre-load spacers) (2) PRO-DARN BS, CM 18 hooks, 601 Te aluminum (chart titanium-anodized) (includes a pring pre-load spacers) (2) PRO-DARN BS, CM 18 hooks, 601 Te aluminum (chart titanium-anodized) (includes a pring pre-load spacers) (2) PRO-DARN BS, CM 18 hooks, 601 Te aluminum (chart titanium-anodized) (includes a pring pre-load spacers) (2) PRO-DARN BS, CM 18 hooks, 601 Te aluminum (chart titanium-anodized) (includes a pring pre-load spacers) (2) PRO-DARN BS, CM 18 hooks, 601 Te aluminum (chart titanium-anodized) (includes a pring pre-load spacers) (2) PRO-DARN BS, CM 18 hooks, 601 Te aluminum (chart titanium-anodized) (includes a pring pre-load spacers) (2) PRO-DARN BS, CM 18 hooks, 601 Te aluminum (chart titani				
T35-GRA Body, GTM shock, 661-T B aluminum (green-anodized) mody, GTM shock, 661-T B aluminum (green-anodized) (includes spring pr-4od spacers) (2) (includes spring pr-4od spring pr-4od spring	/63-BLUE			
 tindudes spring pre-load spacers (2) Stagension link sei. Comptos (2nt Mack, 604.1 F aluminum (rean-andized) (includes spring pre-load spacers) (2) Stagension link sei. Comptos (2nt Mack, 604.1 F aluminum (rean-andized) (includes spring pre-load spacers) (2) Stagension link sei. Car carrier, 12* 12* x 4* (1ft TRX-4) Backy, GTM shock, 604.1 F aluminum (rean-andized) (includes spring pre-load spacers) (2) Stock, GTM, 605.1 F aluminum (rean-andized) (includes spring pre-load spacers) (2) Stock, GTM, 605.1 F aluminum (rean-andized) (includes spring pre-load spacers) (2) Stock, GTM, 605.1 F aluminum (rean-andized) (inlug spring pre-load spacers) (2) Stock, GTM, 605.1 F aluminum (rean-andized) (inlug spring pre-load spacers) (2) Stock, GTM, 605.1 F aluminum (rean-andized) (inlug spring pre-load spacers) (2) Stock, GTM, 605.1 F aluminum (rean-andized) (inlug spring pre-load spacers) (2) Stock, GTM, 605.1 F aluminum (rean-andized) (inlug spring) pre-load spacers) (4) Stock, GTM, 605.1 F aluminum (rean-andized) (inlug spring) pre-load spacers) (4) Stock, GTM, 605.1 F aluminum (rean-andized) (inlug spring) (4) Stock, GTM, 605.1 F aluminum (rean-andized) (inlug spring) (4) Stock, GTM, 605.1 F aluminum (rean-andized) (inlug spring) (4) Stock, GTM, 605.1 F aluminum (rean-andized) (inlug spring) (4) Stock, GTM, 605.1 F aluminum (rean-andized) (inlug spring) (4) Stock, GTM, 605.1 F aluminum (rean-andized) (inlug spring) (4) Stock, GTM, 605.1 F aluminum (rean-andized) (inlug spring) (4) Stock, GTM, 605.1 F aluminum (rean-andized) (inlug spring) (4) Stock, GTM, 605.1 F aluminum (rean-andized) (inlug spring) (4) Stock, GTM, 605.1 F aluminum (rean-andized) (inlug spring) (4) Stock, GTM, 605.1 F aluminum (rean-andized) (101.	763-GRAY		7055	
 Body, GTM shock, 6061.76 aluminum (green-anodized) (includes pring pre-load spacers) (2) Body, GTM shock, 6061.76 aluminum (green-anodized) (includes pring pre-load spacers) (2) Body, GTM shock, 6061.76 aluminum (green-anodized) (includes pring pre-load spacers) (2) Body, GTM shock, 6071. (15 status) (17 green anodized) (includes pring pre-load spacers) (2) Body, GTM shock, 6071. (15 status) (17 green anodized) (11 gr		•	9842	• •
 spring pre-load spacers (2) Vith lobox balls (fits 1/16 seals which go wholes with log wholes with l	763-GRN		0012	front lower links (2), front upper links (2), rear links (4)) (assembled
 Pres-ORN Body, GTM shock, 6061-Té aluminum (orange-anodized) (includes spring pri-da kapscers). Jourds Jag. Analysis, Kore arrier, 127 x 127 x				with hollow balls) (fits 1/18 scale vehicles with long wheelbase)
 Michael Samp Jee South Space (1) Strong School Space (2) Strong School Space (2)<td>763-ORNG</td><td></td><td></td><td></td>	763-ORNG			
Source Spring Decal shear, racing sponsors During base, source 9764 Lower retainer, shock, form, spansers, bladders, bottom caps) 997 During base, molecular, source, classification,				
 Jareta, Lower retainer, abook, profes, forses, planders, biotom caps) (nenews 2 shoulds) Jorde Long, Carlon, Jor X-12* x12* x12* (fits 1/10 Slash6, similar) Jorde Long, medium, jor X-12* x12* (fits 1/10 Slash6, similar) Jorde Long, Carlon, Jor X-12* x12* (fits 1/10 Slash6, similar) Jorde Long, Carlon, Jor X-12* x12* (fits 1/10 Slash6, similar) Jorde Long, Carlon, Jor X-12* x12* (fits 1/10 Slash6, similar) Jorde Long, Carlon, Jor X-12* x12* (fits 1/10 Slash6, similar) Jorde Long, Carlon, Jor X-12* x12* (fits 1/10 Slash6, similar) Jorde Long, Carlon, Jor X-12* x12* (fits 1/10 Slash6, similar) Jorde Long, Carlon, Jor X-12* x12* (fits 1/10 Slash6, similar) Jorde Long, Carlon, Jor X-12* x12* (fits 1/10 Slash6, similar) Jorde Long, Carlon, Jor X-12* x12* (fits 1/10 Slash6, similar) Jorde Long, Carlon, Jor X-12* x12* (fits 1/10 Slash6, similar) Jorde Long, Carlon, Jor X-12* x12* x12* (fits 1/10 Slash6, similar) Jorde Long, Carlon, Jor X-12* x12* x12* (fits 1/10 Slash6, similar) Jorde Long, Carlon, Jor X-12* x12* x12* x12* x12* x12* x12* x12* x	763-RED	Body, GTM shock, 6061-T6 aluminum (red-anodized) (includes		
Probail & CTM atock (uning), spaces, bladdes, bottom caps) (moreover 2 shock). similar) similar) OPECA Shock cap (2) spring parch (2) you drn (2) spring precised spacer (4) 9999 Structure (4) OPECA Shock cap (2) spring parch (2) you drn (2) spring precised spacer (4) 9999 Tires & Wheels, assembled (black 1.0" wheels, BFGo Mud. Terrain "Take KM3 2.2.t.0" three (2) OPECA RN Shock, GTM (0) Sim (2) and (ark titalium-anodized) (fully assembled (wo springs) (4) 9774 Tires & Wheels, assembled (black 1.0" wheels, Garayo precision (1) OPECA RN Shock, GTM (0) CAP carbo spring, shock (GTM) (0.02 rate) (1 pair) 9776 Tires, Mickey Thompsone Biaj Pro TM X 2.2.t.10" (2) OPECA RN Shock, GTM (0) CAP carbo (1 pair) 9776 Tires, Mickey Thompsone Biaj Pro TM X 2.2.t.10" (2) OPECA RN Shock, GTM (0) CAP carbo (1 pair) 9776 Tires, Mickey Thompsone Biaj Pro TM X 2.2.t.10" (2) OPECA RN Shock, GTM (0) CAP carbo (1 pair) 9776 Tires, Mickey Thompsone Biaj Pro TM X 2.2.t.10" (2) Spring, shock (GTM) (0.123 rate) (1 pair) 9770 9770 9770 9770 Spring, shock (GTM) (0.123 rate) (1 pair) 9770 9770 9770 9770 9770 9770 9770 <				
 March 2, Subdell, Databells, Journal 2, Subdells, Journal 2			9917	•
 Shock cap (2) spring perch (2) vot end (2) spring period spacer (4) Shock cap (2) spring perch (2) vot end (2) spring period spacer (4) Shocks, GTM (destinght wis springs) (4) Sprid-ARBN (GEST) (1) (1) (2) (2) (1) (1) (2) (2) (1) (1) (2) (2) (1) (2) (2) (1) (2) (2) (2) (2) (2) (2) (2) (2) (2) (2	762		9950	
274 Shocks, GTM, 661-T-8 aluminum (blue-anodized) (blu) 3774 Thres & Muckes, assembled (black 1.0" wheels, BFGood Mucl-Terrain "TIAS (MAS 2.24.0" times) (2) 374-64-648 Shocks, GTM, 661-T-8 aluminum (care-anodized) (blu) 3774 Thres & Wheels, assembled (black 1.0" wheels, BFGood Mucl-Terrain "TIAS (MAS 2.24.0" times) (2) 374-64-648 Shocks, GTM, 661-T-8 aluminum (care-anodized) (blu) 3774 Times & Wheels, assembled (black 1.0" wheels, BFGood Mucl-Terrain "TIAS (MAS 2.24.0" times) (2) 374-64-648 Shocks, GTM, 661-T-8 aluminum (care-anodized) (blu) 3774 Times, Mickey Thompsordb Big Pro" X 2.24.10" (2) 374-64-649 Shocks, GTM, 661-T-8 aluminum (real-anodized) (blu) sesmbled 3770 Times, Mickey Thompsordb Big Pro" X 2.24.10" (2) 3760 Spring, ahock (GTM) (0.12 2 rate) (1 pair) 3750 3750 3776 Spring, ahock (GTM) (0.12 rate) (1 pair) 3750 3750 3776 Spring, ahock (GTM) (0.12 rate) (1 pair) 3758 3750 3776 Spring, ahock (GTM) (0.12 rate) (1 pair) 3758 3750 3776 Spring, ahock (GTM) (0.12 rate) (1 pair) 3758 3750 373-642V Caster blocks, 606-1.T8 aluminum (blue-anodized) (left & fighth) 37764 3776	700 4	(renews 2 shocks)		
9746 – EUL Shocks, GTM, 6061-Té aluminum (bue-anodized) (fully 9774 Tires & Wheels, assembled (black, 1.0° wheels, Garoya 9746 – RD Shocks, GTM, 6061-Té aluminum (green-anodized) (fully 9774 Tires & Wheels, assembled (black, 1.0° wheels, Garoya 9746 – RD Shocks, GTM, 6061-Té aluminum (green-anodized) (fully 9783 Tires & Wheels, assembled (black, 1.0° wheels, Garoya 9746 – RD Shocks, GTM, 6061-Té aluminum (green-anodized) (fully 9783 Tires, Mickey Thompsone Baja Pro* Y & 2.2.t.0° 9784 – RD Shocks, GTM, 601-Té aluminum (green-anodized) (fully assembled 9783 9783 9784 – RD Shocks, GTM, 601-Té aluminum (green-anodized) (fully assembled 9784 Tires, Mickey Thompsone Baja Pro* Y & 2.2.t.0° (2) 9785 Spring, shock (GTM) (0.125 rate) (1 pair) 9750 9770 9770 9770 9780 Spring, shock (GTM) (0.122 rate) (1 pair) 9770 9770 9770 9770 9770 9770 9770 9783 Spring, shock (GTM) (0.122 rate) (1 pair) 9770 9770 9770 9770 9770 9770 9770 9770 9770 9770 9770 9770 9770 9770 9770 977		Shock cap (2)/ spring perch (2)/ rod end (2)/ spring preload spacer (4)		
 assembled wie springs) (4) Ward Terrain,¹⁰ TAR (W3 2 brt1p⁻ tions) (2) Ward Terrain,¹⁰ TAR (W1 2 brt1p⁻ tion				
7764-GRAY Shocks, GTM, 6961-T6 aluminum (gree-anodized) (fully assembled wis prings) (4) 9773- 8774-GRAY 7784-GRAY Shocks, GTM, 6961-T6 aluminum (orange-anodized) (fully assembled wis prings) (4) 9773- 8774-GRAY 7784-GRAY Shocks, GTM, 6072-rate) (1 pair) 9774- 8775 7785 Spring, shock (GTM) (0.72 rate) (1 pair) 9770- 8775 7785 Spring, shock (GTM) (0.72 rate) (1 pair) 9770- 8775 7785 Spring, shock (GTM) (0.72 rate) (1 pair) 9770- 8775 7785 Spring, shock (GTM) (0.123 rate) (1 pair) 9770- 8775 7785 Spring, shock (GTM) (0.123 rate) (1 pair) 9770- 8775 7786 Spring, shock (GTM) (0.155 rate) (1 pair) 9770- 8770 7780 Spring, shock (GTM) (0.055 rate) (1 pair) 9770- 8770 7780 Spring, shock (GTM) (0.75 rate) (1 pair) 9770- 8770 7780 Spring, shock (GTM) (0.75 rate) (1 pair) 9770- 8770 7733-GRAY Sater blocks, 6661-T6 aluminum (blue-anodized) (left & fight) 9770- 8770 7733-GRAY Sater blocks, 6661-T6 aluminum (orgen-anodized) (left & fight) 9776- 8770- 8770 777-GRAY Steering blocks, 661-T6 aluminum (regen-anodized) (left & fig	/64-BLUE		9774	Tires & wheels, assembled (black 1.0" wheels, BFGoodrich®
assembled wio springs) (4) 474-GRN Sckes, GTN, 661-T6 aluminum (green-anodized) (fully assembled wio springs) (4) 474-GRN Sckes, GTN, 661-T6 aluminum (green-anodized) (fully assembled wio springs) (4) 474-KED Sckes, GTN, 661-T6 aluminum (green-anodized) (fully assembled wio springs) (4) 4775 477 478 477 478 477 478 479 479 579 579 579 579 579 579 579 579 579 5	764-GRAV			, ()
9764-GRN Shocks, GTM, 6061-T6 aluminum (orange-anodized) (fully assembled wite prince) (1) 9873 Thras & whee A assembled (horme 1.0* wheels, Mick Tompsone Baja Pro* % 2.4.1.0* (2) 9784-GRN Shocks, GTM, 6061-T6 aluminum (orange-anodized) (fully assembled wite prince) (1) 9771 9772 9772 977	04-GRAT		9773	
assembled wice springs) (4) 784-CRN6 (56, STM, 661-T6 aluminum (green-anodized) (fully assembled 787 Spring, shock (GTM) (0.27 rate) (1 pair) 787 Spring, shock (GTM) (0.25 rate) (1 pair) 787 Spring, shock (GTM) (0.25 rate) (1 pair) 788 Spring, shock (GTM) (0.05 rate) (1 pair) 787 Spring, shock (GTM) (0.15 rate) (1 pair) 787 Spring, shock (GTM) (1.55 rate) (1 pair) 787 Spring, shock (GTM) (2 Spring) (1 pair) 787 Spring, shock (GTM) (1 pair) 787 Spring, shock (GTM) (1 pair) 787 Spring, shock (GTM) (1 pair)	764-GRN			
78764-OR0 Shocks, GTM, 6061-Tê aluminum (orange-anodized) (fully assembled vo springs) (4) 9771 Tires, Br@codrichel Much Farrain Y Ale, Kill 2 2:x1.0* (2) 97864-RED Shocks, GTM, 6061-Tê aluminum (ord-anodized) (fully assembled y springs, shock (GTM) (0.072 rate) (1 pair) 9750 Tires, Mickey Thompson® Baja Pro* X 2.x1.0* (2) 9787 Spring, shock (GTM) (0.072 rate) (1 pair) 9750 Wheel hubs, 7mm bex (148 pile) (10 y aris) 9785 Spring, shock (GTM) (0.025 rate) (1 pair) 9750 Wheel hubs, 7mm bex (148 pile) (4) ade pins (8) 9787 Spring, shock (GTM) (0.027 rate) (1 pair) 9750 Wheel hubs, 7mm bex (168 pile) (12 quriers #9 9786 Spring, shock (GTM) (0.027 rate) (1 pair) 9750 Wheel hubs, 7mm bex (168 pile) (2) (requires #9 9787 Spring, shock (GTM) (0.027 rate) (1 pair) 9760 Wheels, 1.0* (Biack (12) 9788 Spring, shock (GTM) (0.153 rate) (1 pair) 9768 Wheels, 1.0* (Biack (12) 9733-GRN Caster blocks, 6061-T6 aluminum (blue-anodized) (left & fight) 9771 Wheels, 1.0* (Biack (12) 9733-GRN Caster blocks, 6061-T6 aluminum (crage-anodized) (left & fight) 9771-SALVE Wheels, 1.0* (Biack (12) 9733-GRN Caster blocks, 6061-T6 aluminum (crage-anodized) (left & fight) 9774-SALT Wheelse anodized) (Bift & fight) 9776-SALT </td <td></td> <td></td> <td>9873</td> <td></td>			9873	
assembled wio springs) (4) 9764-RED 9770-871-Wheel, 10° (lack chrone) (2) 9770-871-Wheels, 10° (lack chrone) (2) 978-8-RED 9781-Wheels, 10° (lack chrone) (2) 9782-RED 9781-Wheels, 10° (lack chrone) (2) 9782-RED 9784-R	764-ORNG		0774	
9764-RED Shocks, GTM, 6061-Tê aluminum (red-anodized) (fully assembled 9782 Titras, Mickey Thompson® Baja Pro* X 2.2xt 0* (2) 9787 Spring, Shock (GTM) (0.072 rate) (1 pair) 9750 9750 9789 Spring, shock (GTM) (0.055 rate) (1 pair) 9750 9787 Spring, shock (GTM) (0.152 rate) (1 pair) 9750 9787 Spring, shock (GTM) (0.057 rate) (1 pair) 9750 9787 Spring, shock (GTM) (0.057 rate) (1 pair) 9750 9788 Spring, shock (GTM) (0.057 rate) (1 pair) 9760 9789 Spring, shock (GTM) (0.155 rate) (1 pair) 9760 9783 Spring, shock (GTM) (0.155 rate) (1 pair) 9768 9733-BLUE Caster blocks, 6061-T6 aluminum (Indu-anodized) (left & fight) 9768 9733-BLUE Sater blocks, 6061-T6 aluminum (Indu-anodized) (left & fight) 9768 9733-CRNC Caster blocks, 6061-T6 aluminum (Grange-anodized) (left & fight) 9776-BLCR 9737-CRNY Stering blocks, 6061-T6 aluminum (Grange-anodized) (left & fight) 9776-BLCR 9737-CRNY Stering blocks, 6061-T6 aluminum (Grange-anodized) (left & fight) 9776-BLCR 9737-CRNY Stering blocks, 6061-T6 aluminum (Grange-anodized) (left & fight) 9776-BLCR 9737-CRNY Stering blocks, 6061-T6 aluminum (Grange-anodized) (left & fight) 9776-BLCR 9737-CRN				
 with springs (14) with springs shock (GTM) (0.072 rate) (1 pair) Spring, shock (GTM) (0.072 rate) (1 pair) Spring, shock (GTM) (0.123 rate) (1 pair) Spring, shock (GTM) (0.123 rate) (1 pair) Spring, shock (GTM) (0.123 rate) (1 pair) Spring, shock (GTM) (0.055 rate) (1 pair) Spring, shock (GTM) (0.055 rate) (1 pair) Spring, shock (GTM) (0.055 rate) (1 pair) Spring, shock (GTM) (0.155 rate) (1 pair) Spring, shock (GT	764-RED	Shocks, GTM, 6061-T6 aluminum (red-anodized) (fully assembled		
 Spring, shock (GTM) (0.02 rate) (1 pair) Spring, shock (GTM) (0.056 rate) (1 pair) Spring, shock (GTM) (0.157 rate) (1 pair) Stephill, Holden, Spring, shock (GTM) (0.157 rate) (1 pair) Stephill, Holden, Spring, shock (GTM) (0.157 rate) (1 pair) Stephill, Holden, Spring, shock (GTM) (0.157 rate) (1 pair) Stephill, Spring, Spring, shock (GTM) (1 pair) Stephill, Spring, Spring,		w/o springs) (4)		
 Spring, shock (GTM) (0.123 rate) (1 pair) <l< td=""><td>757</td><td>Spring, shock (GTM) (0.072 rate) (1 pair)</td><td></td><td></td></l<>	757	Spring, shock (GTM) (0.072 rate) (1 pair)		
 Spring, shock (GTW) (61/2 arte) (1 pair) Stepring, shock (GTW) (61/2 arte) (1 pair) Stepring shock, 5061-T6 aluminum (crang-anodized) (left & right) Stepring blocks, 6061-T6 aluminum (crang-anodized) (left & right) Stepring bloc				
9760 Spring, shock (G1M) (0.155 rate) (1 pair) 9760 Wheel weights, brass (1 grame each) (2) (requires #3 9777 Spring, shock (GTM) (0.072 rate) (1 pair) 9776 Spring, shock (GTM) (0.072 rate) (1 pair) 9776 Spring, shock (GTM) (0.155 rate) (1 pair) 9770 Spring, shock (GTM) (0.155 rate) (1 pair) 9770 Wheels, 1.0" (black chrome) (2) 9783 Spring, shock (GTM) (0.155 rate) (1 pair) 9770 Wheels, 1.0" (black (12) 9783 Spring, shock (GTM) (0.155 rate) (1 pair) 9770 Wheels, 1.0" (black) (2) 9733-GRN Sater blocks, 6061-T6 aluminum (blue-anodized) (left & right) 9770-SATIN Wheels, 1.0", Method Race Wheels® 105 Beadlock (2) 9733-RED Sater blocks, 6061-T6 aluminum (crean-andized) (left & right) 9771-SATIN Wheels, 1.0", Method Race Wheels® 105 Beadlock (2) 9737-BLVE Sater blocks, 6061-T6 aluminum (crean-andized) (left & right) 2.5x12mm BCS (with threadlock) (2) / 2.5x12mm SC (with threadlock) (2) / 2.5x12mm BCS (with threadlock) (2) / 2.5x12mm SC (with threadlock) (1) / 2.5x7mm SC (with threadlock) (2) / 2.5x12mm SC (with threadlock) (2) / 2.5x12mm SC (with threadlock) (2) / 2.5x12mm SC (with threadlock) (1) / 2.5x7mm SC (with threadlock) (1) /				
Strings Spring	760	Spring, shock (GTM) (0.155 rate) (1 pair)		
777 Spring, shock (GTM) (0.027 arte) (1 pair) 9768 Spring, shock (GTM) (0.027 arte) (1 pair) 9770 BLKCR Wheels, 1.0° (black chrome) (2) 7780 Spring, shock (GTM) (0.122 rate) (1 pair) 9770 BLKCR Wheels, 1.0° (black chrome) (2) 7780 Spring, shock (GTM) (0.157 rate) (1 pair) 9770 BLKCR Wheels, 1.0° (black chrome) (2) 7781 Spring, shock (GTM) (0.157 rate) (1 pair) 9770 BLKCR Wheels, 1.0° (black (2) 7781 Spring, shock (GTM) (0.157 rate) (1 pair) 9770 BLKCR Wheels, 1.0° (black (2) 7733 Spring, shock (GTM) (0.157 rate) (1 pair) 9770 BLKCR Wheels, 1.0° (black (2) 7733 Spring, shock (GTM) (0.157 rate) (1 pair) 9770 BLKCR Wheels, 1.0° (black (2) 7733 Spring, shock (GTM) (0.157 rate) (1 pair) 9770 BLKCR Wheels, 1.0° (black (2) 7733 Spring, shock (GTM) (0.157 rate) (1 pair) 9770 BLKCR Wheels, 1.0° (black (2) 7733 Spring, shock (GTM) (0.157 rate) (1 pair) 9770 BLKCR Wheels, 1.0° (black (2) 7733 Spring, shock (5061-T6 aluminum (rea-anodized) (left & right) 9771 BLKCR Wheels, 1.0° (black rhome) (2) 7733 Spreering blocks, 6061-T6 aluminum (rea-anodized) (left & right) 2.5712mm BCS (wit		Snrings		
9758 Spring, shock (GTM) (0.095 rate) (1 pair) 9770-BL/CR Wheels, 1.0" (black (12) 9759 Spring, shock (GTM) (0.125 rate) (1 pair) 9770 9750 Spring, shock (GTM) (0.125 rate) (1 pair) 9770 973-BLUE Caster blocks, 6061-T6 aluminum (blue-anodized) (left & right) 9771 9733-CRNC Caster blocks, 6061-T6 aluminum (orang-anodized) (left & right) 9771-BL/CR Wheels, 1.0" (black (12) 9733-RDUC Caster blocks, 6061-T6 aluminum (orang-anodized) (left & right) 9771-BL/CR Wheels, 1.0", Method Race Wheels® 105 Beadlock (2) 9733-CRNC Caster blocks, 6061-T6 aluminum (orang-anodized) (left & right) 9771-SL/CR Wheels, 1.0", Method Race Wheels® 105 Beadlock (2) 9733-CRNC Steering blocks, 6061-T6 aluminum (drar titanium-anodized) (left & right) 9771-SL/CR Wather aluminum (arange anodized) (left & right) 9737-CRNC Steering blocks, 6061-T6 aluminum (green-anodized) (left & right) 9776-SL/CR Ball bearing kit, transmission, black raubber sealed (cr 9737-CRNC Steering blocks, 6061-T6 aluminum (green-anodized) (left & right) 9776-SL Ball bearing kit, transmission, black raubber sealed (cr 9737-CRNC Steering blocks, 6061-T6 aluminum (green-anodized) (left & right) 9776-SL Ball searing kit, transmission, complete (logi range (raw)) (log.3: reduction rat	757		9768-BLKCR	•
9759 Spring, shock (GTM) (0.123 rate) (1 pair) 9770 Wheels, 1.0" (black) (2) 9760 Spring, shock (GTM) (0.123 rate) (1 pair) 9770 Wheels, 1.0" (black) (2) 9733-BCRAY Caster blocks, 6081-T6 aluminum (blac-anodized) (left & right) 9770-SATM Wheels, 1.0" (chrome) (2) 9733-GRAY Sater blocks, 6081-T6 aluminum (green-anodized) (left & right) 9770-SATM Wheels, 1.0" (chrome) (2) 9733-GRAY Sater blocks, 6081-T6 aluminum (crange-anodized) (left & right) 9770-SATM Wheels, 1.0" (chrome) (2) 9733-GRAY Sater blocks, 6081-T6 aluminum (crange-anodized) (left & right) 9781-SATM Wheels, 1.0", Method Race Wheels® 105 Beadlock (s) 9733-GRAY Sater blocks, 6081-T6 aluminum (crange-anodized) (left & right) 9776 9776 973-GRAY Steering blocks, 6081-T6 aluminum (dark titanium-anodized) (left & right) 9776 9776 973-GRAY Steering blocks, 6081-T6 aluminum (dark titanium-anodized) (left & right) 9776 9776 973-GRAY Steering blocks, 6081-T6 aluminum (dark titanium-anodized) (left & right) 9776 9776 973-GRAY Steering blocks, 6081-T6 aluminum (orange-anodized) (left & right) 9776 9776 973-GRAY Steering blocks, 6081-T6 aluminum (orange-anodized) (left & right) 9776 9776 973-GRAY Steering blocks, 6081-T6 aluminum (orange-anodized			9770-BLKCR	Wheels, 1.0" (black chrome) (2)
9760 Spring, shock (GTM) (d. 15s rate) (1 pair) 9768 Wheels, 1.0" (black) (2) 9773-BLUE Caster blocks, 6061-T6 aluminum (blue-anodized) (left & right) 97768 Wheels, 1.0" (chrome) (2) 9773-BLUE Caster blocks, 6061-T6 aluminum (orange-anodized) (left & right) 9771-BLKBL Wheels, 1.0", Method Race Wheels® 105 Beadlock (bl beadlock) (2) 9773-SRNC Caster blocks, 6061-T6 aluminum (red-anodized) (left & right) 9781-SATN Wheels, 1.0", Method Race Wheels® 105 Beadlock (sa chrome) (2) 9773-SRNC Caster blocks, 6061-T6 aluminum (red-anodized) (left & right) 9781-SATN Wheels, 1.0", Method Race Wheels® 105 Beadlock (sa chrome) (2) 9773-GNN Steering blocks, 6061-T6 aluminum (lote-anodized) (left & right) 9781-SATN Wheels, 1.0", Method Race Wheels® 105 Beadlock (sa chrome) (2) 9773-GNN Steering blocks, 6061-T6 aluminum (lote-anodized) (left & right) 9781-SATN Wheels, 1.0", Method Race Wheels® 105 Beadlock (sa chrome) (2) 9773-GNN Steering blocks, 6061-T6 aluminum (loter anodized) (left & right) 9781-SATN Wheels, 1.0", Method Race Wheels® 105 Beadlock (sa chrome) (2) 9773-GNN Steering blocks, 6061-T6 aluminum (loter anodized) (left & right) 9745R 9745R 9745R 9773-GNN Steering blocks, 6061-T6 aluminum (lorange-anodized) (left & right) 9745R 97			9770	Wheels, 1.0" (black) (2)
Steering blocks, 6061-T6 aluminum (blue-anodized) (left & right) 9870 Wheels, 1.0" (stain chrome) (2) 973-GRAY Steering blocks, 6061-T6 aluminum (dark titanium-anodized) (left & right) 9781-BLKBL Wheels, 1.0" (stain chrome) (2) 973-GRAY Caster blocks, 6061-T6 aluminum (green-anodized) (left & right) 9781-BLKBL Wheels, 1.0" (stain chrome) (2) 973-GRAY Steering blocks, 6061-T6 aluminum (green-anodized) (left & right) 9781-BLKBL Wheels, 1.0", Method Race Wheels® 105 Beadlock (sa chrome with blue beadlock) (2) 973-GRAY Steering blocks, 6061-T6 aluminum (green-anodized) (left & right) 9781-BLKBL Wheels, 1.0", Method Race Wheels® 105 Beadlock (sa chrome with blue beadlock) (2) 973-GRAY Steering blocks, 6061-T6 aluminum (green-anodized) (left & right) 9781-BLKBL Wheels, 1.0", Method Race Wheels® 105 Beadlock (sa chrome with blue beadlock) (2) 9737-GRAY Steering blocks, 6061-T6 aluminum (green-anodized) (left & right) 9747 9748 9737-RED Steering blocks, 6061-T6 aluminum (red-anodized) (left & right) 9776 9776 9737-RED Steering blocks, 6061-T6 aluminum (red-anodized) (left & right) 9776 9776 9737-RED Steering blocks, 6061-T6 aluminum (red-anodized) (left & right) 9776 9776			9768	Wheels, 1.0" (black) (2)
9733-BLUE Caster blocks, 6061-T6 aluminum (dark titanium-anodized) (left & right) 9770-SATII Wheels, 1.0* (satin chrono) (2) 9733-GRA Caster blocks, 6061-T6 aluminum (green-anodized) (left & right) 9770-SATII Wheels, 1.0* (satin chrono) (2) 9733-GRA Caster blocks, 6061-T6 aluminum (green-anodized) (left & right) 9770-SATII Wheels, 1.0* (satin chrono) (2) 9733-GRA Caster blocks, 6061-T6 aluminum (drange-anodized) (left & right) 9770-SATII Wheels, 1.0* (satin chrono) (2) 9733-GRA Caster blocks, 6061-T6 aluminum (drange-anodized) (left & right) 9770-SATII Wheels, 1.0* (satin chrono) (2) 9733-GRA Steering blocks, 6061-T6 aluminum (green-anodized) (left & right) 9771-GRA Steering blocks, 6061-T6 aluminum (green-anodized) (left & right) 9737-GRN Steering blocks, 6061-T6 aluminum (green-anodized) (left & right) 9776-GATII 9776-GATII 9737-GRN Steering blocks, 6061-T6 aluminum (orange-anodized) (left & right) 9776-GATII 9776-GATII 9737-RED Steering blocks, 6061-T6 aluminum (crange-anodized) (left & right) 9776-GATII 9776-GATII 9737-RED Steering blocks, 6061-T6 aluminum (crange-anodized) (left & right) 9776-GATII 9776-GATIII 9737-RED Steering blocks, 6061-T6 aluminum (crange-anodized) (left & right) </td <td></td> <td></td> <td>9870</td> <td>Wheels, 1.0" (chrome) (2)</td>			9870	Wheels, 1.0" (chrome) (2)
9733-GRAY Caster blocks, 6061-T6 aluminum (dark titanium-anodized) (left & right) 9731-BL/KL Wheels, 1.0°, Method Race Wheels@ 105 Beadlock (bl beadlock) (2) 9733-GRN Caster blocks, 6061-T6 aluminum (orange-anodized) (left & right) 971-BL/KL Wheels, 1.0°, Method Race Wheels@ 105 Beadlock (st chrome with blue beadlock) (2) 9733-GRN Caster blocks, 6061-T6 aluminum (orange-anodized) (left & right) .0°, Method Race Wheels@ 105 Beadlock (st chrome with blue beadlock) (2) 9733-RED Caster blocks, 6061-T6 aluminum (lark titanium-anodized) (left & right) .0°, Method Race Wheels@ 105 Beadlock (st chrome, beadlock) (2) 9737-BRNG Steering blocks, 6061-T6 aluminum (dark titanium-anodized) (left & right) .5x12mm BCS (with threadlock) (2)/2x6mm SS (with threadlock) (4) 9737-GRN Steering blocks, 6061-T6 aluminum (green-anodized) (left & right) .5x12mm BCS (with threadlock) (2)/2x6mm SS (with threadlock) (4) 9737-ORNG Steering blocks, 6061-T6 aluminum (lorage-anodized) (left & right) .5x12mm BCS (with threadlock) (2)/2x6mm SS (with threadlock) (4) 9737-CRNG Steering blocks, 6061-T6 aluminum (lorage-anodized) (left & right) .5x12mm BCS (with threadlock) (2)/2x6mm SS (with threadlock) (4) .0776X 9737-SRD Steering blocks, 6061-T6 aluminum (lorage-anodized) (left & right) .5x12mm BCS (with threadlock) (2)/2x6mm SS (with threadlock) (4) .0777 .0776X Gear set, transmission, seel-lubr			9768-SATIN	Wheels, 1.0" (satin chrome) (2)
right) Saster blocks, 6061-T6 aluminum (green-anodized) (left & right) S733-GRN Gaster blocks, 6061-T6 aluminum (red-anodized) (left & right) Stearing blocks, 6061-T6 aluminum (blue-anodized) (left & right) Stearing blocks, 6061-T6 aluminum (blue-anodized) (left & right) Stearing blocks, 6061-T6 aluminum (blue-anodized) (left & right) Stearing blocks, 6061-T6 aluminum (dark titanium-anodized) (left & right) Stearing blocks, 6061-T6 aluminum (green-anodized) (left & right) Stearing blocks, 6061-T6 aluminum (ark titanium-anodized) (left & right) Stearing blocks, 6061-T6 aluminum (area-modized) (left & right) Stearing blocks, 6061-T6 aluminum (area-anodized) (servo horn, metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/ Stearing link, 6061-T6 aluminum (dark titanium-anodized)/ servo horn, metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/ Stearing link, 6061-T6 aluminum (area-anodized)/ servo horn, metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/ Stearing link, 6061-T6 aluminum (area-anodized)/ servo horn, metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/ Stearing link, 6061-T6 aluminum (area-anodized)/ servo horn, metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/ Stearing li			9770-SATIN	Wheels, 1.0" (satin chrome) (2)
9733-GRN Caster blocks, 6061-T6 aluminum (orange-anodized) (left & right) 9761-BLKBL Wheels, 1.0", Method Race Wheels® 105 Beadlock (sa 9733-GRNG Caster blocks, 6061-T6 aluminum (red-anodized) (left & right) 9761-BLKBL Wheels, 1.0", Method Race Wheels® 105 Beadlock (sa 9733-GRNG Caster blocks, 6061-T6 aluminum (red-anodized) (left & right) 2.5x12mm BCS (with threadlock) (2) 2x6mm SS (with threadlock) (4) 9776 Gear set, transmission, black rubber sealed (cd aright) 2.5x12mm BCS (with threadlock) (2) 2x6mm SS (with threadlock) (4) 9776 Gear set, transmission, low range (raw) (40.3:1 reduction ratio) (11-0oth threadlock) (2) 2x6mm SS (with threadlock) (2) 2x6mm SS (with threadlock) (4) 9776 Gear set, transmission, pseed (9.7:1 reduction ratio) (11-0oth threadlock) (2) 2x6mm SS (with threadlock) (4) 9777 9737-ORNG Steering blocks, 6061-T6 aluminum (red-anodized) (left & right) 2.5x12mm BCS (with threadlock) (2) 2x6mm SS (with threadlock) (4) 9774 Gearts set, transmission, pseed (9.7:1 reduction ratio) (11-0oth threadlock) (2) 2x6mm SS (with threadlock) (4) 9747 Output shaft, transmission (9.7:1 reduction ratio) (11-0oth threadlock) (2) 2x6mm SS (with threadlock) (4) 9747 Output shaft, transmission (9.7:1 reduction ratio) (16.5:1 reduction (9.7:1 reduction ratio) (16.5:1 reduction (9.7:1 reduction ratio) (19.5 x12mm BCS (with threadlock) (2) 2x6mm S	733-GRAY		9781	Wheels, 1.0", Method Race Wheels® 105 Beadlock (black,
9733-ORNG Caster blocks, 6061-T6 aluminum (red-anodized) (left & right) 9734-CRNG Caster blocks, 6061-T6 aluminum (red-anodized) (left & right) 9734-CRNG Steering blocks, 6061-T6 aluminum (blue-anodized) (left & right) 9735-CRNG Steering blocks, 6061-T6 aluminum (ark titanium-anodized) (left & right) 9736-CRNG Steering blocks, 6061-T6 aluminum (green-anodized) (left & right) 9736-CRNG Steering blocks, 6061-T6 aluminum (green-anodized) (left & right) 9736-CRNG Steering blocks, 6061-T6 aluminum (green-anodized) (left & right) 9737-CRNG Steering blocks, 6061-T6 aluminum (green-anodized) (left & right) 9737-CRNG Steering blocks, 6061-T6 aluminum (green-anodized) (left & right) 9737-CRNG Steering blocks, 6061-T6 aluminum (green-anodized) (left & right) 9737-CRNG Steering blocks, 6061-T6 aluminum (green-anodized) (left & right) 9737-CRNG Steering blocks, 6061-T6 aluminum (green-anodized) (left & right) 9748-CRN Gear set, transmission, speed (9.7:1 reduction ratio) (9.7:1 reductin ratio) (9.7:1 reduction ratio) (9.7:1 reductin rati		• /		
9733-RED Caster blocks, 6061-T6 aluminum (red-anodized) (left & right) 9781-SATIN Wheels, 1.0", Method Race Wheels@ 105 Beadlock (sa chrome, beadlock) (2) 9737-BLUE Steering blocks, 6061-T6 aluminum (blue-anodized) (left & right)/ 9781-SATIN Wheels, 1.0", Method Race Wheels@ 105 Beadlock (sa chrome, beadlock) (2) 9737-GRAY Steering blocks, 6061-T6 aluminum (dark titanium-anodized) (left & right)/ 9781-SATIN Wheels, 1.0", Method Race Wheels@ 105 Beadlock (sa chrome, beadlock) (2) 9737-GRAY Steering blocks, 6061-T6 aluminum (green-anodized) (left & right)/ 9747 Ball bearing kit, transmission, black rubber sealed (cd 3x&2.5mm bearings (6)) Gear set, transmission, have range (rawl) (40.3:1 reduction ratio) / 11-tooth 9737-GRAY Steering blocks, 6061-T6 aluminum (green-anodized) (left & right)/ 9747 Gear set, transmission, speed (9.7:1 reduction ratio) / 11-tooth 9737-RED Steering blocks, 6061-T6 aluminum (red-anodized) (left & right)/ 9747 Gear set, transmission 9737-RED Steering blocks, brass (7 grams each) (left & right)/ 9747 Gear set, transmission, complete (higr range (trail) gearing) (fo.6: ratio) (assembled with ball bearings) (includes Titan® 877 n 9748-GRN Steering blocks, left is right)/ 2.5x72mm Steering blocks, left is right)/ 2.5x72mm 9747 9748-GRN Steering blocks, left is aluminum (ark titanium-anodized)/ servo horn, metal			9781-BLKBL	
9733 Caster blocks, brass (4 grams each) (left & right) Steering blocks, 6061-T6 aluminum (blue-anodized) (left & right)/ Trainstill Ston Complete (complete (steps)) 9737-BLUE Steering blocks, 6061-T6 aluminum (dark titanium-anodized) (left & right)/ 9745R Ball bearings (it, transmission, black rubber sealed (complete (steps)) 9737-GRNA Steering blocks, 6061-T6 aluminum (green-anodized) (left & right)/ 9776R Ball bearings (it, transmission, black rubber sealed (complete (steps)) 9737-GRNA Steering blocks, 6061-T6 aluminum (green-anodized) (left & right)/ 9776R Gear set, transmission, logh range (trail) (16.6:1 reduction ratio) / 11-tooth 9737-GRNA Steering blocks, 6061-T6 aluminum (orange-anodized) (left & right)/ 9776R 9776R 9737-GRNA Steering blocks, brass (7 grams each) (left & right) (2.5x12mm 9747X 9737 Steering blocks, brass (7 grams each) (left & right) (2.5x7mm 9791R 9748-BLUE Steering blocks, lof61-T6 aluminum (lora-anodized) servo horn, metail spacers (2)/ 3x6mm CCS (with threadlock) (1)/ 9747X 9748-GRAY Steering link, 6061-T6 aluminum (dark titanium-anodized)/ servo horn, metail spacers (2)/ 3x6mm CCS (with threadlock) (1)/ 9747X 9748-GRN Steering link, 6061-T6 aluminum (dark titanium-anodized)/ servo horn, metail spacers (2)/ 3x6mm CCS (with threadlock) (1)/ 2.5x7mm 9				
 9737-BLUE Steering blocks, 6061-T6 aluminum (blue-anodized) (left & right)/ 2.5x12mm BCS (with threadlock) (2) 2x6mm SS (with threadlock) (4) 9737-GRAY Steering blocks, 6061-T6 aluminum (green-anodized) (left threadlock) (4) 9737-ORN Steering blocks, 6061-T6 aluminum (orange-anodized) (left & right)/ 2.5x12mm BCS (with threadlock) (2) 2x6mm SS (with threadlock) (4) 9737-ORN Steering blocks, 6061-T6 aluminum (orange-anodized) (left & right)/ 2.5x12mm BCS (with threadlock) (2) 2x6mm SS (with threadlock) (4) 9737-ORN Steering blocks, 6061-T6 aluminum (red-anodized) (left & right)/ 2.5x12mm BCS (with threadlock) (2) 2x6mm SS (with threadlock) (4) 9737-RED Steering blocks, 6061-T6 aluminum (red-anodized) (left & right)/ 2.5x12mm BCS (with threadlock) (2) 2x6mm SS (with threadlock) (4) 9737 Steering blocks, brass (7 grams each) (left & right)/ 2.5x12mm BCS (with threadlock) (2) 2x6mm SS (with threadlock) (4) 9748-BLUE Steering blocks, left - fa aluminum (dark titanium-anodized)/ servo horn, metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/ 2.5x7mm SS (with threadlock) (1)/ 2.5x7		, , , , , , , , , , , , , , , , , , , ,	9781-SATIN	
2.5x12mm BCS (with threadlock) (2) ² 2x6mm SS (with threadlock) (4) 9737-GRAY Steering blocks, 6061-T6 aluminum (dark titanium-anodized) (left & right) ² .5x12mm BCS (with threadlock) (2) ² 2x6mm SS (with threadlock) (4) 9737-GRN Steering blocks, 6061-T6 aluminum (green-anodized) (left & right) ² .5x12mm BCS (with threadlock) (2) ² 2x6mm SS (with threadlock) (4) 9737-ORNG Steering blocks, 6061-T6 aluminum (orange-anodized) (left & threadlock) (4) 9737-GRN Steering blocks, 6061-T6 aluminum (read-anodized) (left & threadlock) (2) ² 2x6mm SS (with threadlock) (2) ² 2x6mm SS (with threadlock) (2) ² 2x6mm SS (with threadlock) (2) ² 2x6mm SS (with threadlock) (2) ² 2x6mm SS (with threadlock) (4) 9737 Steering blocks, beft - 6 aluminum (red-anodized) (left & right) ² 2.5x12mm BCS (with threadlock) (2) ² 2x6mm SS (with threadlock) (4) 9737 Steering blocks, left & right) ² 2.5x12mm SC (with threadlock) (2) ² 2x6mm SS (with threadlock) (4) 9738 Steering blocks, left & right) ² caster blocks (c-hubs), left or right (2) 9748-BLUE Steering link, 6061-T6 aluminum (dark titanium-anodized) ² servo horn, metal ² spacers (2) ² 3x6mm CCS (with threadlock) (1) ² 2.5x7mm SS (with threadlock) (1) 9748-GRN Steering link, 6061-T6 aluminum (dark titanium-anodized) ² servo horn, metal ² spacers (2) ² 3x6mm CCS (with threadlock) (1) ² 2.5x7mm SS (with threadlock) (1) 9748-GRN Steering link, 6061-T6 aluminum (dark titanium-anodized) ² servo horn, metal ² spacers (2) ² 3x6mm CCS (with threadlock) (1) ² 2.5x7mm SS (with threadlock) (1) 9748-GRN Steering link, 6061-T6 aluminum (red-anodized) ² servo horn, metal ² spacers (2) ² 3x6mm CCS (with threadlock) (1) ² 2.5x7mm SS (with threadlock) (1) 9748-GRN Steering link, 6061-T6 aluminum (red-anodized) ² servo horn, metal ² spacers (2) ² 3x6mm CCS (with threadlock)				
 (4) 9745-GRAY Steering blocks, 6061-T6 aluminum (dark titanium-anodized) (left & right) 2.5x12mm BCS (with threadlock) (2)/ 2x6mm SS (with threadlock) (1)/ 2.5x7mm SS (with threadlock) (1)/ 2.5x7mm SS (with threadlock) (1) 2.5x7mm SS (with threadlock) (1) 2x87m SS (with	131-BLUE			
9737-GRAYSteering blocks, 6061-T6 aluminum (dark titanium-anodized) (left & right) 2.5x12mm BCS (with threadlock) (2)/ 2x6mm SS (with threadlock) (4)97763x6x2.5mm bearings (6)) Gear set, transmission, low range (trail) (16.6:1 reduction pinion gear, 11-tooth9737-GRNSteering blocks, 6061-T6 aluminum (green-anodized) (left & right) 2.5x12mm BCS (with threadlock) (2)/ 2x6mm SS (with threadlock) (4)9776KGear set, transmission, low range (crawl) (40.3:1 redu pinion gear, 11-tooth9737-GRNGSteering blocks, 6061-T6 aluminum (orange-anodized) (left & right) 2.5x12mm BCS (with threadlock) (2)/ 2x6mm SS (with threadlock) (2)/ 2x6mm SS (with threadlock) (4)97479737Steering blocks, left a diuminum (orange-anodized) (left & right)/ 2.5x12mm BCS (with threadlock) (2)/ 2x6mm SS (with threadlock) (4)97479737Steering blocks, left a diuminum (orange-anodized) (left & right)/ 2.5x12mm BCS (with threadlock) (2)/ 2x6mm SS (with threadlock) (4)97479737Steering blocks, left a diuminum (dra-t diadiced) (servo horn, metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/ 2.5x7mm SS (with threadlock) (1)9791K9748-GRNSteering link, 6061-T6 aluminum (drak titanium-anodized)/ servo horn, metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/ 2.5x7mm SS (with threadlock) (1)9791X9748-GRNSteering link, 6061-T6 aluminum (range-anodized)/ servo horn, metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/ 2.5x7mm SS (with threadlock) (1)3433XBody reamer (aluminum mandle)9748-GRNSteering link, 6061-T6 aluminum (range-anodized)/ servo horn, metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/ 2.5x7mm SS (with threadlock) (1)3433X <td></td> <td></td> <td>9745R</td> <td>Ball bearing kit, transmission, black rubber sealed (contains</td>			9745R	Ball bearing kit, transmission, black rubber sealed (contains
& right) ⁷ 2.5x12mm BCS (with threadlock) (2) / 2x6mm SS (with threadlock) (4) 9776 Gear set, transmission, high range (trail) (16.6:1 reduction pinion gear, 11-tooth 9737-GRNG Steering blocks, 6061-T6 aluminum (orange-anodized) (left & right) ⁷ 2.5x12mm BCS (with threadlock) (2) / 2x6mm SS (with threadlock) (4) 9776 Gear set, transmission, how range (crawl) (40.3:1 reduc pinion gear, 11-tooth 9737-GRNG Steering blocks, 6061-T6 aluminum (orange-anodized) (left & right) ⁷ 2.5x12mm BCS (with threadlock) (2) / 2x6mm SS (with threadlock) (4) 9777 Gear set, transmission, low range (crawl) (40.3:1 reduc pinion gear, 11-tooth 9737-GRNG Steering blocks, 6061-T6 aluminum (orange-anodized) (left & right) 2.5x12mm BCS (with threadlock) (2) / 2x6mm SS (with threadlock) (4) 9747 Gear set, transmission, low range (crawl) (40.3:1 reduc pinion gear, 11-tooth 9737-GRNG Steering blocks, 6061-T6 aluminum (red-anodized) (left & right) 2.5x12mm BCS (with threadlock) (2) / 2x6mm SS (with threadlock) (4) 9747 Output shaft, transmission Transmission, complete (high range (trail) gearing) (16.6: Transmission, complete (high range (trail) gearing) (16.10: Transmission, complete (high range (trail) gea	737-GRAY			
threadiock) (4)prior9737-GRNSteering blocks, 6061-T6 aluminum (green-anodized) (left & right)/ 2.5x12mm BCS (with threadlock) (2)/2x6mm SS (with threadlock) (4)9776KGear set, transmission, speed (9.7:1 reduction ratio) / 11-tooth9737-ORNGSteering blocks, 6061-T6 aluminum (orange-anodized) (left & right)/ 2.5x12mm BCS (with threadlock) (2)/2x6mm SS (with threadlock) (2)/2x6mm SS (with threadlock) (4)9747X9747X9737Steering blocks, brass (7 grams each) (left & right)/ 2.5x12mm BCS (with threadlock) (2)/2x6mm SS (with threadlock) (4)9747X9737Steering blocks, brass (7 grams each) (left & right)/ 2.5x12mm BCS (with threadlock) (4)9747X9738Steering blocks, brass (7 grams each) (left & right)/ 2.5x12mm BCS (with threadlock) (1)/ 2.5x72mm SS (with threadlock) (1)/ 2.5x72mm SS (with threadlock) (1)/ 2.5x77mm			9776	Gear set, transmission, high range (trail) (16.6:1 reduction ratio)/
 bit of the provided with ball bearings) (includes Titan® 87T motor) bit of threadlock) (1) bit threadlock) (2)/ 2x6mm SS (with threadlock) cist 1 and threadlock) (2)/ 2x6mm SS (with threadlock) cist 2 and 2 and				
 Gear set, transmission, speed (9.7:1 reduction ratio)/ 11-tooth Gear set, transmission, speed (9.7:1 reduction ratio)/ 12-tooth Gear set, transmission, speed (9.7:1 reduction ratio)/ 11-tooth Gear set, transmission, speed (9.7:1 reduction ratio)/ 11-tooth Gearbox housing (front & rear)/ 2x4mm BCS (with threadlock) (1)/ 2.5x7mm Gearbox housing (front & rear)/ 2x4mm BCS (with threadlock) (1)/ 2.5x7mm Gearbox housing (front & rear)/ 2x4mm BCS (with threadlock) (1)/ 2.5x7mm Gearbox housing (front & rear)/ 2x4mm BCS (with threadlock) (1)/ 2.5x7mm Gearbox housing (front & rear)/ 2x4mm BCS (with threadlock) (1)/ 2.5x7mm Gearbox housing (front & rear)/ 2x4mm BCS (with threadlock) (1)/ 2.5x7mm Gearbox housing (front & rear)/ 2x4mm BCS (with threadlock) (1)/ 2.5x7mm Gearbox housing (front & rear)/ 2x4mm BCS (with threadlock) (1)/ 2.5x7mm Gearbox housing (front & rear)/ 2x4mm BCS (with threadlock) (1)/ 2.5x7mm Gearbox housing (front & rear)/ 2x4mm BCS (with threadlock) (1)/ 2.5x7mm Gearbox housing (front & rear)/ 2x4mm BCS (with threadlock) (1)/ 2.5x7mm Gearbox h	737-GRN	Steering blocks, 6061-T6 aluminum (green-anodized) (left &	9776R	Gear set, transmission, low range (crawl) (40.3:1 reduction ratio
 3737-ORNG Steering blocks, 6061-T6 aluminum (orange-anodized) (left & right)/ 2.5x12mm BCS (with threadlock) (2)/ 2x6mm SS (with threadlock) 9747 (2.5x12mm BCS (with threadlock) (2)/ 2x6mm SS (with threadlock) 9747 (2.5x12mm BCS (with threadlock) (2)/ 2x6mm SS (with threadlock) 9747 (4) 3737 Steering blocks, botass (7 grams each) (left & right)/ 2.5x12mm BCS (with threadlock) (2)/ 2x6mm SS (with threadlock) 9747 (4) 3737 Steering blocks, brass (7 grams each) (left & right)/ 2.5x12mm BCS (with threadlock) (2)/ 2x6mm SS (with threadlock) 9747 (4) 3737 Steering blocks, brass (7 grams each) (left & right)/ 2.5x12mm BCS (with threadlock) (2)/ 2x6mm SS (with threadlock) (4) 3738 Steering blocks, left & right/ caster blocks (c-hubs), left or right (2) 3748-BLUE Steering link, 6061-T6 aluminum (dark titanium-anodized)/ servo horn, metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/ 2.5x7mm SS (with threadlock) (1) / 2.5x7mm SS (with threadlock) (1)/ 2.5x7mm SS (with threadlock) (1) 3748-GRN Steering link, 6061-T6 aluminum (green-anodized)/ servo horn, metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/ 2.5x7mm SS (with threadlock) (1) / 2.5x7mm SS (with threadlock) (1) 3748-RED Steering link, 6061-T6 aluminum (orange-anodized)/ servo horn, metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/ 2.5x7mm SS (with threadlock) (1) / 2.5x7mm SS (with threadlock) (1) 3748-RED Steering link, 6061-T6 aluminum (red-anodized)/ servo horn, metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/ 2.5x7mm SS (with threadlock) (1) / 2.5x7mm SS (with threadlock) (1) 3748-RED Steering link, 6061-T6 aluminum (red-anodized)/ servo horn, metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1) / 2.5x7mm SS (with threadlock) (1) / 2.5x7mm SS (with threadlock) (1) 3748-RED Steering link, 6061-T6 aluminum (red-anodized)		right)/ 2.5x12mm BCS (with threadlock) (2)/ 2x6mm SS (with		
For Writeciting blocks, bit threadlock, (2)2x6mm SS (with threadlock) (2)97479737-REDSteering blocks, 6061-T6 aluminum (red-anodized) (left & right)/ 2.5x12mm BCS (with threadlock) (2)/2x6mm SS (with threadlock)97479737Steering blocks, brass (7 grams each) (left & right)/ 2.5x12mm BCS (with threadlock) (2)/2x6mm SS (with threadlock) (4)97919738Steering blocks, left & right/ caster blocks (c-hubs), left or right (2)97479739Steering link, 6061-T6 aluminum (blue-anodized)/ servo horn, metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)97919748-GRNSteering link, 6061-T6 aluminum (green-anodized)/ servo horn, metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/ 2.5x7mm SS (with threadlock) (1)97439748-GRNSteering link, 6061-T6 aluminum (orange-anodized)/ servo horn, metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/ 2.5x7mm SS (with threadlock) (1)97439748-GRNSteering link, 6061-T6 aluminum (orange-anodized)/ servo horn, metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/ 2.5x7mm SS (with threadlock) (1)34339748-GRNSteering link, 6061-T6 aluminum (orange-anodized)/ servo horn, metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/ 2.5x7mm SS (with threadlock) (1)34339748-REDSteering link, 6061-T6 aluminum (red-anodized)/ servo horn, metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/ 2.5x7mm SS (with threadlock) (1)34319748-REDSteering link, 6061-T6 aluminum (red-anodized)/ servo horn, metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/ 2.5x7mm SS (with threadlock) (1)34319748-REDSteering link, 6061-T6 aluminum (red-			9776X	
Transmission CCS (with threadlock) (4)2x8mm BCS (4)/3x6x2.5mm bushings, self-lubricating (6)9737 Steering blocks, 6061-T6 aluminum (red-anodized) (left & right)/ 2.5x12mm BCS (with threadlock) (2)/2x6mm SS (with threadlock) (4)9747XOutput shaft, transmission9737 Steering blocks, brass (7 grams each) (left & right)/ 2.5x12mm BCS (with threadlock) (2)/2x6mm SS (with threadlock) (4)9731Transmission, complete (high range (trail) gearing) (16.6: ratio) (assembled with ball bearings) (includes Titan® 87T9732 Steering blocks, left & right/ caster blocks (c-hubs), left or right (2)9791RTransmission, complete (low range (crawl) gearing) (4) reduction ratio) (assembled with ball bearings) (includes Titan® 87T9748-GRAYSteering link, 6061-T6 aluminum (dark titanium-anodized)/ servo horn, metal/ spacers (2)/3x6mm CCS (with threadlock) (1)/ 2.5x7mm SS (with threadlock) (1)97439748-GRNSteering link, 6061-T6 aluminum (green-anodized)/ servo horn, metal/ spacers (2)/3x6mm CCS (with threadlock) (1)/ 2.5x7mm SS (with threadlock) (1)3433XBody reamer (aluminum handle)9748-GRNSteering link, 6061-T6 aluminum (orange-anodized)/ servo horn, metal/ spacers (2)/3x6mm CCS (with threadlock) (1)/ 2.5x7mm SS (with threadlock) (1)3433Body reamer (plastic handle)9748-REDSteering link, 6061-T6 aluminum (red-anodized)/ servo horn, metal/ spacers (2)/3x6mm CCS (with threadlock) (1)/ 2.5x7mm SS (with threadlock) (1)3431Scissors, straight tip9748-REDSteering link, 6061-T6 aluminum (red-anodized)/ servo horn, metal/ spacers (2)/3x6mm CCS (with threadlock) (1)/2.5x7mm SS (with threadlock) (1)3431Scissors, straight tip97	737-ORNG		0747	
9737-RED Steering blocks, 6061-T6 aluminum (red-anodized) (left & right)/ 2.5x12mm BCS (with threadlock) (2)/2x6mm SS (with threadlock) 9747X 9791 9737 Steering blocks, brass (7 grams each) (left & right)/ 2.5x12mm 9791 Transmission, complete (high range (trail) gearing) (16.6: 9737 Steering blocks, left & right/ caster blocks (c-hubs), left or right (2) 9791 Transmission, complete (low range (crawl) gearing) (16.6: 9748-BLUE Steering link, 6061-T6 aluminum (blue-anodized)/ servo horn, metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/ 9791X 9748-GRAY Steering link, 6061-T6 aluminum (green-anodized)/ servo horn, metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/ 9748-GRN 9748-GRN Steering link, 6061-T6 aluminum (green-anodized)/ servo horn, metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/ 9748-GRN 9748-GRN Steering link, 6061-T6 aluminum (green-anodized)/ servo horn, metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/ 3433 9748-ORNG Steering link, 6061-T6 aluminum (range-anodized)/ servo horn, metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/ 3431 9748-RED Steering link, 6061-T6 aluminum (red-anodized)/ servo horn, metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/ 3431 9748-RED Steering link, 6061-T6 aluminum (red-anodized)/ servo horn, metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/ 3431			9/4/	
2.5x12mm BCS (with threadlock) (2)/ 2x6mm SS (with threadlock) 9747X 9747X 9737 Steering blocks, brass (7 grams each) (left & right) 2.5x12mm 9791 Transmission, complete (high range (trail) gearing) (16.6: ratio) (assembled with ball bearings) (includes Titan® 87T 9732 Steering blocks, left & right/ caster blocks (c-hubs), left or right (2) 974R-BLUE Steering link, 6061-T6 aluminum (blue-anodized)/ servo horn, metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/ 2.5x7mm SS (with threadlock) (1) 9791 Transmission, complete (low range (trail) gearing) (action ratio) (assembled with ball bearings) (includes Titan® 87T n ransmission, complete (low range (trail) gearing) (4 9748-GRAY Steering link, 6061-T6 aluminum (dark titanium-anodized)/ servo horn, metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/ 9791X Transmission, complete (low range (trail) gearing) (includes Titan® 87T n ransmission, complete (low range (trail) gearing) (includes Titan® 87T n ransmission, complete (low range (trail) gearing) (includes Titan® 87T n ransmission, complete (low range (trail) gearing) (includes Titan® 87T n ransmission, complete (low range (trail) gearing) (includes Titan® 87T n ransmission, complete (low range (trail) gearing) (includes Titan® 87T n ransmission, complete (low range (trail) gearing) (includes Titan® 87T n ransmission, complete (low range (trail) gearing) (includes Titan® 87T n ransmission, complete (low range (trail) gearing) (includes Titan® 87T n ransmission, complete (low range (trail) gearing) (includes Titan® 87T n ransmission, complete (low range (trail) gearing) (includes Titan® 87T n ransmission, complete (low range (trail) gearing) (includes Titan® 87T n ransmission, complete (t		, (,		() O()
(4)9791Transmission, complete (high range (trail) gearing) (16.6: ratio) (assembled with ball bearings) (includes Titan® 87T ratio) (assembled with ball bearings) (includes Titan® 87T ratio) (assembled with ball bearings) (includes Titan® 87T reduction ratio) (assembled with ball bearings) (includes Titan® 87T motor)9748-GRAYSteering link, 6061-T6 aluminum (dark titanium-anodized)/ servo horn, metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/ 2.5x7mm SS (with threadlock) (1)9791XTransmission, complete (high range (trail) gearing) (16.6: ratio) (assembled with ball bearings) (includes Titan® 87T reduction ratio) (assembled with ball bearings) (includes Titan® 87T m Transmission, complete (speed gearing) (9.7:1 reduct (assembled with ball bearings) (includes Titan® 87T m Steering link, 6061-T6 aluminum (green-anodized)/ servo horn, metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/ 2.5x7mm SS (with threadlock) (1)9748-ORNG9748-ORNGSteering link, 6061-T6 aluminum (orange-anodized)/ servo horn, metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/ 2.5x7mm SS (with threadlock) (1)3431Scissors, curved tip9748-GRNSteering link, 6061-T6 aluminum (red-anodized)/ servo horn, metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/ 2.5x7mm SS (with threadlock) (1)3431Scissors, straight tip9748-GRNSteering link, 6061-T6 aluminum (red-anodized)/ servo horn, metal/ spacers (2)/ 3x6mm CCS (with t	131-KED	Steering DIOCKS, 6061-16 aluminum (red-anodized) (left & right)/	9747X	
9737Steering blocks, brass (7 grams each) (left & right) 2.5x12mm BCS (with threadlock) (2)/ 2x6mm SS (with threadlock) (4)9791Rratio) (assembled with ball bearings) (includes Titan® 87T reduction ratio) (assembled with ball bearings) (include			9791	
BCS (with threadlock) (2)/ 2x6mm SS (with threadlock) (4)9791RTransmission, complete (low range (crawl) gearing) (49732Steering blocks, left & right/ caster blocks (c-hubs), left or right (2)9748-GRAYSteering link, 6061-T6 aluminum (blue-anodized)/ servo horn, metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/ 2.5x7mm SS (with threadlock) (1)9791RTransmission, complete (low range (crawl) gearing) (49748-GRAYSteering link, 6061-T6 aluminum (dark titanium-anodized)/ servo horn, metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/ 2.5x7mm SS (with threadlock) (1)9748.9791RTransmission, complete (low range (crawl) gearing) (49748-GRNSteering link, 6061-T6 aluminum (dark titanium-anodized)/ servo horn, metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/ 2.5x7mm SS (with threadlock) (1)9748.9791RTransmission, complete (low range (crawl) gearing) (49748-ORNGSteering link, 6061-T6 aluminum (green-anodized)/ servo horn, metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/ 2.5x7mm SS (with threadlock) (1)9748.9791R9748-ORNGSteering link, 6061-T6 aluminum (orange-anodized)/ servo horn, metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/ 2.5x7mm SS (with threadlock) (1)9748.87129748-REDSteering link, 6061-T6 aluminum (red-anodized)/ servo horn, metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/ 2.5x7mm SS (with threadlock) (1)8720Speed Bit Essentials Set, hex and nut driver, 7-piece, premium handle (medium), travel pouch, hex drivers (1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mr and 8.0mm), 1/4" drive9748-REDSteering link, 6061-T6 aluminum (red-anodized)/ servo horn, metal/ spacers (2)/ 3x6mm	737		5.01	ratio) (assembled with ball bearings) (includes Titan® 87T motor)
9732Steering blocks, left & right/ caster blocks (c-hubs), left or right (2)reduction ratio) (assembled with ball bearings) (include 87T motor)9748-BLUESteering link, 6061-T6 aluminum (blue-anodized)/ servo horn, metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/ 2.5x7mm SS (with threadlock) (1)9791Xreduction ratio) (assembled with ball bearings) (include 87T motor)9748-GRAYSteering link, 6061-T6 aluminum (dark titanium-anodized)/ servo horn, metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/ 2.5x7mm SS (with threadlock) (1)9791Xreduction ratio) (assembled with ball bearings) (include 87T motor)9748-GRNSteering link, 6061-T6 aluminum (green-anodized)/ servo horn, metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/ 2.5x7mm SS (with threadlock) (1)9748-ORNGBody reamer (aluminum handle)9748-ORNGSteering link, 6061-T6 aluminum (orange-anodized)/ servo horn, metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/ 2.5x7mm SS (with threadlock) (1)3431Scissors, straight tip9748-REDSteering link, 6061-T6 aluminum (red-anodized)/ servo horn, metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/ 2.5x7mm SS (with threadlock) (1)8712Speed Bit Essentials Set, hex and nut driver, 7-piece, premium handle (medium), travel pouch, hex drivers (1)9748-REDSteering link, 6061-T6 aluminum (red-anodized)/ servo horn, metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/ 2.5x7mm SS (with threadlock) (1)8720Speed Bit Essentials Set, hex and nut driver, 7-piece, premium handle, medium), travel pouch, hex drivers (6)9748-REDSteering link, 6061-T6 aluminum (red-anodized)/ servo horn, metal/ spacers (2)/ 3x6mm CCS (with threadloc			9791R	Transmission, complete (low range (crawl) gearing) (40.3:1
9748-BLUE Steering link, 6061-T6 aluminum (blue-anodized)/ servo horn, metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/ 2.5x7mm SS (with threadlock) (1) 87T motor) Transmission, complete (speed gearing) (9.7:1 reduct (assembled with ball bearings) (includes Titan® 87T m 9748-GRAY Steering link, 6061-T6 aluminum (dark titanium-anodized)/ servo horn, metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/ 2.5x7mm SS (with threadlock) (1) 9748-GRN Steering link, 6061-T6 aluminum (green-anodized)/ servo horn, metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/ 2.5x7mm SS (with threadlock) (1) 3433 Body reamer (aluminum handle) 9748-ORNG Steering link, 6061-T6 aluminum (orange-anodized)/ servo horn, metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/ 2.5x7mm SS (with threadlock) (1) 3431 Scissors, curved tip 9748-ORNG Steering link, 6061-T6 aluminum (orange-anodized)/ servo horn, metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/ 2.5x7mm SS (with threadlock) (1) 3431 Scissors, straight tip 9748-RED Steering link, 6061-T6 aluminum (red-anodized)/ servo horn, metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/ 2.5x7mm SS (with threadlock) (1) 8720 Speed Bit Essentials Set, hex and nut driver, 7-piece, premium handle (medium), travel pouch, hex drivers (1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mr and 8.0mm), 1/4" drive 9748-RED Steering link, 6061-T6 aluminum (red-anodized)/ servo horn, metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/ 2.5x7mm SS (with threadlock) (1) 8720 Speed bit handle, large (overmolded) <td>732</td> <td></td> <td></td> <td>reduction ratio) (assembled with ball bearings) (includes Titan®</td>	732			reduction ratio) (assembled with ball bearings) (includes Titan®
metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/ SS (with threadlock) (1)9791XTransmission, complete (speed gearing) (9.7:1 reduct (assembled with ball bearings) (includes Titan® 87T n9748-GRAYSteering link, 6061-T6 aluminum (dark titanium-anodized)/ servo horn, metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/ 2.5x7mm SS (with threadlock) (1)9748-GRNBody reamer (aluminum handle)9748-GRNSteering link, 6061-T6 aluminum (green-anodized)/ servo horn, metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/ 2.5x7mm SS (with threadlock) (1)3433Body reamer (aluminum handle)9748-ORNGSteering link, 6061-T6 aluminum (orange-anodized)/ servo horn, metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/ 2.5x7mm3431Scissors, curved tip9748-REDSteering link, 6061-T6 aluminum (red-anodized)/ servo horn, metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/ 2.5x7mm3431Scissors, straight tip9748-REDSteering link, 6061-T6 aluminum (red-anodized)/ servo horn, metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/ 2.5x7mm8720Speed Bit Essentials Set, hex and nut driver, 7-piece, premium handle (medium), travel pouch, hex drivers (1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mr and 8.0mm), 1/4" drive9748-REDSteering link, 6061-T6 aluminum (red-anodized)/ servo horn, metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/ 2.5x7mm SS (with threadlock) (1)87209748-REDSteering link, 6061-T6 aluminum (red-anodized)/ servo horn, metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/ 2.5x7mm SS (with threadlock) (1)87209748-REDSteering link, 6061-T6 aluminum (red-anodized)/ servo horn, metal/ spacers (2)/ 3x6				
SS (with threadlock) (1) (assembled with ball bearings) (includes Titan® 87T m 9748-GRAY Steering link, 6061-T6 aluminum (dark titanium-anodized)/ servo horn, metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/ 3433X Body reamer (aluminum handle) 9748-GRN Steering link, 6061-T6 aluminum (green-anodized)/ servo horn, metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/ 2.5x7mm 3433 Body reamer (plastic handle) 9748-ORNG Steering link, 6061-T6 aluminum (orange-anodized)/ servo horn, metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/ 2.5x7mm SS (with threadlock) (1) 3431 Scissors, straight tip 9748-RED Steering link, 6061-T6 aluminum (red-anodized)/ servo horn, metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/ 2.5x7mm SS (with threadlock) (1) 3431 Scissors, straight tip 9748-RED Steering link, 6061-T6 aluminum (red-anodized)/ servo horn, metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/ 2.5x7mm SS (with threadlock) (1) 3431 Scissors, straight tip 9748-RED Steering link, 6061-T6 aluminum (red-anodized)/ servo horn, metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/ 2.5x7mm SS (with threadlock) (1) 8720 Speed bit handle, large (overmolded) 8720 Speed bit handle, large (overmolded) 8721 Speed bit handle, medium (one piece)			9791X	Transmission, complete (speed gearing) (9.7:1 reduction ratio)
horn, metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/ 2.5x7mm SS (with threadlock) (1)3433XBody reamer (aluminum handle)9748-GRNSteering link, 6061-T6 aluminum (green-anodized)/ servo horn, metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/ 2.5x7mm SS (with threadlock) (1)3433XBody reamer (aluminum handle)9748-ORNGSteering link, 6061-T6 aluminum (orange-anodized)/ servo horn, metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/ 2.5x7mm SS (with threadlock) (1)3433Body reamer (plastic handle)9748-ORNGSteering link, 6061-T6 aluminum (orange-anodized)/ servo horn, metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/ 2.5x7mm SS (with threadlock) (1)3431Scissors, straight tip9748-REDSteering link, 6061-T6 aluminum (red-anodized)/ servo horn, metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/ 2.5x7mm SS (with threadlock) (1)8712Speed Bit Essentials Set, hex and nut driver, 7-piece, premium handle (medium), travel pouch, hex drivers (1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mr and 8.0mm), 1/4" drive9748-REDSteering link, 6061-T6 aluminum (red-anodized)/ servo horn, metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/ 2.5x7mm SS (with threadlock) (1)8720Speed bit handle, large (overmolded) S721				(assembled with ball bearings) (includes Titan® 87T motor)
horn, metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/ 2.5x7mm SS (with threadlock) (1)3433XBody reamer (aluminum handle)9748-GRNSteering link, 6061-T6 aluminum (green-anodized)/ servo horn, metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/ 2.5x7mm SS (with threadlock) (1)3433Body reamer (aluminum handle)9748-GRNGSteering link, 6061-T6 aluminum (orange-anodized)/ servo horn, metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/ 2.5x7mm SS (with threadlock) (1)3431Scissors, curved tip9748-ORNGSteering link, 6061-T6 aluminum (orange-anodized)/ servo horn, metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/ 2.5x7mm SS (with threadlock) (1)3431Scissors, straight tip9748-REDSteering link, 6061-T6 aluminum (red-anodized)/ servo horn, metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/ 2.5x7mm SS (with threadlock) (1)8712Speed Bit Essentials Set, hex and nut driver, 7-piece, premium handle (medium), travel pouch, hex drivers (1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mr and 8.0mm), 1/4" drive9748-REDSteering link, 6061-T6 aluminum (red-anodized)/ servo horn, metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/ 2.5x7mm SS (with threadlock) (1)87209748-REDSteering link, 6061-T6 aluminum (red-anodized)/ servo horn, metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/ 2.5x7mm SS (with threadlock) (1)8720	9748-GRAY	Steering link, 6061-T6 aluminum (dark titanium-anodized)/ servo		Traxxas Tools
25377mm 35 (with threadlock) (1) 3433 Body reamer (plastic handle) 9748-GRN Steering link, 6061-T6 aluminum (green-anodized)/ servo horn, metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/ 2.5x7mm SS (with threadlock) (1) 3433 Body reamer (plastic handle) 9748-GRNG Steering link, 6061-T6 aluminum (orange-anodized)/ servo horn, metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/ 2.5x7mm SS (with threadlock) (1)/ 2.5x7mm SS (with threadlock) (1)/ 2.5x7mm SS (with threadlock) (1) 3431 Scissors, straight tip 9748-RED Steering link, 6061-T6 aluminum (red-anodized)/ servo horn, metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/ 2.5x7mm SS (with threadlock) (1) 8712 Speed Bit Essentials Set, hex and nut driver, 7-piece, premium handle (medium), travel pouch, hex drivers (1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mr and 8.0mm), 1/4" drive 9748-RED Steering link, 6061-T6 aluminum (red-anodized)/ servo horn, metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/ 2.5x7mm SS (with threadlock) (1) 8720 Speed Bit Essentials Set, hex and nut driver, 5.0mm, 5.5mr and 8.0mm), 1/4" drive 9748-RED Steering link, 6061-T6 aluminum (red-anodized)/ servo horn, metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/ 2.5x7mm SS (with threadlock) (1) 8720 Speed bit handle, large (overmolded)			3433¥	
9745-ORNG Steering link, 6061-T6 aluminum (greenatiouized)/ servo horn, SS (with threadlock) (1) 3436 Cap, body reamer 9748-ORNG Steering link, 6061-T6 aluminum (orange-anodized)/ servo horn, metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/ 2.5x7mm SS (with threadlock) (1) 3431 Scissors, curved tip 9748-ORNG Steering link, 6061-T6 aluminum (orange-anodized)/ servo horn, metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/ 2.5x7mm SS (with threadlock) (1) 3431 Scissors, straight tip 9748-RED Steering link, 6061-T6 aluminum (red-anodized)/ servo horn, metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/ 2.5x7mm SS (with threadlock) (1) 8712 Speed Bit Essentials Set, hex and nut driver, 7-piece, premium handle (medium), travel pouch, hex drivers (1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mr and 8.0mm), 1/4" drive SS (with threadlock) (1) 8720 Speed bit handle, large (overmolded) SS (with threadlock) (1) 8721 Speed bit handle, medium (one piece)				
SS (with threadlock) (1) 3432 Scissors, curved tip 3432 Scissors, straight tip 3432 Scissors, straight tip 3431 Scissors, straight tip 3431 Scissors, straight tip 3432 Scissors, curved tip 3431 Scissors, straight tip 3432 Scissors, curved tip 3432 Scissors, straight t	9748-GRN			
9748-ORNG Steering link, 6061-T6 aluminum (orange-anodized)/ servo horn, metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/ 2.5x7mm 3431 Scissors, straight tip 9748-ORNG Steering link, 6061-T6 aluminum (orange-anodized)/ servo horn, metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/ 2.5x7mm 8712 Speed Bit Essentials Set, hex and nut driver, 7-piece, premium handle (medium), travel pouch, hex drivers (1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mr and 8.0mm), 1/4" drive 9748-RED Steering link, 6061-T6 aluminum (red-anodized)/ servo horn, metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/ 2.5x7mm Speed Bit Essentials Set, hex and nut driver, 7-piece, premium handle (medium), travel pouch, hex drivers (1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mr and 8.0mm), 1/4" drive SS (with threadlock) (1) 8720 Speed bit handle, large (overmolded) Speed bit handle, medium (one piece) Speed bit handle, medium (one piece)				
metally spacers (2)/ 3x6mm CCS (with threadlock) (1)/ 2.5x7mm8712SS (with threadlock) (1)Spacers (2)/ 3x6mm CCS (with threadlock) (1)/ 2.5x7mmSpeed Bit Essentials Set, hex and nut driver, 7-piece, premium handle (medium), travel pouch, hex drivers (1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mr and 8.0mm), 1/4" drive9748-REDSteering link, 6061-T6 aluminum (red-anodized)/ servo horn, metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/ 2.5x7mm SS (with threadlock) (1)87209748-REDSteering link, 6061-T6 aluminum (red-anodized)/ servo horn, metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/ 2.5x7mm SS (with threadlock) (1)87209748-REDSteering link, 6061-T6 aluminum (red-anodized)/ servo horn, metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/ 2.5x7mm SS (with threadlock) (1)87209748-REDSpeed bit handle, large (overmolded) Speed bit handle, medium (one piece)	749 0010			· ·
SS (with threadlock) (1)premium handle (medium), travel pouch, hex drivers (9748-REDSteering link, 6061-T6 aluminum (red-anodized)/ servo horn, metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/ 2.5x7mm SS (with threadlock) (1)premium handle (medium), travel pouch, hex drivers (9748-REDSteering link, 6061-T6 aluminum (red-anodized)/ servo horn, metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/ 2.5x7mm SS (with threadlock) (1)premium handle (medium), travel pouch, hex drivers (9748-REDSteering link, 6061-T6 aluminum (red-anodized)/ servo horn, metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/ 2.5x7mm SS (with threadlock) (1)and 8.0mm), 1/4" drive Speed bit handle, large (overmolded) Speed bit handle, medium (one piece)	9/48-ORNG			
9748-RED Steering link, 6061-T6 aluminum (red-anodized)/ servo horn, metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/ 2.5x7mm SS (with threadlock) (1) 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mr and 8.0mm), 1/4" drive Speed bit handle, large (overmolded) Speed bit handle, medium (one piece)		• • • • • • • • • • • • • • • • • • • •		premium handle (medium), travel pouch, hex drivers (straight:
metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/ 2.5x7mm and 8.0mm), 1/4" drive SS (with threadlock) (1) 8720 Speed bit handle, large (overmolded) 8721 Speed bit handle, medium (one piece)	9748-RED	. ,.,		1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm,
SS (with threadlock) (1) 8720 Speed bit handle, large (overmolded) 8721 Speed bit handle, medium (one piece)				
8721 Speed bit handle, medium (one piece)			8720	-
8722 Speed bit handle, premium (rubber overmold)				
			8722	Speed bit handle, premium (rubber overmold)

Page 3 TRX-4M[™] 1/18 1979 Chevrolet® K10 High Trail Edition[™] (Model 97064-1) Parts List

8710	Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
8711	Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive
8719	Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
8716	Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive
8716X	Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm) 1/4" drive
8715	Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm). 1/4" drive
8715X	Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive
8714	Speed Bit Set, screwdriver, 3-piece straight (3mm slotted, #1 Phillips, and #2 Phillips bits), 1/4" drive
2748R	Tool set (includes 1.5mm hex wrench / 2.0mm hex wrench / 2.5mm hex wrench/ 4-way wrench/ 8mm & 4mm wrench/ U-joint wrench)
3415	Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/4mm. 5mm, 5.5mm, 7mm, and 8mm nut drivers/ 2mm, 3mm, and 4mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrenches/ driver handle)

If you have questions or need technical assistance, call Traxxas at:

1-888-TRAXXAS

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com TRAXXAS.COM